(19) Europäisches Patentamt
European Patent Office
Office européen des brevets

(11) EP 1 310 571 B1

(12) EUROPEAN PATENT SPECIFICATION

(45) Date of publication and mention of the grant of the patent:
15.02.2006 Bulletin 2006/07

(21) Application number: **02257826.4**

(22) Date of filing: **12.11.2002**

(51) Int Cl.:
C12Q 1/70 (2006.01) *C07K 14/015* (2006.01)
C12N 15/86 (2006.01) *C12N 15/10* (2006.01)
C12Q 1/68 (2006.01) *C12N 5/10* (2006.01)

(54) A Method of identifying unknown adeno-associated virus (AVV) sequences and a kit for the method

Verfahren zur Identifizierung von Adeno-assoziiertem Virus (AAV) Sequenzen sowie Kit zur Ausführung der Methode

Une méthode d'identification de séquences de virus adéno-associés et kit permettant d'appliquer la méthode

(84) Designated Contracting States:
AT BE BG CH CY CZ DE DK EE ES FI FR GB GR IE IT LI LU MC NL PT SE SK TR
Designated Extension States:
AL LT LV MK RO SI

(30) Priority: **13.11.2001 US 350607 P**
17.12.2001 US 341117 P
01.05.2002 US 377066 P
05.06.2002 US 386675 P

(43) Date of publication of application:
14.05.2003 Bulletin 2003/20

(73) Proprietor: **THE TRUSTEES OF THE UNIVERSITY OF PENNSYLVANIA**
Philadelphia,
Pennsylvania 19104-6283 (US)

(72) Inventors:
- **Gao, Guangping**
  Rosemont, Pennsylvania 19010 (US)
- **Wilson, James M.**
  Gladwyne, Pennsylvania 19035 (US)
- **Alvira, Maricio**
  Philadelphia, Pennsylvania 19104 (US)

(74) Representative: **Hale, Stephen Geoffrey et al**
Bromhead Johnson,
Kingsbourne House,
229-231 High Holborn
London WC1V 7DP (GB)

(56) References cited:
WO-A-02/18659

- **GAO GUANG-PING ET AL: "Novel adeno-associated viruses from rhesus monkeys as vectors for human gene therapy." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES, vol. 99, no. 18, 3 September 2002 (2002-09-03), pages 11854-11859, XP002229849 http://www.pnas.org September 3, 2002 ISSN: 0027-8424**
- **FORSLUND OLA ET AL: "A broad range of human papillomavirus types detected with a general PCR method suitable for analysis of cutaneous tumours and normal skin." JOURNAL OF GENERAL VIROLOGY, vol. 80, no. 9, 1999, pages 2437-2443, XP002229850 ISSN: 0022-1317**
- **XIAO WEIDONG ET AL: "Gene therapy vectors based on adeno-associated virus type 1." JOURNAL OF VIROLOGY, vol. 73, no. 5, May 1999 (1999-05), pages 3994-4003, XP002229851 ISSN: 0022-538X**
- **GENE THERAPY, vol. 10, 2003, pages 194-196,**
- **PROC. NATL. ACAD. SCI. USA, vol. 100, no. 10, 2003, pages 6081-6086,**
- **J. VIROL., vol. 78, no. 12, 2004, pages 6381-6388,**

Description

BACKGROUND OF THE INVENTION

[0001] Adeno-associated virus (AAV), a member of the Parvovirus family, is a small nonenveloped, icosahedral virus with single-stranded linear DNA genomes of 4.7 kilobases (kb) to 6 kb. AAV is assigned to the genus, Dependovirus, because the virus was discovered as a contaminant in purified adenovirus stocks. AAV's life cycle includes a latent phase at which AAV genomes, after infection, are site specifically integrated into host chromosomes and an infectious phase in which, following either adenovirus or herpes simplex virus infection, the integrated genomes are subsequently rescued, replicated, and packaged into infectious viruses. The properties of non-pathogenicity, broad host range of infectivity, including non-dividing cells, and potential site-specific chromosomal integration make AAV an attractive tool for gene transfer.

[0002] Recent studies suggest that AAV vectors may be the preferred vehicle for gene therapy. To date, there have been 6 different serotypes of AAVs isolated from human or non-human primates (NHP) and well characterized. Among them, human serotype 2 is the first AAV that was developed as a gene transfer vector; it has been widely used for efficient gene transfer experiments in different target tissues and animal models. Gene therapy vectors based on adeno-associated virus type 1 have also been disclosed (Xiao et al. J. Virology; May 1999; pages 3994-4008). Clinical trials of the experimental application of AAV2 based vectors to some human disease models are in progress, and include such diseases as cystic fibrosis and hemophilia B.

[0003] A general PCR method suitable for detecting human papillomavirus types in cutaneous tumours and normal skin is known (Forslund et al J. of General Virology: 1999 80: P2437-2443).

[0004] What are desirable are AAV-based constructs for gene delivery.

SUMMARY OF THE INVENTION

[0005] In one aspect, the invention provides a novel method of identifying unknown AAV sequences from cellular DNAs of various human and non-human primate (NHP) tissues using bioinformatics analysis, PCR based gene amplification and cloning technology, based on the nature of latency and integration of AAVs in the absence of helper virus co-infection, the method being defined in claim 1 hereinafter.

[0006] In another aspect the invention provides a kit for use in the method of the invention, the kit being as defined in claim 23 hereinafter.

DETAILED DESCRIPTION OF THE INVENTION

[0007] In the present invention, the inventors have found a method which takes advantage of the ability of adeno-associated virus (AAV) to penetrate the nucleus, and, in the absence of a helper virus co-infection, to integrate into cellular DNA and establish a latent infection. This method utilizes a polymerase chain reaction (PCR)-based strategy for detection, identification of sequences of AAVs from DNAs from tissues of human and non-human primate origin as well as from other sources.

[0008] Nucleic acid sequences can be identified according to the method of the invention. One such adeno-associated virus is of the serotype, termed herein serotype 7 (AAV7). Other novel adeno-associated virus serotypes identified by the method include AAV10, AAV11, and AAV12.

[0009] Among particularly desirable AAV fragments which can be identified are the cap proteins, including the vp1, vp2, vp3, the hypervariable regions, the rep proteins, including rep 78, rep 68, rep 52, and rep 40, and the sequences encoding these proteins. Each of these fragments may be readily utilized in a variety of vector systems and host cells. Such fragments may be used alone, in combination with other AAV sequences or fragments, or in combination with elements from other AAV or non-AAV viral sequences. In one particularly desirable embodiment, a vector contains the AAV cap and/or rep sequences.

[0010] As described herein, alignments are performed using any of a variety of publicly or commercially available Multiple Sequence Alignment Programs, such as "Clustal W", accessible through Web Servers on the internet. Alternatively, Vector NTI utilities are also used. There are also a number of algorithms known in the art which can be used to measure nucleotide sequence identity, including those contained in the programs described above. As another example, polynucleotide sequences can be compared using Fasta, a program in GCG Version 6.1. Fasta provides alignments and percent sequence identity of the regions of the best overlap between the query and search sequences. For instance, percent sequence identity between nucleic acid sequences can be determined using Fasta with its default parameters (a word size of 6 and the NOPAM factor for the scoring matrix) as provided in GCG Version 6.1. Similar programs are available for amino acid sequences, e.g., the "Clustal X" program. Generally, any of these programs are used at default settings, although one of skill in the art can alter these settings as needed. Alternatively, one of skill in the art can utilize

another algorithm or computer program which provides at least the level of identity or alignment as that provided by the referenced algorithms and programs.

[0011] The term "substantial homology" or "substantial similarity," when referring to a nucleic acid, or fragment thereof, indicates that, when optimally aligned with appropriate nucleotide insertions or deletions with another nucleic acid (or its complementary strand), there is nucleotide sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or an open reading frame thereof, or another suitable fragment which is at least 15 nucleotides in length. Examples of suitable fragments are described herein.

[0012] The term "substantial homology" or "substantial similarity," when referring to amino acids or fragments thereof, indicates that, when optimally aligned with appropriate amino acid insertions or deletions with another amino acid, there is amino acid sequence identity in at least about 95 to 99% of the aligned sequences. Preferably, the homology is over full-length sequence, or a protein thereof, e.g., a cap protein, a rep protein, or a fragment thereof which is at least 8 amino acids, or more desirably, at least 15 amino acids in length. Examples of suitable fragments are described herein.

[0013] By the term "highly conserved" is meant at least 80% identity, preferably at least 90% identity, and more preferably, over 97% identity. Identity is readily determined by one of skill in the art by resort to algorithms and computer programs known by those of skill in the art.

[0014] The term "percent sequence identity" or "identical" in the context of nucleic acid sequences refers to the residues in the two sequences which are the same when aligned for maximum correspondence. The length of sequence identity comparison may be over the full-length of the genome, the full-length of a gene coding sequence, or a fragment of at least about 500 to 5000 nucleotides, is desired. However, identity among smaller fragments, e.g. of at least about nine nucleotides, usually at least about 20 to 24 nucleotides, at least about 28 to 32 nucleotides, at least about 36 or more nucleotides, may also be desired. Similarly, "percent sequence identity" may be readily determined for amino acid sequences, over the full-length of a protein, or a fragment thereof. Suitably, a fragment is at least about 8 amino acids in length, and may be up to about 700 amino acids. Examples of suitable fragments are described herein.

[0015] The AAV sequences and fragments thereof are useful in production of rAAV, and are also useful as antisense delivery vectors, gene therapy vectors, or vaccine vectors.

[0016] As described herein, the vectors containing the AAV capsid proteins are particularly well suited for use in applications in which the neutralizing antibodies diminish the effectiveness of other AAV serotype based vectors, as well as other viral vectors. The rAAV vectors are particularly advantageous in rAAV readministration and repeat gene therapy.

[0017] As used throughout this specification and the claims, the terms "comprising" and "including" and their variants are inclusive of other components, elements, integers, steps and the like. Conversely, the term "consisting" and its variants is exclusive of other components, elements, integers, steps and the like.

I. Methods of the Invention

A. Detection of Sequences Via Molecular Cloning

[0018] In one aspect, the invention provides a method of identifying target (unknown) nucleic acid sequences in a sample. This method is particularly well suited for detection of viral sequences which are integrated into the chromosome of a cell, e.g., adeno-associated viruses (AAV) and retroviruses, among others.

[0019] As used herein, a sample is any source containing nucleic acids, e.g., tissue, tissue culture, cells, cell culture, and biological fluids including, without limitation, urine and blood. These nucleic acid sequences may be DNA or RNA from plasmids, natural DNA or RNA from any source, including bacteria, yeast, viruses, and higher organisms such as plants or animals. DNA or RNA is extracted from the sample by a variety of techniques known to those of skill in the art, such as those described by Sambrook, Molecular Cloning: A Laboratory Manual (New York: Cold Spring Harbor Laboratory). The origin of the sample and the method by which the nucleic acids are obtained for application of the method of the invention is not a limitation of the present invention. Optionally, the method of the invention can be performed directly on the source of DNA, or on nucleic acids obtained (e.g., extracted) from a source.

[0020] The method of the invention involves subjecting a sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers specific for a first region of double-stranded nucleic acid sequences, thereby obtaining amplified sequences.

[0021] As used herein, each of the "regions" is predetermined based upon the alignment of the nucleic acid sequences of at least two serotypes (e.g., AAV) or strains (e.g.. lentiviruses), and wherein each of said regions is composed of sequences having a 5' end which is highly conserved, a middle which is variable, and a 3' end which is highly conserved, each of these being conserved or variable relative to the sequences of at least AAV1-AAV6. The 5' and 3' ends are highly conserved over at least 18 base pairs (bp). However, one or both of the sequences at the 5' or 3' end may be conserved over more than 18 bp, more than 25 bp, more than 30 bp, or more than 50 bp at the 5' end. With respect to the variable region, there is no requirement for conserved sequences, these sequences may be relatively conserved, or may have less than 90, 80, or 70% identity among the aligned serotypes or strains.

[0022] Each of the regions may span about 100 bp to about 10 kilobase pairs in length, provided that the first region is at least 250 bp in length. However, it is particularly desirable that one of the regions is a "signature region", i.e., a region which is sufficiently unique to positively identify the amplified sequence as being from the target source. For example, in one embodiment, the first region is about 250 bp in length, and is sufficiently unique among known AAV sequences, that it positively identifies the amplified region as being of AAV origin. Further, the variable sequences within this region are sufficiently unique that can be used to identify the serotype from which the amplified sequences originate. Once amplified (and thereby detected), the sequences can be identified by performing conventional restriction digestion and comparison to restriction digestion patterns for this region in any of AAV1, AAV2, AAV3, AAV4, AAV5, or AAV6, or that of AAV7, AAV10, AAV11, AAV12, or any of the other novel serotypes identified by the invention, which is predetermined and provided by the present invention.

[0023] Given the guidance provided herein, one of skill in the art can readily identify such regions among other integrated viruses to permit ready detection and identification of these sequences. Thereafter, an optimal set of generic primers located within the highly conserved ends can be designed and tested for efficient amplification of the selected region from samples. This aspect of the invention is readily adapted to a diagnostic kit for detecting the presence of the target sequence (e.g., AAV) and for identifying the AAV serotype, using standards which include the restriction patterns for the AAV serotypes described herein or isolated using the techniques described herein. For example, quick identification or molecular serotyping of PCR products can be accomplished by digesting the PCR products and comparing restriction patterns.

[0024] Thus, in one embodiment, the "signature region" for AAV spans about bp 2800 to about 3200 of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2, AAV3, AAV4, AAV5, and AAV6. More desirably, the region is about 250 bp, located within bp 2886 to about 3143 bp of AAV 1 [SEQ ID NO:6], and corresponding base pairs in AAV 2 [SEQ ID NO:7], AAV3 [SEQ ID NO8], and other AAV serotypes. To permit rapid detection of AAV in the sample, primers which specifically amplify this signature region are utilized. However, the present invention is not limited to the exact sequences identified herein for the AAV signature region, as one of skill in the art may readily alter this region to encompass a shorter fragment, or a larger fragment of this signature region.

[0025] The PCR primers are generated using techniques known to those of skill in the art. Each of the PCR primer sets is composed of a 5' primer and a 3' primer. See, e.g., Sambrook et al, cited herein. The term "primer" refers to an oligonucleotide which acts as a point of initiation of synthesis when placed under conditions in which synthesis of a primer extension product which is complementary to a nucleic acid strand is induced. The primer is preferably single stranded. However, if a double stranded primer is utilized, it is treated to separate its strands before being used to prepare extension products. The primers may be about 15 to 25 or more nucleotides, and preferably at least 18 nucleotides. However, for certain applications shorter nucleotides, e.g., 7 to 15 nucleotides are utilized.

[0026] The primers are selected to be sufficiently complementary to the different strands of each specific sequence to be amplified to hybridize with their respective strands. Therefore, the primer sequence need not reflect the exact sequence of the region being amplified. For example, a non-complementary nucleotide fragment may be attached to the 5' end of the primer, with the remainder of the primer sequence being completely complementary to the strand. Alternatively, non-complementary bases or longer sequences can be interspersed into the primer, provided that the primer sequence has sufficient complementarity with the sequence of the strand to be amplified to hybridize therewith and form a template for synthesis of the extension product of the other primer.

[0027] The PCR primers for the signature region are based upon the highly conserved sequences of two or more aligned sequences (e.g., two or more AAV serotypes). The primers can accommodate less than exact identity among the two or more aligned AAV serotypes at the 5' end or in the middle. However, the sequences at the 3' end of the primers correspond to a region of two or more aligned AAV serotypes in which there is exact identity over at least five, preferably, over at least nine base pairs, and more preferably, over at least 18 base pairs at the 3' end of the primers. Thus, the 3' end of the primers is composed of sequences with 100% identity to the aligned sequences over at least five nucleotides. However, one can optionally utilize one, two, or more degenerate nucleotides at the 3' end of the primer.

[0028] For example, the primer set for the signature region of AAV was designed based upon a unique region within the AAV capsid, as follows. The 5' primer was based upon nt 2867-2891 of AAV2 [SEQ ID NO:7], 5'-GGTAATTCCTCCGGAAATTGGCATT3'. The 3' primer was designed based upon nt 3096-3122 of AAV2 [SEQ ID NO:7], 5'-GACTCATCAACAACAACTGGGGATTC-'3. However, one of skill in the art may have readily designed the primer set based upon the corresponding regions of AAV 1, AAV3, AAV4, AAV5, AAV6, or based upon the information provided herein, AAV7. AAV10, AAV11, AAV12, or another novel AAV. In addition, still other primer sets can be readily designed to amplify this signature region, using techniques known to those of skill in the art.

B. Isolation of Target Sequences

[0029] As described herein, the present invention uses a first primer set which specifically amplifies the signature region of the target sequence, e.g., an AAV serotype, in order to permit detection of the target. In a situation in which

further sequences are desired, e.g., if a novel AA V serotype is identified, the signature region may be extended. Thus, the invention may further utilize one or more additional primer sets.

[0030] Suitably, these primer sets are designed to include either the 5' or 3' primer of the first primer set and a second primer unique to the primer set, such that the primer set amplifies a region 5' or 3' to the signature region which anneals to either the 5' end or the 3' end of the signature region. For example, a first primer set is composed of a 5' primer, P1 and a 3' primer P2 to amplify the signature region. In order to extend the signature region on its 3' end, a second primer set is composed of primer P1 and a 3' primer P4, which amplifies the signature region and contiguous sequences downstream of the signature region. In order to extend the signature region on its 5' end, a third primer set is composed of a 5' primer, P5, and primer P2, such that the signature region and contiguous sequences upstream of the signature region are amplified. These extension steps are repeated (or performed at the same time), as needed or desired. Thereafter, the products results from these amplification steps are fused using conventional steps to produce an isolated sequence of the desired length.

[0031] The second and third primer sets are designed, as with the primer set for the signature region, to amplify a region having highly conserved sequences among the aligned sequences. Reference herein to the term "second" or "third" primer set is for each of discussion only, and without regard to the order in which these primers are added to the reaction mixture, or used for amplification. The region amplified by the second primer set is selected so that upon amplification it anneals at its 5' end to the 3' end of the signature region. Similarly, the region amplified by the third primer set is selected so that upon amplification it anneals at its 3' end anneals to the 5' end of the signature region. Additional primer sets can be designed such that the regions which they amplify anneal to the either the 5' end or the 3' end of the extension products formed by the second or third primer sets, or by subsequent primer sets.

[0032] For example, where AAV is the target sequence, a first set of primers (P1 and P2) are used to amplify the signature region from the sample. In one desirable embodiment, this signature region is located within the AAV capsid. A second set of primers (P1 and P4) is used to extend the 3' end of the signature region to a location in the AAV sequence which is just before the AAV 3' ITR, i.e., providing an extension product containing the entire 3' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P4 primer corresponds to nt 4435 to 4462 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.6 kb, which contains the 0.25 kb signature region. A third set of primers (P3 and P2) is used to extend the 5' end of signature region to a location in the AAV sequences which is in the 3' end of the rep genes, i.e., providing an extension product containing the entire 5' end of the AAV capsid when using the signature region as an anchor. In one embodiment, the P3 primer corresponds to nt 1384 to 1409 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes. This results in amplification of a region of about 1.7 kb, which contains the 0.25 kb signature region. Optionally, a fourth set of primers are used to further extend the extension product containing the entire 5' end of the AAV capsid to also include the rep sequences. In one embodiment, the primer designated P5 corresponds to nt 108 to 133 of AAV2 [SEQ ID NO:7], and corresponding sequences in the other AAV serotypes and is used in conjunction with the P2 primer.

[0033] Following completion of the desired number of extension steps, the various extension products are fused, making use of the signature region as an anchor or marker, to construct an intact sequence. In the example provided herein, AAV sequences containing, at a minimum, an intact AAV cap gene are obtained. Larger sequences may be obtained, depending upon the number of extension steps performed.

[0034] Suitably, the extension products are assembled into an intact AAV sequence using methods known to those of skill in the art. For example, the extension products may be digested with DraIII, which cleaves at the DraIII site located within the signature region, to provide restriction fragments which are re-ligated to provide products containing (at a minimum) an intact AAV cap gene. However, other suitable techniques for assembling the extension products into an intact sequence may be utilized. See, generally, Sambrook et al, cited herein.

[0035] As an alternative to the multiple extension steps described above, another embodiment of the invention provides for direct amplification of a 3.1 kb fragment which allows isolation of full-length cap sequences. To directly amplify a 3.1 kb full-length cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene is utilized (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGT-TCAACTGAAACGA 3', SEQ ID NO: 7) for amplification of AAV sequences including the full-length AAV cap. Typically, following amplification, the products are cloned and sequence analysis is performed with an accuracy of ≥ 99.9%. Using this method, the inventors have isolated at least 50 capsid clones which have subsequently been characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 - rh.37), 6 clones from cynomologous macaques (cy.1 - cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 - ch.5). These clones are identified elsewhere in the specification, together with the species of animal from which they were identified and the tissues in that animal these novel sequences have been located.

II. Diagnostic Kit

[0036] In another aspect, the invention provides a diagnostic kit as defined in claim 23 hereinafter for detecting the presence of an unknown adeno-associated virus (AAV) in a sample. Such a kit may contain a first set of 5' and 3' PCR primers specific for a signature region of the AAV nucleic acid sequence. Alternatively, or additionally, such a kit can contain a first set of 5' and 3' PCR primers specific for the 3.1 kb fragment which includes the full-length AAV capsid nucleic acid sequence identified herein (e.g., the AV1ns and AV2cas primers.) Optionally, a kit of the invention may further contain two or more additional sets of 5' and 3' primers, as described herein, and/or PCR probes. These primers and probes are used according to the present invention to amplify signature regions of each AAV serotype, e.g., using quantitative PCR.

[0037] Such a kit may further include one or more restriction enzymes, standards for AAV serotypes providing their "signature restriction enzyme digestions analyses", and/or other means for determining the serotype of the AAV detected.

[0038] In addition, kits of the invention may include, instructions, a negative and/or positive control, containers, diluents and buffers for the sample, indicator charts for signature comparisons, disposable gloves, decontamination instructions, applicator sticks or containers, and sample preparator cups, as well as any desired reagents, including media, wash reagents and concentration reagents. Such reagents may be readily selected from among the reagents described herein, and from among conventional concentration reagents. In one desirable embodiment, the wash reagent is an isotonic saline solution which has been buffered to physiologic pH, such as phosphate buffered saline (PBS); the elution reagent is PBS containing 0.4 M NaCl, and the concentration reagents and devices. For example, one of skill in the art will recognize that reagents such as polyethylene glycol (PEG), or NH_4SO_4 may be useful, or that devices such as filter devices. For example, a filter device with a 100 K membrane would concentrate rAAV.

[0039] The kits provided by the present invention are useful for performing the methods described herein, and for study of biodistribution, epidemiology, mode of transmission of novel AAV serotypes in human and NHPs.

[0040] Thus, the methods and kits of the invention permit identification of target AAV sequences, particularly integrated AAV sequences.

[0041] In one notable example, the method of the invention facilitated analysis of cloned AAV sequences by the inventors, which revealed heterogeneity of proviral sequences between cloned fragments from different animals, all of which were distinct from the known six AAV serotypes, with the majority of the variation localized to hypervariable regions of the capsid protein. Surprising divergence of AAV sequences was noted in clones isolated from single tissue sources, such as lymph node, from an individual rhesus monkey. This heterogeneity is best explained by apparent evolution of AAV sequence within ind ividual animals due, in part, to extensive homologous recombination between a limited number of co-infecting parenteral viruses. These studies suggest sequence evolution of widely disseminated virus during the course of a natural AAV infection that presumably leads to the formation of swarms of quasispecies which differ from one another in the array of capsid hypervariable regions. This is the first example of rapid molecular evolution of a DNA virus in a way that formerly was thought to be restricted to RNA viruses.

[0042] Sequences of several novel AAV serotypes identified by the method of the invention and characterization of these serotypes is provided.

III. Novel AAV Serotypes

A. Nucleic Acid Sequences

[0043] Nucleic acid sequences of novel AAV serotypes identified by the methods of the invention are provided. See, SEQ ID NO:1, 9 - 59, and 117 - 120. See also and the sequence listing.

[0044] For novel serotype AAV7, the full-length sequences, including the AAV 5' ITRs, capsid, rep, and AAV 3' ITRs are provided in SEQ ID NO:1.

[0045] For other novel AA V serotypes, the approximately 3.1 kb fragment isolated according to the method of the invention is provided. This fragment contains sequences encoding full-length capsid protein and all or part of the sequences encoding the rep protein. These sequences include the clones identified below.

[0046] For still other novel AAV serotypes, the signature region encoding the capsid protein is provided. For example, the AAV10 nucleic acid sequences include those illustrated in See, SEQ ID NO:117, which spans 255 bases. The AAV11 nucleic acid sequences include the DNA sequences illustrated in SEQ ID NO:118 which spans 258 bases. The AAV12 nucleic acid sequences include the DNA sequences illustrated in SEQ ID NO: 119, which consists of 255 bases. Using the methodology described above, further AAV10, AAV11 and AAV 12 sequences can be readily identified and used for a variety of purposes, including those described for AAV7 and the other novel serotypes herein.

[0047] Novel NHP sequences identified by the invention include those provided in the following Table I, which are identified by clone number:

Table 1

AAV Cap Sequence	Clone Number	Source		
		Species	Tissue	SEQ ID NO (DNA)
Rh.1	Clone 9 (AAV9)	Rhesus	Heart	5
Rh.2	Clone 43.1	Rhesus	MLN	39
Rh.3	Clone 43.5	Rhesus	MLN	40
Rh.4	Clone 43.12	Rhesus	MLN	41
Rh.5	Clone 43.20	Rhesus	MLN	42
Rh.6	Clone 43.21	Rhesus	MLN	43
Rh.7	Clone 43.23	Rhesus	MLN	44

Table 1 (cont'd)

Rh.8	Clone 43.25	Rhesus	MLN	45
Rh.9	Clone 44.1	Rhesus	Liver	46
Rh.10	Clone 44.2	Rhesus	Liver	59
Rh.11	Clone 44.5	Rhesus	Liver	47
Rh.12	Clone 42.1B	Rhesus	MLN	30
Rh.13	42.2	Rhesus	MLN	9
Rh.14	Clone 42.3A	Rhesus	MLN	32
Rh.15	Clone 42.3B	Rhesus	MLN	36
Rh.16	Clone 42.4	Rhesus	MLN	33
Rh.17	Clone 42.5A	Rhesus	MLN	34
Rh.18	Clone 42.5B	Rhesus	MLN	29
Rh.19	Clone 42.6B	Rhesus	MLN	38
Rh.20	Clone 42.8	Rhesus	MLN	27
Rh.21	Clone 42.10	Rhesus	MLN	35
Rh.22	Clone 42.11	Rhesus	MLN	37
Rh.23	Clone 42.12	Rhesus	MLN	58
Rh.24	Clone 42.13	Rhesus	MLN	31
Rh.25	Clone 42.15	Rhesus	MLN	28
Rh.26	Clone 223.2	Rhesus	Liver	49
Rh.27	Clone 223.4	Rhesus	Liver	50
Rh.28	Clone 223.5	Rhesus	Liver	51
Rh.29	Clone 223.6	Rhesus	Liver	52
Rh.30	Clone 223.7	Rhesus	Liver	53
Rh.31	Clone 223.10	Rhesus	Liver	48
Rh.32	Clone C1	Rhesus	Spleen, Duo, Kid & Liver	19
Rh.33	Clone C3	Rhesus		20
Rh.34	Clone C5	Rhesus		21
Rh.35	Clone F1	Rhesus	Liver	22
Rh.36	Clone F3	Rhesus		23
Rh.37	Clone F5	Rhesus		24
Cy.1	Clone 1.3	Cyno	Blood	14
Cy.2	Clone 13.3B	Cyno	Blood	15
Cy.3	Clone 24.1	Cyno	Blood	16
Cy.4	Clone 27.3	Cyno	Blood	17
Cy.5	Clone 7.2	Cyno	Blood	18
Cy.6	Clone 16.3	Cyno	Blood	10

Table 1 (cont'd)

bb.1	Clone 29.3	Baboon	Blood	11
bb.2	Clone 29.5	Baboon	Blood	13
Ch.1	Clone A3.3	Chimp	Blood	57
Ch.2	Clone A3.4	Chimp	Blood	54
Ch.3	Clone A3.5	Chimp	Blood	55
Ch.4	Clone A3.7	Chimp	Blood	56

[0048] A novel NHP clone was made by splicing capsids fragments of two chimp adenoviruses into an AAV2 rep construct. This new clone, A3.1, is also termed Ch.5 [SEQ ID NO:20]. Additionally, the present invention includes two human AAV sequences, termed H6 [SEQ ID NO:25] and H2 [SEQ ID NO:26].

[0049] The AAV nucleic acid sequences further encompass the strand which is complementary to the strands provided in the sequences provided in the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], nucleic acid sequences, as well as the RNA and cDNA sequences corresponding to the sequences provided in the Sequence Listing [SEQ ID NO:1, 9- 59, 117-120], and their complementary strands. Also included in the nucleic acid sequences are natural variants and engineered modifications of the sequences of the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], and their complementary strands. Such modifications include, for example, labels which are known in the art, methylation, and substitution of one or more of the naturally occurring nucleotides with a degenerate nucleotide.

[0050] Further included are nucleic acid sequences which are greater than 85%, preferably at least about 90%, more preferably at least about 95%, and most preferably at least about 98 to 99% identical or homologous to the sequences of the invention, including the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120]. These terms are as defined herein.

[0051] Also included are fragments of the novel AAV sequences identified by the method described herein. Suitable fragments are at least 15 nucleotides in length, and encompass functional fragments, i.e., fragments which are of biological interest. In one embodiment, these fragments are fragments of the novel sequences of the Sequence Listing [SEQ ID NO:1, 9 - 59, 117-120], their complementary strands, cDNA and RNA complementary thereto.

[0052] Examples of suitable fragments are provided with respect to the location of these fragments on AAV1, AAV2, or AAV7. However, using the alignment provided herein (obtained using the Clustal W program at default settings), or similar techniques for generating an alignment with other novel serotypes of the invention, one of skill in the art can readily identify the precise nucleotide start and stop codons for desired fragments.

[0053] Examples of suitable fragments include the sequences encoding the three variable proteins (vp) of the AAV capsid which are alternative splice variants: vp1 [e.g., nt 825 to 3049 of AA V7, SEQ ID NO: 1]; vp2 [e.g., nt 1234 - 3049 of AAV7, SEQ ID NO: 1]; and vp 3 [e.g., nt 1434 - 3049 of AAV7, SEQ ID NO:1]. It is notable that AAV7 has an unusual GTG start codon. With the exception of a few house-keeping genes, such a start codon has not previously been reported in DNA viruses. The start codons for vp1, vp2 and vp3 for other AAV serotypes have been believed to be such that they permit the cellular mechanism of the host cell in which they reside to produce vp1, vp2 and vp3 in a ratio of 10%:10%:80%, respectively, in order to permit efficient assembly of the virion. However, the AAV7 virion has been found to assemble efficiently even with this rare GTG start codon. Thus, the inventors anticipate this it is desirable to alter the start codon of the vp3 of other AAV serotypes to contain this rare GTG start codon, in order to improve packaging efficiency, to alter the virion structure and/or to alter location of epitopes (e.g., neutralizing antibody epitopes) of other AAV serotypes. The start codons may be altered using conventional techniques including, e.g., site directed mutagenesis. The altered AAV virions may be of any selected serotype, composed of a vp 3, and/or optionally, vp 1 and/or vp2 having start codons altered to GTG.

[0054] Other suitable fragments of AAV, include a fragment containing the start codon for the AAV capsid protein [e.g., nt 468 to 3090 of AAV7, SEQ ID NO:1, nt 725 to 3090 of AAV7, SEQ ID NO: 1, and corresponding regions of the other AAV serotypes]. Still other fragments of AAV7 and the other novel AAV semtypes identified using the methods described herein include those encoding the rep proteins, including *rep* 78 [e.g., initiation codon 334 for AAV7], *rep* 68 [initiation codon nt 334 for AAV7], *rep* 52 [initiation codon 1006 for AAV7], and *rep* 40 [initiation codon 1006 for AAV7] Other fragments of interest may include the AAV 5' inverted terminal repeats ITRs, [nt 1 to 107 for AAV7]; the AA V 3' ITRs [nt 4704 to 4721 for AAV7], P19 sequences. AAV P40 sequences, the rep binding site, and the terminal resolute site (TRS). Still other suitable fragments wilt be readily apparent to those of skill in the art.

[0055] In addition to the nucleic acid sequences provided in the figures and Sequence Listing, there are nucleic acid molecules and sequences which are designed to express the amino acid sequences, proteins and peptides of the AAV serotypes of the invention. These include nucleic acid sequences which encode the following novel AAV amino acid sequences: C1 [SEQ ID NO:60], C2 [SEQ ID NO:61], C5 [SEQ ID NO:62], A3-3 [SEQ ID NO:66], A3-7 [SEQ ID NO:67],

A3-4 [SEQ ID NO:68], A3-5 [SEQ ID NO: 69], 3.3b [SEQ ID NO: 62], 223.4 [SEQ ID NO: 73], 223-5 [SEQ ID NO:74], 223-10 [SEQ ID NO:75], 223-2 [SEQ ID NO:76], 223-7 [SEQ ID NO: 77], 223-6 [SEQ ID NO: 78], 44-1 [SEQ ID NO: 79], 44-5 [SEQ ID NO:80], 44-2 [SEQ ID NO:81], 42-15 [SEQ ID NO: 84], 42-8 [SEQ ID NO: 85], 42-13 [SEQ ID NO:86], 42-3A [SEQ ID NO:87], 42-4 [SEQ ID NO:88], 42-5A [SEQ ID NO:89], 42-1B [SEQ ID NO:90], 42-5B [SEQ ID NO:91], 43-1 [SEQ ID NO: 92], 43-12 [SEQ ID NO: 93], 43-5 [SEQ ID NO:94], 43-21 [SEQ ID NO:96], 43-25 [SEQ ID NO: 97], 43-20 [SEQ ID NO:99], 24.1 [SEQ ID NO: 101], 42.2 [SEQ ID NO:102], 7.2 [SEQ ID NO: 103], 27.3 [SEQ ID NO: 104], 16.3 [SEQ ID NO: 105], 42.10 [SEQ ID NO: 106], 42-38 [SEQ ID NO: 107], 42-11 [SEQ ID NO: 108], F1 [SEQ ID NO: 109], F5 [SEQ ID NO: 110], F3 [SEQ ID NO:111], 42-6B [SEQ ID NO: 112], and/or 42-12 [SEQ ID NO: 113], and artificial AAV serotypes generated using these sequences and/or unique fragments thereof.

[0056] As used herein, artificial AAV serotypes include, without limitation. AAV with a non-naturally occurring capsid protein. Such an artificial capsid may be generated by any suitable technique, using a novel AAV sequence (e.g., a fragment of a vp1 capsid protein) in combination with heterologous sequences which may be obtained from another AAV serotype (known or novel), non-contiguous portions of the same AAV serotype, from a non-AAV viral source, or from a non-viral source. An artificial AAV serotype may be, without limitation, a chimeric AAV capsid, a recombinant AAV capsid, or a "humanized" AAV capsid.

B. AAV Amino Acid Sequences, Proteins and Peptides

[0057] The invention provides proteins and fragments thereof which are encoded by the nucleic acid sequences of the novel AAV serotypes identified herein, including, e.g., AA V7 [nt 825 to 3049 of AA V7, SEQ ID NO: 1] the other novel serotypes provided herein. Thus, the capsid proteins of the novel serotypes of the invention, including: H6 [SEQ ID NO: 25], H2 [SEQ ID NO: 26], 42-2 [SEQ ID NO:9], 42-8 [SEQ ID NO:27], 42-15 [SEQ ID NO:28], 42-5b [SEQ ID NO: 29], 42-1b [SEQ ID NO:30]; 42-13 [SEQ ID NO: 31], 42-3a [SEQ ID NO: 32], 42-4 [SEQ ID NO:33], 42-5a [SEQ ID NO: 34], 42-10 [SEQ ID NO:35], 42-3b [SEQ ID NO: 36], 42-11 [SEQ ID NO: 37], 42-6b [SEQ ID NO:38], 43-1 [SEQ ID NO: 39], 43-5 [SEQ ID NO: 40], 43-12 [SEQ ID NO:41], 43-20 [SEQ ID NO:42], 43-21 [SEQ ID NO: 43], 43-23 [SEQ ID NO:44], 43-25 [SEQ ID NO: 45], 44.1 [SEQ ID NO:47], 44.5 [SEQ ID NO:47], 223.10 [SEQ ID NO:48], 223.2 [SEQ ID NO:49], 223.4 [SEQ ID NO:50], 223.5 [SEQ ID NO:51], 223.6 [SEQ ID NO: 52], 223.7 [SEQ ID NO: 53], A3.4 [SEQ ID NO: 54], A3.5 [SEQ ID NO:55], A3.7 [SEQ ID NO: 56], A3.3 [SEQ ID NO:57], 42.12 [SEQ ID NO: 58], and 44.2 [SEQ ID NO: 59], can be readily generated using conventional techniques from the open reading frames provided for the above-listed clones.

[0058] The sequences, proteins, and fragments may be produced by any suitable means, including recombinant production, chemical synthesis, or other synthetic means. Such production methods are within the knowledge of those of skill in the art.

IV. Production of rAAV with novel AAV capsids

[0059] Novel, wild-type AAV serotypes can be identified by the invention, the sequences of which wild-type AAV serotypes are free of DNA and/or cellular material with these viruses are associated in nature. In another aspect, the present invention provides molecules which utilize the novel AAV sequences of the invention, including fragments thereof, for production of molecules useful in delivery of a heterologous gene or other nucleic acid sequences to a target cell.

[0060] The following examples illustrate several aspects and embodiments of the invention.

EXAMPLES

Example 1: PCR amplification, cloning and characterization of novel AAV sequences.

[0061] Tissues from nonhuman primates were screened for AAV sequences using a PCR method based on oligonucleotides to highly conserved regions of known AAVs. A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which a hypervariable region of the capsid protein (Cap) that is unique to each known AAV serotype, which is termed herein a "signature region," is flanked by conserved sequences. In later analysis, this signature region was shown to be located between conserved residues spanning hypervariable region 3.

[0062] An initial survey of peripheral blood of a number of nonhuman primate species revealed detectable AAV in a subset of animals from species such as rhesus macaques, cynomologous macaques, chimpanzees and baboons. However, there were no AAV sequences detected in some other species tested, including Japanese macaques, pig-tailed macaques and squirrel monkeys. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

A. *Amplification of an AAV signature region*

[0063] DNA sequences of AAV1-6 and AAVs isolated from Goose and Duck were aligned to each other using "Clustal W" at default settings. Sequence similarities among AAVs were compared.

[0064] In the line of study, a 257 bp region spanning 2886 bp to 3143 bp of AAV 1 [SEQ ID NO: 6], and the corresponding region in the genomes ofAAV 2-6 genomes was identified by the inventors. This region is located with the AAV capsid gene and has highly conserved sequences among at both 5' and 3' ends and is relatively variable sequence in the middle. In addition, this region contains a DraIII restriction enzyme site (CACCACGTC, SEQ ID NO:15) . The inventors have found that this region serves as specific signature for each known type of AAV DNA. In other words, following PCR reactions, digestion with endonucleases that are specific to each known serotypes and gel electrophoresis analysis, this regions can be used to definitively identify amplified DNA as being from serotype 1, 2, 3, 4, 5, 6, or another serotype.

[0065] The primers were designed, validated and PCR conditions optimized with AAV1, 2 and 5 DNA controls. The primers were based upon the sequences of AAV2: 5' primer, 1S: bp 2867-2891 of AAV2 (SEQ ID NO:7) and 3' primer, 18as, bp 3095-3121 of AAV2 (SEQ ID NO:7).

[0066] Cellular DNAs from different tissues including blood, brain, liver, lung, testis, etc. of different rhesus monkeys were studied utilizing the strategy described above. The results revealed that DNAs from different tissues of these monkeys gave rise to strong PCR amplifications. Further restriction analyses of PCR products indicated that they were amplified from AAV sequences different from any published AAV sequences.

[0067] PCR products (about 255 bp in size) from DNAs of a variety of monkey tissues have been cloned and sequenced. Bioinformatics study of these novel AAV sequences indicated that they are novel AAV sequences of capsid gene and distinct from each other. Multiple sequence alignment analysis was performed using the Clustal W (1.81) program. The percentage of sequence identity between the signature regions of AAV 1-7 and AAV 10-12 genomes is provided below.

Table 1. Sequences for Analysis

Sequence #	AAV Serotype	Size (bp)
1	AAV1	258
2	AAV2	255
3	AAV3	255
4	AAV4	246
5	AAV5	258
6	AAV6	258
7	AAV7	258
10	AAV10	255
11	AAV11	258
12	AAV12	255

Table 3. Pairwise Alignment (Percentage of Identity)

	AAV2	AAV3	AAV4	AAV5	AAV6	AAV7	AAV10	AAV11	AAV12
AAV1	90	90	81	76	97	91	93	94	93
AAV2		93	79	78	90	90	93	93	92
AAV3			80	76	90	92	92	92	92
AAV4				76	81	84	82	81	79
AAV5					75	78	79	79	76
AAV6						91	92	94	94
AAV7							94	92	92
AAV10								95	93

Table continued

	AAV2	AAV3	AAV4	AAV5	AAV6	AAV7	AAV10	AAV11	AAV12
AAV11									94

[0068] Over 300 clones containing novel AAV serotype sequences that span the selected 257 bp region were isolated and sequenced. Bioinformatics analysis of these 300+ clones suggests that this 257 bp region is critical in serving as a good land marker or signature sequence for quick isolation and identification of novel AAV serotype.

B. *Use of the signature region for PCR amplification.*

[0069] The 257 bp signature region was used as a PCR anchor to extend PCR amplifications to 5' of the genome to cover the junction region of rep and cap genes (1398 bp - 3143 bp, SEQ ID NO:6) and 3' of the genome to obtain the entire cap gene sequence (2866 bp - 4600 bp, SEQ ID NO:6). PCR amplifications were carried out using the standard conditions, including denaturing at 95°C for 0.5-1 min, annealing at 60-65°C for 0.5-1 min and extension at 72° C for l min per kb with a total number of amplification cycles ranging from 28 to 42.

[0070] Using the aligned sequences as described in "A", two other relative conserved regions were identified in the sequence located in 3' end of rep genes and 5' to the 257 bp region and in the sequence down stream of the 257 bp fragment but before the AAV' 3 ITR. Two sets of new primers were designed and PCR conditions optimized for recovery of entire capsid and a part of rep sequences of novel AAV serotypes. More specifically, for the 5' amplification, the 5' primer, AV1Ns, was GCTGCGTCAACTGGACCAATGAGAAC [nt 1398-1423 of AAV1, SEQ ID NO:6] and the 3' primer was 18as, identified above. For the 3' amplification, the 5' primer was 1s, identified above, and the 3' primer was AV2Las, TCGTTTCAGTTGAACTTTGGTCTCTGCG [nt 4435-4462 of AAV2, SEQ ID NO:7].

[0071] In these PCR amplifications, the 257 bp region was used as a PCR anchor and land marker to generate overlapping fragments to construct a complete capsid gene by fusion at the DraIII site in the signature region following amplification of the 5' and 3' extension fragments obtained as described herein. More particularly, to generate the intact AAV7 cap gene, the three amplification products (a) the sequences of the signature region; (b) the sequences of the 5' extension; and (c) the sequences of the 3' extension were cloned into a pCR4-Topo [Invitrogen] plasmid backbone according to manufacturer's instructions. Thereafter, the plasmids were digested with DraIII and recombined to form an intact cap gene.

[0072] In this line of work, about 80 % of capsid sequences of AAV7 and AAV 8 were isolated and analyzed. Another novel serotype, AAV9, was also discovered from Monkey #2.

[0073] Using the PCR conditions described above, the remaining portion of the rep gene sequence for AAV7 is isolated and cloned using the primers that amplify 108 bp to 1461 bp of AAV genome (calculated based on the numbering of AAV2, SEQ ID NO:7). This clone is sequenced for construction of a complete AAV7 genome without ITRs.

C. Direct Amplification of 3.1 kb Cap fragment

[0074] To directly amplify a 3.1 kb full-length Cap fragment from NHP tissue and blood DNAs, two other highly conserved regions were identified in AAV genomes for use in PCR amplification of large fragments. A primer within a conserved region located in the middle of the rep gene was selected (AV1ns: 5' GCTGCGTCAACTGGACCAATGAGAAC 3', nt 1398-1423 of SEQ ID NO:6) in combination with the 3' primer located in another conserved region downstream of the Cap gene (AV2cas: 5' CGCAGAGACCAAAGTTCAACTGAAACGA 3', SEQ ID NO:7) for amplification of full-length cap fragments. The PCR products were Topo-cloned according to manufacturer's directions (Invitrogen) and sequence analysis was performed by Qiagengenomics (Qiagengenomics, Seattle, WA) with an accuracy of ≥ 99.9%. A total of 50 capsid clones were isolated and characterized. Among them, 37 clones were derived from Rhesus macaque tissues (rh.1 - rh.37), 6 clones from cynomologous macaques (cy.1 - cy.6), 2 clones from Baboons (bb.1 and bb.2) and 5 clones from Chimps (ch.1 - ch.5).

[0075] To rule out the possibility that sequence diversity within the novel AAV family was not an artifact of the PCR, such as PCR-mediated gene splicing by overlap extension between different partial DNA templates with homologous sequences, or the result of recombination process in bacteria, a series of experiments were performed under identical conditions for VP1 amplification using total cellular DNAs. First, intact AAV7 and AAV8 plasmids were mixed at an equal molar ratio followed by serial dilutions. The serially diluted mixtures were used as templates for PCR amplification of 3.1 kb VP1 fragments using universal primers and identical PCR conditions to that were used for DNA amplifications to see whether any hybrid PCR products were generated. The mixture was transformed into bacteria and isolated transformants to look for hybrid clones possibly derived from recombination process in bacterial cells. In a different experiment, we restricted AAV7 and AAV8 plasmids with Msp I, Ava I and HaeI, all of which cut both genomes multiple times at different

positions, mixed the digestions in different combinations and used them for PCR amplification of VP1 fragments under the same conditions to test whether any PCR products could be generated through overlap sequence extension of partial AAV sequences. In another experiment, a mixture of gel purified 5' 1.5 kb AAV7 VP1 fragment and 3' 1.7 kb AAV8 VP1 fragment with overlap in the signature region was serially diluted and used for PCR amplification in the presence and absence of 200 ng cellular DNA extracted from a monkey cell line that was free of AAV sequences by TaqMan analysis. None of these experiments demonstrated efficient PCR-mediated overlap sequence production under the conditions of the genomic DNA Cap amplification (data not shown). As a further confirmation, 3 pairs of primers were designed, which were located at different HVRs, and were sequence specific to the variants of clone 42s from Rhesus macaque F953, in different combinations to amplify shorter fragments from mesenteric lymph node (MLN) DNA from F953 from which clone 42s were isolated. All sequence variations identified in full-length Cap clones were found in these short fragments (data not shown).

Example 2: Adeno-Associated Viruses Undergo Substantial Evolution in Primates During Natural Infections

[0076] Sequence analysis of selected AAV isolates revealed divergence throughout the genome that is most concentrated in hypervariable regions of the capsid proteins. Epidemiologic data indicate that all known serotypes are endemic to primates, although isolation of clinical isolates has been restricted to AAV2 and AAV3 from anal and throat swabs of human infants and AAV5 from a human condylomatous wart. No known clinical sequalae have been associated with AAV infection.

[0077] In an attempt to better understand the biology of AAV, nonhuman primates were used as models to characterize the sequlae of natural infections. Tissues from nonhuman primates were screened for AAV sequences using the PCR method of the invention based on oligonucleotides to highly conserved regions of known AAVs (see Example 1). A stretch of AAV sequence spanning 2886 to 3143 bp of AAV1 [SEQ ID NO:6] was selected as a PCR amplicon in which conserved sequences are flanked by a hypervariable region that is unique to each known AAV serotype, termed herein a "signature region."

[0078] An initial survey of peripheral blood of a number of nonhuman primate species including rhesus monkeys, cynomologous monkeys, chimpanzees, and baboons revealed detectable AAV in a subset of animals from all species. A more extensive analysis of vector distribution was conducted in tissues of rhesus monkeys of the University of Pennsylvania and Tulane colonies recovered at necropsy. This revealed AAV sequence throughout a wide array of tissues.

[0079] The amplified signature sequences were subcloned into plasmids and individual transformants were subjected to sequence analysis. This revealed substantial variation in nucleotide sequence of clones derived from different animals. Variation in the signature sequence was also noted in clones obtained within individual animals. Tissues harvested from two animals in which unique signature sequences were identified (i.e., colon from 98E044 and heart from 98E056) were further characterized by expanding the sequence amplified by PCR using oligonucleotides to highly conserved sequences. In this way, complete proviral structures were reconstructed for viral genomes from both tissues as described herein. These proviruses differ from the other known AAVs with the greatest sequence divergence noted in regions of the Cap gene.

[0080] Additional experiments were performed to confirm that AAV sequences resident to the nonhuman primate tissue represented proviral genomes of infectious virus that is capable of being rescued and form virions. Genomic DNA from liver tissue of animal 98E056, from which AAV8 signature sequence was detected, was digested with an endonuclease that does not have a site within the AAV sequence and transfected into 293 cells with a plasmid containing an E1 deleted genome of human adenovirus serotype 5 as a source of helper functions. The resulting lysate was passaged on 293 cells once and the lysate was recovered and analyzed for the presence of AAV Cap proteins using a broadly reacting polyclonal antibody to Cap proteins and for the presence and abundance of DNA sequences from the PCR amplified AAV provirus from which AAV8 was derived. Transfection of endonuclease restricted heart DNA and the adenovirus helper plasmid yielded high quantities of AAV8 virus as demonstrated by the detection of Cap proteins by Western blot analysis and the presence of 10^4 AAV8 vector genomes per 293 cell. Lysates were generated from a large-scale preparation and the AAV was purified by cesium sedimentation. The purified preparation demonstrated 26 nm icosohedral structures that look identical to those of AAV serotype 2. Transfection with the adenovirus helper alone did not yield AAV proteins or genomes, ruling out contamination as a source of the rescued AAV.

[0081] To further characterize the inter and intra animal variation of AAV signature sequence, selected tissues were subjected to extended PCR to amplify entire Cap open reading frames.

[0082] The resulting fragments were cloned into bacterial plasmids and individual transformants were isolated and fully sequenced. This analysis involved mesenteric lymph nodes from three rhesus monkeys (Tulane/V223 - 6 clones; Tulane/T612 - 7 clones; Tulane/F953 - 14 clones), liver from two rhesus monkeys (Tulane/V251 - 3 clones; Penn/00E033 - 3 clones), spleen from one rhesus monkey (Penn/97E043 - 3 clones), heart from one rhesus monkey (IHGT/98E046-1 clone) and peripheral blood from one chimpanzee (New Iberia/X133 - 5 clones), six cynomologous macaques (Charles River/A1378, A3099, A3388, A3442, A2821, A3242 - 6 clones total) and one Baboon (SFRB/8644 - 2 clones). Of the

50 clones that were sequenced from 15 different animals, 30 were considered non-redundant based on the finding of at least 7 amino acid differences from one another. The non-redundant VP1 clones are numbered sequentially as they were isolated, with a prefix indicating the species of non-human primate from which they were derived. The structural relationships between these 30 non-redundant clones and the previously described 8 AAV serotypes were determined using the SplitsTree program [Huson, D. H. SplitsTree: analyzing and visualizing evolutionary data. *Bioinformatics* **14,** 68-73 (1998)] with implementation of the method of split decomposition. The analysis depicts homoplasy between a set of sequences in a tree-like network rather than a bifurcating tree. The advantage is to enable detection of groupings that are the result of convergence and to exhibit phylogenetic relationships even when they are distorted by parallel events. Extensive phylogenetic research will be required in order to elucidate the AAV evolution, whereas the intention here only is to group the different clones as to their sequence similarity.

[0083] To confirm that the novel VP1 sequences were derived from infectious viral genomes, cellular DNA from tissues with high abundance of viral DNA was restricted with an endonuclease that should not cleave within AAV and transfected into 293 cells, followed by infection with adenovirus. This resulted in rescue and amplification of AAV genomes from DNA of tissues from two different animals (data not shown).

[0084] VP1 sequences of the novel AAVs were further characterized with respect to the nature and location of amino acid sequence variation. All 30 VP1 clones that were shown to differ from one another by greater than 1% amino acid sequence were aligned and scored for variation at each residue. An algorithm developed to determine areas of sequence divergence yielded 12 hypervariable regions (HVR) of which 5 overlap or are part of the 4 previously described variable regions [Kotin, cited above; Rutledge, cited above]. The threefold-proximal peaks contain most of the variability (HVR5-10). Interestingly the loops located at the 2 and 5 fold axis show intense variation as well. The HVRs 1 and 2 occur in the N-terminal portion of the capsid protein that is not resolved in the X-ray structure suggesting that the N-terminus of the VP1 protein is exposed on the surface of the virion.

[0085] Real-time PCR was used to quantify AAV sequences from tissues of 21 rhesus monkeys using primers and probes to highly conserved regions of Rep (one set) and Cap (two sets) of known AAVs. Each data point represents analysis from tissue DNA from an individual animal. This confirmed the wide distribution of AAV sequences, although the quantitative distribution differed between individual animals. The source of animals and previous history or treatments did not appear to influence distribution of AAV sequences in rhesus macaques. The three different sets of primers and probes used to quantify AAV yielded consistent results. The highest levels of AAV were found consistently in mesenteric lymph nodes at an average of 0.01 copies per diploid genome for 13 animals that were positive. Liver and spleen also contained high abundance of virus DNA. There were examples of very high AAV, such as in heart of rhesus macaque 98E056, spleen of rhesus macaque 97E043 and liver of rhesus macaque RQ4407, which demonstrated 1.5, 3 and 20 copies of AAV sequence per diploid genome respectively. Relatively low levels of virus DNA were noted in peripheral blood mononuclear cells, suggesting the data in tissue are not due to resident blood components (data not shown). It should be noted that this method would not necessarily capture all AAVs resident to the nonhuman primates since detection requires high homology to both the oligonucleotides and the real time PCR probe. Tissues from animals with high abundance AAV DNA was further analyzed for the molecular state of the DNA, by DNA hybridization techniques, and its cellular distribution, by *in situ* hybridization.

[0086] The kind of sequence variation revealed in AAV proviral fragments isolated from different animals and within tissues of the same animals is reminiscent of the evolution that occurs for many RNA viruses during pandemics or even within the infection of an individual. In some situations the notion of a wild-type virus has been replaced by the existence of swarms of quasispecies that evolve as a result of rapid replication and mutations in the presence of selective pressure. One example is infection by HIV, which evolves in response to immunologic and pharmacologic pressure. Several mechanisms contribute to the high rate of mutations in RNA viruses, including low fidelity and lack of proof reading capacity of reverse transcriptase and non-homologous and homologous recombination.

[0087] Evidence for the formation of quasispecies of AAV was illustrated in this study by the systematic sequencing of multiple cloned proviral fragments. In fact, identical sequences could not be found within any extended clones isolated between or within animals. An important mechanism for this evolution of sequence appears to be a high rate of homologous recombination between a more limited number of parenteral viruses. The net result is extensive swapping of hypervariable regions of the Cap protein leading to an array of chimeras that could have different tropisms and serologic specificities (i.e., the ability to escape immunologic responses especially as it relates to neutralizing antibodies). Mechanisms by which homologous recombination could occur are unclear. One possibility is that + and - strands of different single stranded AAV genomes anneal during replication as has been described during high multiplicity of infections with AAV recombinants. It is unclear if other mechanisms contribute to sequence evolution in AAV infections. The overall rate of mutation that occurs during AAV replication appears to be relatively low and the data do not suggest high frequencies of replication errors. However, substantial rearrangements of the AAV genome have been described during lytic infection leading to the formation of defective interfering particles. Irrespective of the mechanisms that lead to sequence divergence, with few exceptions , vp1 structures of the quasispecies remained intact without frameshifts or nonsense mutations suggesting that competitive selection of viruses with the most favorable profile of fitness contribute to the population

dynamics.

[0088] These studies have implications in several areas of biology and medicine. The concept of rapid virus evolution, formerly thought to be a property restricted to RNA viruses, should be considered in DNA viruses, which classically have been characterized by serologic assays. It will be important in terms of parvoviruses to develop a new method for describing virus isolates that captures the complexity of its structure and biology, such as with HIV, which are categorized as general families of similar structure and function called Clades. An alternative strategy is to continue to categorize isolates with respect to serologic specificity and develop criteria for describing variants within serologic groups.

Example 3: Vectorology of recombinant AAV genomes equipped with AAV2 ITRs using chimeric plasmids containing AAV2 rep and novel AAV cap genes for scrological and gene transfer studies in different animal models.

[0089] Chimeric packaging constructs are generated by fusing AAV2 rep with cap sequences of novel AAV serotypes. These chimeric packaging constructs are used, initially, for pseudotyping recombinant AAV genomes carrying AAV2 ITRs by triple transfection in 293 cell using Ad5 helper plasmid. These pseudotyped vectors are used to evaluate performance in transduction-based serological studies and evaluate gene transfer efficiency of novel AAV serotypes in different animal models including NHP and rodents, before intact and infectious viruses of these novel serotypes are isolated.

A. *pAAV2GFP*

[0090] The AAV2 plasmid which contains the AAV2 ITRs and green fluorescent protein expressed under the control of a constitutitive promoter. This plasmid contains the following elements: the AAV2 ITRs, a CMV promoter, and the GFP coding sequences.

B. *Cloning of trans* plasmid

[0091] To construct the chimeric trans-plasmid for production of recombinant pseudotyped AAV7 vectors, p5E18 plasmid (Xiao *et al.*, 1999, *J. Virol* **73**:3994-4003) was partially digested with Xho I to linearize the plasmid at the Xho I site at the position of 3169 bp only. The Xho I cut ends were then filled in and ligated back. This modified p5E18 plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene sequence and replaced with a 2267 bp Spe I/Xho I fragment containing the AAV7 cap gene which was isolated from pCRAAV7 6-5+15-4 plasmid.

[0092] The resulting plasmid contains the AAV2 rep sequences for Rep78/68 under the control of the AAV2 P5 promoter, and the AAV2 rep sequences for Rep52/40 under the control of the AAV2 P19 promoter. The AAV7 capsid sequences are under the control of the AAV2 P40 promoter, which is located within the Rep sequences. This plasmid further contains a spacer 5' of the rep ORF.

C. *Production of Pseudotyped rAAV*

[0093] The rAAV particles (AAV2 vector in AAV7 capsid) are generated using an adenovirus-free method. Briefly, the cis plasmid (pAAV2.1 lacZ plasmid containing AAV2 ITRs), and the trans plasmid pCRAAV7 6-5+15-4 (containing the AAV2 rep and AAV7 cap) and a helper plasmid, respectively, were simultaneously co-transfected into 293 cells in a ratio of 1:1:2 by calcium phosphate precipitation.

[0094] For the construction of the pAd helper plasmids, pBG 10 plasmid was purchased from Microbix (Canada). A RsrII fragment containing L2 and L3 was deleted from pBHG10, resulting in the first helper plasmid, pAdΔF13. Plasmid AdΔ F1 was constructed by cloning Asp700/SalI fragment with a PmeI/SgfI deletion, isolating from pBHG10, into Bluescript. MLP, L2, L2 and L3 were deleted in the pAdΔF1. Further deletions of a 2.3 kb NruI fragment and, subsequently, a 0.5 kb RsrII/NruI fragment generated helper plasmids pAdΔF5 and pAdΔF6, respectively. The helper plasmid, termed pΔF6, provides the essential helper functions of E2a and E4 ORF6 not provided by the E1-expressing helper cell, but is deleted of adenoviral capsid proteins and functional E1 regions).

[0095] Typically, 50 μg of DNA (cis:trans:helper) was transfected onto a 150 mm tissue culture dish. The 293 cells were harvested 72 hours post-transfection, sonicated and treated with 0.5% sodium deoxycholate (37°C for 10 min.) Cell lysates were then subjected to two rounds of a CsCl gradient. Peak fractions containing rAAV vector are collected, pooled and dialyzed against PBS.

Example 4: Creation of infectious clones carrying intact novel AAV serotypes for study of basic virology in human and NHP derived cell lines and evaluation of pathogenesis of novel AAV serotypes in NHP and other animal models.

[0096] To achieve this goal, the genome walker system is employed to obtain 5' and 3' terminal sequences (ITRs)

and complete construction of clones containing intact novel AAV serotype genomes.

[0097] Briefly, utilizing a commercially available Universal Genome Walker Kit [Clontech], genomic DNAs from monkey tissues or cell lines that are identified as positive for the presence of AAV7 sequence are digested with Dra I, EcoR V, Pvu II and Stu I endonucleases and ligated to Genome Walker Adaptor to generate 4 individual Genome Walker Libraries (GWLs). Using DNAs from GWLs as templates, AAV7 and adjacent genomic sequences will be PCR-amplified by the adaptor primer 1 (API, provided in the kit) and an AAV7 specific primer 1, followed by a nested PCR using the adaptor primer 2 (AP2) and another AAV7 specific primer 2, both of which are internal to the first set of primers. The major PCR products from the nested PCR are cloned and characterized by sequencing analysis.

[0098] In this experiment, the primers covering the 257 bp or other signature fragment of a generic AAV genome are used for PCR amplification of cellular DNAs extracted from Human and NHP derived cell lines to identify and characterize latent AAV sequences. The identified latent AAV genomes are rescued from the positive cell lines using adenovirus helpers of different species and strains.

[0099] To isolate infectious AAV clones from NHP derived cell lines, a desired cell line is obtained from ATCC and screened by PCR to identify the 257 bp amplicon, i.e., signature region of the invention. The 257 bp PCR product is cloned and serotyped by sequencing analysis. For these cell lines containing the AAV7 sequence, the cells are infected with SV-15, a simian adenovirus purchased from ATCC, human Ad5 or transfected with plasmid construct housing the human Ad genes that are responsible for AAV helper functions. At 48 hour post infection or transfection, the cells are harvested and Hirt DNA is prepared for cloning of AAV7 genome following Xiao et al., 1999, J. Virol, 73:3994-4003.

Example 5 - Production of AAV Vectors

[0100] A pseudotyping strategy similar to that of Example 3 for AAV1/7 was employed to produce AAV2 vectors packaged with AAV1, AAV5 and AAV8 capsid proteins. Briefly, recombinant AAV genomes equipped with AAV2 ITRs were packaged by triple transfection of 293 cells with cis-plasmid, adenovirus helper plasmid and a chimeric packaging construct where the AAV2 rep gene is fused with cap genes of novel AAV serotypes. To create the chimeric packaging constructs, the Xho I site of p5E18 plasmid at 3169 bp was ablated and the modified plasmid was restricted with Xba I and Xho I in a complete digestion to remove the AAV2 cap gene and replace it with a 2267 bp Spe I/Xho I fragment containing the AAV8 cap gene [Xiao, W., et al., (1999) *J Virol* **73**, 3994-4003]. A similar cloning strategy was used for creation of chimeric packaging plasmids of AAV2/1 and AAV2/5. All recombinant vectors were purified by the standard $CsCl_2$ sedimentation method except for AAV2/2, which was purified by single step heparin chromatography.

[0101] Genome copy (GC) titers of AAV vectors were determined by TaqMan analysis using probes and primers targeting SV40 poly A region as described previously [Gao, G., et al., (2000) *Hum Gene Ther* **11**, 2079-91].

[0102] Vectors were constructed for each serotype for a number of *in vitro* and *in vivo* studies. Eight different transgene cassettes were incorporated into the vectors and recombinant virions were produced for each serotype. The recovery of virus, based on genome copies, is summarized in Table 4 below. The yields of vector were high for each serotype with no consistent differences between serotypes. Data presented in the table are average genome copy yields with standard deviation x 10^{13} of multiple production lots of 50 plate (150 mm) transfections.

Table 4. Production of Recombinant Vectors

	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8
CMV LacZ	7.30 ± 4.33 (n=9)	4.49 ± 2.89 (n=6)	5.19 ± 5.19 (n=8)	3.42 (n=1)	0.87 (n=1)
CMV EGFP	6.43 ± 2.42 (n=2)	3.39 ± 2.42 (n=2)	5.55 ± 6.49 (n=4)	2.98 ± 2.66 (n=2)	3.74 ± 3.88 (n=2)
TBG LacZ	4.18 (n=1)	0.23 (n=1)	0.704 ± 0.43 (n=2)	2.16 (n=1)	0.532 (n=1)
Alb A1AT	4.67 ± 0.75 (n=2)	4.77 (n=1)	4.09 (n=1)	5.04 (n=1)	2.02 (n=1)
CB A1AT	0.567 (n=1)	0.438 (n=1)	2.82 (n=1)	2.78 (n=1)	0.816 ± 0.679 (n=2)
TBG rhCG	8.51 ± 6.65 (n=6)	3.47 ± 2.09 (n=5)	5.26 ± 3.85 (n=4)	6.52 ± 3.08 (n=4)	1.83 ± 0.98 (n=5)
TBG cFIX	1.24 ± 1.29 (n=3)	0.63 ± 0.394 (n=6)	3.74 ± 2.48 (n=7)	4.05 (n=1)	15.8 ± 15.0 (n=5)

Example 6 - Serologic Analysis of Pseudotyped Vectors

[0103] C57BL/6 mice were injected with vectors of different serotypes of AAVCBA1AT vectors intramuscularly (5 x

10^{11} GC) and serum samples were collected 34 days later. To test neutralizing and cross-neutralizing activity of sera to each serotype of AAV, sera was analyzed in a transduction based neutralizing antibody assay [Gao, G. P., et al., (1996) *J Virol* **70**, 8934-43]. More specifically, the presence of neutralizing antibodies was determined by assessing the ability of serum to inhibit transduction of 84-31 cells by reporter viruses (AAVCMVEGFP) of different serotypes. Specifically, the reporter virus AAVCMVEGFP of each serotype [at multiplicity of infection (MOI) that led to a transduction of 90% of indicator cells] was pre-incubated with heat-inactivated serum from animals that received different serotypes of AAV or from naïve mice. After 1-hour incubation at 37° C, viruses were added to 84-31 cells in 96 well plates for 48 or 72- hour, depending on the virus serotype. Expression of GFP was measured by FluoroImagin (Molecular Dynamics) and quantified by Image Quant Software. Neutralizing antibody titers were reported as the highest serum dilution that inhibited transduction to less than 50%.

[0104] The availability of GFP expressing vectors simplified the development of an assay for neutralizing antibodies that was based on inhibition of transduction in a permissive cell line (i.e., 293 cells stably expressing E4 from Ad5). Sera to selected AAV serotypes were generated by intramuscular injection of the recombinant viruses. Neutralization of AAV transduction by 1:20 and 1:80 dilutions of the antisera was evaluated (See Table 5 below). Antisera to AAV1, AAV2, AAV5 and AAV8 neutralized transduction of the serotype to which the antiserum was generated (AAV5 and AAV8 to a lesser extent than AAV1 and AAV2) but not to the other serotype (i.e., there was no evidence of cross neutralization suggesting that AAV 8 is a truly unique serotype).

Table 5. Serological Analysis of New AAV Serotypes.

		% Infection on 84-31 cells with AAVCMVEGFP virus:									
		AAV2/1		AAV2/2		AAV2/5		AAV2/7		AAV2/8	
		Serum dilution:		Serum dilution:		Serum dilution:		Serum dilution:		Serum dilution:	
Sera:	Immunization Vector	1/20	1/80	1/20	1/80	1/20	1/80	1/20	1/80	1/20	1/80
Group 1	**AAV2/1**	**0**	**0**	100	100	100	100	100	100	100	100
Group 2	**AAV2/2**	100	100	**0**	**0**	100	100	100	100	100	100
Group 3	**AAV2/5**	100	100	100	100	**16.5**	**16.5**	100	100	100	100
Group 4	**AAV2/7**	100	100	100	100	100	100	**61.5**	100	100	100
Group 5	**AAV2/8**	100	100	100	100	100	100	100	100	**26.3**	**60**

[0105] Human sera from 52 normal subjects were screened for neutralization against selected serotypes. No serum sample was found to neutralize AAV2/7 and AAV2/8 while AAV2/2 and AAV2/1 vectors were neutralized in 20% and 10% of sera, respectively. A fraction of human pooled IgG representing a collection of 60,000 individual samples did not neutralize AAV2/7 and AAV2/8, whereas AAV2/2 and AAV2/1 vectors were neutralized at titers of serum equal to 1/1280 and 1/640, respectively.

Example 7 - *In vivo* Evaluation of Different Serotypes of AAV Vectors

[0106] In this study, 7 recombinant AAV genomes, AAV2CBhAlAT, AAV2AlbhAlAt, AAV2CMVrhCG, AAV2TBGrhCG, AAV2TBGcFIX, AAV2CMVLacZ and AAV2TBGLacZ were packaged with capsid proteins of different serotypes. In all 7 constructs, minigene cassettes were flanked with AAV2 ITRs. cDNAs of human α-antitrypsin (AlAT) [Xiao, W., et al., (1999) J Virol 73, 3994-4003] β-subunit of rhesus monkey choriogonadotropic hormone (CG) [Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* 2, 657-9] canine factor IX [Wang, L., et al., (1997) *Proc Natl Acad Sci USA* **94**, 11563-6] and bacterial β-glactosidase (i.e., Lac Z) genes were used as reporter genes. For liver-directed gene transfer, either mouse albumin gene promoter (Alb) [Xiao, W. (1999), cited above] or human thyroid hormone binding globulin gene promoter (TBG) [Wang (1997), cited above] was used to drive liver specific expression of reporter genes. In muscle-directed gene transfer experiments, either cytomegalovirus early promoter (CMV) or chicken β-actin promoter with CMV enhancer (CB) was employed to direct expression of reporters.

[0107] For muscle-directed gene transfer, vectors were injected into the right tibialis anterior of 4-6 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). In liver-directed gene transfer studies, vectors were infused intraportally into 7-9 week old NCR nude or C57BL/6 mice (Taconic, Germantown, NY). Serum samples were collected intraorbitally at different time points after vector administration. Muscle and liver tissues were harvested at different time points for cryosectioning and Xgal histochemical staining from animals that received the lacZ vectors. For the re-administration experiment, C56BL/6 mice initially received AAV2/1, 2/2, 2/5, 2/7 and 2/8CBAlAT vectors intramuscularly and followed for A1AT gene expression for 7 weeks. Animals were then treated with AAV2/8TBGcFIX intraportally and studied for cFIX gene expression.

[0108] ELISA based assays were performed to quantify serum levels of hA1AT, rhCG and cFIX proteins as described previously [Gao, G. P., et al., (1996) *J Virol* **70**, 8934-43; Zoltick, P. W. & Wilson, J. M. (2000) *Mol Ther* **2**, 657-9; Wang, L., et al., *Proc Natl Acad Sci U S A* **94**, 11563-6]. The experiments were completed when animals were sacrificed for harvest of muscle and liver tissues for DNA extraction and quantitative analysis of genome copies of vectors present in target tissues by TaqMan using the same set of primers and probe as in titration of vector preparations [Zhang, Y., et al., (2001) *Mol Ther* **3**, 697-707].

[0109] The performance of vectors base on the new serotypes were evaluated in murine models of muscle and liver-directed gene transfer and compared to vectors based on the known serotypes AAV1, AAV2 and AAV5. Vectors expressing secreted proteins (alpha-antitrypsin (A1AT) and chorionic gonadotropin (CG)) were used to quantitate relative transduction efficiencies between different serotypes through ELISA analysis of sera. The cellular distribution of transduction within the target organ was evaluated using lacZ expressing vectors and X-gal histochemistry.

[0110] The performance of AAV vectors in skeletal muscle was analyzed following direct injection into the tibialis anterior muscles. Vectors contained the same AAV2 based genome with the immediate early gene of CMV or a CMV enhanced β-actin promoter driving expression of the transgene. Previous studies indicated that immune competent C57BL/6 mice elicit limited humoral responses to the human A1AT protein when expressed from AAV vectors [Xiao, W., et al., (1999) *J Virol* **73**, 3994-4003].

[0111] In each strain, AAV2/1 vector produced the highest levels of A I AT and AAV2/2 vector the lowest, with AAV2/7 and AAV2/8 vectors showing intermediate levels of expression. Peak levels of CG at 28 days following injection of nu/nu NCR mice showed the highest levels from AAV2/7 and the lowest from AAV2/2 with AAV2/8 and AAV2/1 in between. Injection of AAV2/1 and AAV2/7 lacZ vectors yielded gene expression at the injection sites in all muscle fibers with substantially fewer lacZ positive fibers observed with AAV2/2 and AAV 2/8 vectors. These data indicate that the efficiency of transduction with AA V2/7 vectors in skeletal muscle is similar to that obtained with AAV2/1, which is the most efficient in skeletal muscle of the previously described serotypes [Xiao, W. (1999), cited above; Chao, H., et al., (2001) *Mol Ther* **4**, 217-22; Chao, H., et al., (2000) *Mol Ther* **2**, 619-23].

[0112] Similar murine models were used to evaluate liver-directed gene transfer. Identical doses of vector based on genome copies were infused into the portal veins of mice that were analyzed subsequently for expression of the transgene. Each vector contained an AAV2 based genome using previously described liver-specific promoters (i.e., albumin or thyroid hormone binding globulin) to drive expression of the transgene. More particularly, CMVCG and TBGCG minigene cassettes were used for muscle and liver-directed gene transfer, respectively. Levels of rhCG were defined as relative units (RUs x 10^3). The data were from assaying serum samples collected at day 28, post vector administration (4 animals per group). As shown in Table 3, the impact of capsid proteins on the efficiency of transduction of A1AT vectors in nu/nu and C57BL/6 mice and CG vectors in C57BL/6 mice was consistent (See Table 6).

Table 6. Expression of β-unit of Rhesus Monkey Chorionic Gonadotropin (rhCG)

Vector	Muscle	Liver
AAV2/1	4.5 ± 2.1	1.6 ± 1.0
AAV2	0.5 ± 0.1	0.7 ± 0.3
AAV2/5	ND*	4.8 ± 0.8
AAV2/7	14.2 ± 2.4	8.2 ± 4.3
AAV2/8	4.0 ± 0.7	76.0 ± 22.8

* Not determined in this experiment.

[0113] In all cases, AAV2/8 vectors yielded the highest levels of transgene expression that ranged from 16 to 110 greater than what was obtained with AAV2/2 vectors; expression from AAV2/5 and AAV2/7 vectors was intermediate with AAV2/7 higher than AAV2/5. Analysis of X-Gal stained liver sections of animals that received the corresponding lacZ vectors showed a correlation between the number of transduced cells and overall levels of transgene expression. DNAs extracted from livers of C57BL/6 mice who received the A1AT vectors were analyzed for abundance of vector DNA using real time PCR technology.

[0114] The amount of vector DNA found in liver 56 days after injection correlated with the levels of transgene expression (See Table 7). For this experiment, a set of probe and primers targeting the SV40 polyA region of the vector genome was used for TaqMan PCR. Values shown are means of three individual animals with standard deviations. The animals were sacrificed at day 56 to harvest liver tissues for DNA extraction. These studies indicate that AAV8 is the most efficient vector for liver-directed gene transfer due to increased numbers of transduced hepatocytes.

Table 7 - Real Time PCR Analysis for Abundance of AAV Vectors in nu/nu Mouse Liver Following Injection of 1x10[11] Genome Copies of Vector.

AAV vectors/Dose		Genome Copies per Cell
	AAV2/1AlbA1AT	0.6 ± 0.36
	AAV2AlbA1AT	0.003 ± 0.001
	AAV2/5AlbA1AT	0.83 ± 0.64
	AAV2/7AlbA1AT	2.2 ± 1.7
	AAV2/8AlbA1AT	18 ± 11

[0115] The serologic data described above suggest that AAV2/8 vector should not be neutralized *in vivo* following immunization with the other serotypes. C57BL/6 mice received intraportal injections of AAV2/8 vector expressing canine factor IX (10^{11} genome copies) 56 days after they received intramuscular injections of A1AT vectors of different serotypes. High levels of factor IX expression were obtained 14 days following infusion of AAV2/8 into naïve animals (17±2 μg/ml, n=4) which were not significantly different that what was observed in animals immunized with AAV2/1 (31±23 μg/ml, n=4), AAV2/2 (16 μg/ml, n=2), and ÅAV2/7(12 μg/ml, n=2). This contrasts to what was observed in AAV2/8 immunized animals that were infused with the AAV2/8 factor IX vector in which no detectable factor IX was observed (< 0.1 μg/ml, n=4).

[0116] Oligonucleotides to conserved regions of the cap gene did amplify sequences from rhesus monkeys that represented unique AAVs. Identical cap signature sequences were found in multiple tissues from rhesus monkeys derived from at least two different colonies. Full-length rep and cap open reading frames were isolated and sequenced from single sources. Only the cap open reading frames of the novel AAVs were necessary to evaluate their potential as vectors because vectors with the AAV7 or AAV8 capsids were generated using the ITRs and rep from AAV2. This also simplified the comparison of different vectors since the actual vector genome is identical between different vector serotypes. In fact, the yields of recombinant vectors generated using this approach did not differ between serotypes.

[0117] Vectors based on AAV7 and AAV8 appear to be immunologically distinct (i.e., they are not neutralized by antibodies generated against other serotypes). Furthermore, sera from humans do not neutralize transduction by AAV7 and AAV8 vectors, which is a substantial advantage over the human derived AAVs currently under development for which a significant proportion of the human population has pre-existing immunity that is neutralizing [Chirmule, N., et al., (1999) *Gene Ther* 6, 1574-83].

[0118] The tropism of each new vector is favorable for *in vivo* applications. AAV2/7 vectors appear to transduce skeletal muscle as efficiently as AAV2/1, which is the serotype that confers the highest level of transduction in skeletal muscle of the primate AAVs tested to date [Xiao, W., cited above; Chou (2001), cited above, and Chou (2000), cited above]. Importantly, AAV2/8 provides a substantial advantage over the other serotypes in terms of efficiency of gene transfer to liver that until now has been relatively disappointing in terms of the numbers of hepatocytes stably transduced. AAV2/8 consistently achieved a 10 to 100-fold improvement in gene transfer efficiency as compared to the other vectors. The basis for the improved efficiency of AAV2/8 is unclear, although it presumably is due to uptake via a different receptor that is more active on the basolateral surface of hepatocytes. This improved efficiency will be quite useful in the development of liver-directed gene transfer where the number of transduced cells is critical, such as in urea cycle disorders and familial hypercholesterolemia.

[0119] Thus, the present invention provides a novel approach for isolating new AAVs based on PCR retrieval of genomic sequences. The amplified sequences were easily incorporated into vectors and tested in animals. The lack of pre-existing immunity to AAV7 and the favorable tropism of the vectors for muscle indicates that AAV7 is suitable for use as a vector in human gene therapy and other *in vivo* applications. Similarly, the lack of pre-existing immunity to the AAV serotypes of the invention, and their tropisms, renders them useful in delivery of therapeutic molecules and other useful molecules.

Example 9 - Tissue Tropism Studies

[0120] In the design of a high throughput functional screening scheme for novel AAV constructs, a non-tissue specific and highly active promoter, CB promoter (CMV enhanced chicken β actin promoter) was selected to drive an easily detectable and quantifiable reporter gene, human α anti-trypsin gene. Thus only one vector for each new AAV clone needs to be made for gene transfer studies targeting 3 different tissues, liver, lung and muscle to screen for tissue tropism of a particular AAV construct. The following table summarizes data generated from 4 novel AAV vectors in the tissue tropism studies (AAVCBA1AT), from which a novel AAV capsid clone, 44.2, was found to be a very potent gene transfer vehicle in all 3 tissues with a big lead in the lung tissue particularly. Table 8 reports data obtained (in μg A1AT/mL serum) at day 14 of the study.

Table 8

Vector	Target Tissue		
	Lung	Liver	Muscle
AAV2/1	ND	ND	45±11
AAV2/5	0.6±0.2	ND	ND
AAV2/8	ND	84±30	ND
AAV2/rh.2 (43.1)	14±7	25±7.4	35±14
AAV2/rh.10 (44.2)	23±6	53±19	46±11
AAV2/rh.13 (42.2)	3.5±2	2±0.8	3.5±1.7
AAV2/rh.21 (42.10)	3.1±2	2±1.4	4.3±2

A couple of other experiments were then performed to confirm the superior tropism of AAV 44.2 in lung tissue. First, AAV vector carried CC10hA1AT minigene for lung specific expression were pseudotyped with capsids of novel AAVs were given to Immune deficient animals (NCR nude) in equal volume (50 μl each of the original preps without dilution) via intratracheal injections as provided in the following table. In Table 9, 50 μl of each original prep per mouse, NCR Nude, detection limit ≥0.033 μg/ml, Day 28

Table 9

Vector	Total GC in 50 μl vector	μg of A1AT/ml with 50μl vector	μg of A1AT/ml with $1x10^{11}$ vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/1	$3x10^{12}$	2.6±0.5	0.09±0.02	2.2
2/2	$5.5x10^{11}$	<0.03	<0.005	<0.1
2/5	$3.6x10^{12}$	0.65±0.16	0.02±0.004	0.5
2/7	$4.2x10^{12}$	1±0.53	0.02±0.01	0.5
2/8	$7.5x10^{11}$	0.9±0.7	0.12±0.09	2.9
2/ch.5 (A.3.1)	$9x10^{12}$	1±0.7	0.01±0.008	0.24
2/rh.8 (43.25)	$4.6x10^{12}$	26±21	0.56±0.46	13.7
2/rh.10 (44.2)	$2.8x10^{12}$	115±38	4.1±1.4	100
2/rh.13 (42.2)	$6x10^{12}$	7.3±0.8	0.12±0.01	2.9
2/rh.21 (42.10)	$2.4x10^{12}$	9±0.9	0.38±0.04	9.3
2/rh.22 (42.11)	$2.6x10^{12}$	6±0.4	0.23±0.02	5.6
2/rh.24 (42.13)	$1.1x10^{11}$	0.4±0.3	0.4±0.3	1

The vectors were also administered to immune competent animals (C57BL/6) in equal genome copies ($1x10^{11}$ GC) as shown in the Table 10. ($1x10^{11}$ GC per animal, C57BL/6, day 14, detection limit ≥0.033 μg/ml)

Table 10

AAV Vector	μg of A1AT/ml with $1x10^{11}$ vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/1	0.076±0.031	2.6
2/2	0.1±0.09	3.4
2/5	0.0840.033	2.9

Table continued

AAV Vector	μg of A1AT/ml with 1x10^{11} vector	Relative Gene transfer as compared to rh.10 (clone 44.2)
2/7	0.33±0.01	11
2/8	1.92±1.3	2.9
2/ch.5 (A.3.1)	0.048±0.004	1.6
2/rh.8 (43.25)	1.7±0.7	58
2/rh.10 (44.2)	2.93±1.7	100
2/rh.13 (42.2)	0.45±0.15	15
2/rh.21 (42.10)	0.86±0.32	29
2/rh.22 (42.11)	0.38±0.18	13
2/rh.24 (42.13)	0.3±0.19	10

[0121] The data from both experiments confirmed the superb tropism of clone 44.2 in lung-directed gene transfer.

[0122] Interestingly, performance of clone 44.2 in liver and muscle directed gene transfer was also outstanding, close to that of the best liver transducer, AAV8 and the best muscle transducer AAV1, suggesting that this novel AAV has some intriguing biological significance.

[0123] To study serological properties of those novel AAVs, pseudotyped AAVGFP vectors were created for immunization of rabbits and in vitro transduction of 84-31 cells in the presence and absence of antisera against different capsids. The data are summarized below:

Table 11a. Cross-NAB assay in 8431 cells and adenovirus (Adv) coinfection Infection in 8431 cells (coinfected with Adv) with:

Serum from rabbit immunized with:	10^9 GC	10^9 GC	10^9 GC	10^{10} GC
	rh.13	***rh.21***	***rh.22***	***rh.24***
	AAV2/42.2	AAV2/42.10	AAV2/42.1	AAV2/42.13
AAV2/1	1/20	1/20	1/20	No NAB
AAV2/2	1/640	1/1280	1/5120	No NAB
AAV2/5	No NAB	1/40	1/160	No NAB
AAV2/7	1/81920	1/81920	1/40960	1/640
AAV2/8	1/640	1/640	1/320	1/5120
Ch.5 AAV2/A3	1/20	1/160	1/640	1/640
rh.8 AAV2/43.25	1/20	1/20	1/20	1/320
rh.10 AAV2/44.2	No NAB	No NAB	No NAB	1/5120
rh.13 AAV2/42.2	1/5120	1/5120	1/5120	No NAB
rh.21 AA V2/42.10	1/5120	1/10240	1/5120	1/20
rh.22 AAV2/42.11	1/20480	1/20480	1/40960	No NAB
rh.24 AAV2/42.13	No NAB	1/20	1/20	1/5120

Table 11b. Cross-NAB assay in 8431 cells and Adv coinfection Infection in 8431 cells (coinfected with Adv) with:

Serum from rabbit immunized with:	10^9 GC	10^{10} GC	10^{10}GC	10^9 GC	10^9 GC
	rh.12	***ch.5***	***rh. 8***	***rh.10***	***rh.20***
	AAV2/42.1B	AAV2/A3	AAV2/43.25	AAV2/44.2	AAV2/42.8.2
AAV2/1	No NAB	1/20480	No NAB	1/80	ND
AAV2/2	1/20	No NAB	No NAB	No NAB	ND
AAV2/5	No NAB	1/320	No NAB	No NAB	ND
AAV2/7	1/2560	1/640	1/160	1/81920	ND
AAV2/8	1/10240	1/2560	1/2560	1/81920	ND
ch.5 AAV2/A3	1/1280	1/10240	ND	1/5120	1/320
rh.8 AAV2/43.25	1/1280	ND	1/20400	1/5120	1/2560
rh.10 AAV2/44.2	1/5120	ND	ND	1/5120	1/5120
rh.13 AAV2/42.2	1/20	ND	ND	No NAB	1/320
rh.21 AAV2/42.10	1/20	ND	ND	1/40	1/80
rh.22 AAV2/42.1 1	No NAB	ND	ND	ND	No NAB
rh.24 AAV2/42.13	1/5120	ND	ND	ND	1/2560

Table 12

Titer of rabbit sera			Titer after Boosting
Vector		Titer d21	
ch.5	AAV2/A3	1/10,240	1/40,960
rh.8	AAV2/43.25	1/20,400	1/163,840
rh.10	AAV2/44.2	1/10,240	1/527,680
rh.13	AAV2/42.2	1/5,120	1/20,960
rh.21	AAV2/42.10	1/20,400	1/81,920
rh.22	AAV2/42.11	1/40,960	N D
rh.24	AAV2/42.13	1/5,120	ND

Table 13 a. Infection in 8431 cells (coinfected with Adv) with GFP

	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well
						ch.5
	AAV2/1	AAV2/2	AAV2/5	AAV2/7	AAV2/8	AAV2/A3
# GFU/field	128	>200	95	56	13	1
	83	>200	65	54	11	1

Table 13b. Infection in 8431 cells (coinfected with Adv) with GFP

	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well	10^9 GC/well
	rh.8	***rh.10***	***rh.13***	***rh.21***	***rh.22***	***rh.24***	***rh.12***
	AAV2/43.25	AAV2/44.2	AAV2/42.2	AAV2/42.10	AAV2/42.11	AAV2/42.13	AAV2/42.1B
# GFU/field	3	13	54	62	10	3	18
	2	12	71	60	14	2	20
			48	47	16	3	12

Example 10 - Mouse Model of Familial Hypercholesterolemia

[0124] The following experiment demonstrates that the AAV2/7 construct of the invention delivers the LDL receptor and express LDL receptor in an amount sufficient to reduce the levels of plasma cholesterol and triglycerides in animal models of familial hypercholesterolemia.

A. *Vector Construction*

[0125] AAV vectors packaged with AAV7 or AAV8 capsid proteins were constructed using a pseudotyping strategy [Hildinger M, *et al., J. Virol* 2001; 75:6199-6203]. Recombinant AAV genomes with AAV2 inverted terminal repeats (ITR) were packaged by triple transfection of 293 cells with the *cis*-plasmid, the adenovirus helper plasmid and a chimeric packaging construct, a fusion of the capsids of the novel AAV serotypes with the rep gene of AAV2. The chimeric packaging plasmid was constructed as previously described [Hildinger et al, cited above]. The recombinant vectors were purified by the standard $CsCl_2$ sedimentation method. To determine the yield TaqMan (Applied Biosystems) analysis was performed using probes and primers targeting the SV40 poly(A) region of the vectors [Gao GP, *et al., Hum Gene Ther.* 2000 Oct 10;**11**(15):2079-91]. The resulting vectors express the transgene under the control of the human thyroid hormone binding globulin gene promoter (TBG).

B. *Animals*

[0126] LDL receptor deficient mice on the C57Bl/6 background were purchased from the Jackson Laboratory (Bar Harbor, ME, USA) and maintained as a breeding colony. Mice were given unrestricted access to water and obtained a high fat Western Diet (high % cholesterol) starting three weeks prior vector injection. At day -7 as well at day 0, blood was obtained via retroorbital bleeds and the lipid profile evaluated. The mice were randomly divided into seven groups. The vector was injected via an intraportal injection as previously described ([Chen SJ *et al., Mol Therapy* 2000; **2**(3), 256-261]. Briefly, the mice were anaesthetized with ketamine and xylazine. A laparotomy was performed and the portal vein exposed. Using a 30g needle the appropriate dose of vector diluted in 100ul PBS was directly injected into the portal vein. Pressure was applied to the injection site to ensure a stop of the bleeding. The skin wound was closed and draped and the mice carefully monitored for the following day. Weekly bleeds were performed starting at day 14 after liver directed gene transfer to measure blood lipids. Two animals of each group were sacrificed at the time points week 6 and week 12 after vector injection to examine atherosclerotic plaque size as well as receptor expression. The remaining mice were sacrificed at week 20 for plaque measurement and determination oftransgene expression.

Table 14

	Vector	*dose*	*n*
Group 1	AAV2/7-TBG-hLDLr	1x 10^{12} gc	12
Group 2	AAV2/7-TBG-hLDLr	3x 10^{11} gc	12
Group 3	AAV2/7-TBG-hLDLr	1x 10^{11} gc	12
Group 4	AAV2/8-TBG-hLDLr	1x 10^{12} gc	12
Group 5	AAV2/8-TBG-hLDLr	3x 10^{11} gc	12
Group 6	AAV2/8-TBG-hLDLr	1x 10^{11} gc	12
Group 7	AAV2/7-TBG-LacZ	1x 10^{11} gc	16

C. *Serum lipoprotein and liver function analysis*

[0127] Blood samples were obtained from the retroorbital plexus after a 6 hour fasting period. The serum was separated from the plasma by centrifugation. The amount of plasma lipoproteins and liver transaminases in the serum were detected using an automatized clinical chemistry analyzer (ACE, Schiapparelli Biosystems, Alpha Wassermann)

D. *Detection of transgene expression*

[0128] LDL receptor expression was evaluated by immuno-fluorescence staining and Western blotting. For Western Blot frozen liver tissue was homogenized with lysis buffer (20 mM Tris, pH7.4, 130mM NaCl, 1% Triton X 100, proteinase inhibitor (complete, EDTA-free, Roche, Mannheim, Germany). Protein concentration was determined using the Micro

BCA Protein Assay Reagent Kit (Pierce, Rockford, IL). 40 μg of protein was resolved on 4- 15% Tris-HCl Ready Gels (Biorad, Hercules, CA) and transferred to a nitrocellulose membrane (Invitrogen,). To generate Anti-hLDL receptor antibodies a rabbit was injected intravenously with an AdhLDLr prep (1x10^{13} GC). Four weeks later the rabbit serum was obtained and used for Western Blot. A 1:100 dilution of the serum was used as a primary antibody followed by a HRP-conjugated anti-rabbit IgG and ECL chemiluminescent detection (ECL Western Blot Detection Kit, Amersham, Arlington Heights, IL).

E. *Immunocytochemistry*

[0129] For determination of LDL receptor expression in frozen liver sections immunohistochemistry analyses were performed. 10um cryostat sections were either fixed in acetone for 5 minutes, or unfixed. Blocking was obtained *via a* 1 hour incubation period with 10% of goat serum. Sections were then incubated for one hour with the primary antibody at room temperature. A rabbit polyclonal antibody anti-human LDL (Biomedical Technologies Inc., Stoughton, MA) was used diluted accordingly to the instructions of the manufacturer. The sections were washed with PBS, and incubated with 1:100 diluted fluorescein goat anti-rabbit IgG (Sigma, St Louis, MO). Specimens were finally examined under fluorescence microscope Nikon Microphot-FXA. In all cases, each incubation was followed by extensive washing with PBS. Negative controls consisted of preincubation with PBS, omission of the primary antibody, and substitution of the primary antibody by an isotype-matched non-immune control antibody. The three types of controls mentioned above were performed for each experiment on the same day.

F. Gene transfer efficiency

[0130] Liver tissue was obtained after sacrificing the mice at the designated time points. The tissue was shock frozen in liquid nitrogen and stored at -80°C until further processing. DNA was extracted from the liver tissue using a QIAamp DNA Mini Kit (QIAGEN GmbH, Germany) according to the manufacturers protocol. Genome copies of AAV vectors in the liver tissue were evaluated using Taqman analysis using probes and primers against the SV40 poly(A) tail as described above.

G. *Atherosclerotic plaque measurement*

[0131] For the quantification of the atherosclerotic plaques in the mouse aorta the mice were anaesthetized (10% ketamine and xylazine, ip), the chest opened and the arterial system perfused with ice-cold phosphate buffered saline through the left ventricle. The aorta was then carefully harvested, slit down along the ventral midline from the aortic arch down to the femoral arteries and fixed in formalin. The lipid-rich atherosclerotic plaques were stained with Sudan IV (Sigma, Germany) and the aorta pinned out flat on a black wax surface. The image was captured with a Sony DXC-960 MD color video camera. The area of the plaque as well as of the complete aortic surface was determined using Phase 3 Imaging Systems (Media Cybernetics).

H. *Clearance of I^{125} LDL*

[0132] Two animals per experimental group were tested. A bolus of I^{125}-labeled LDL (generously provided by Dan Rader, U Penn) was infused slowly through the tail vein over a period of 30 sec (1,000,000 counts of [I^{125}]-LDL diluted in 100μl sterile PBS/ animal). At time points 3min, 30 min, 1.5hr, 3hr, 6hr after injection a blood sample was obtained *via* the retro-orbital plexus. The plasma was separated off from the whole blood and 10μl plasma counted in the gamma counter. Finally the fractional catabolic rate was calculated from the lipoprotein clearance data.

I. *Evaluation of Liver Lipid accumulation*

[0133] Oil Red Staining of frozen liver sections was performed to determine lipid accumulation. The frozen liver sections were briefly rinsed in distilled water followed by a 2 minute incubation in absolute propylene glycol. The sections were then stained in oil red solution (0.5% in propylene glycol) for 16 hours followed by counterstaining with Mayer's hematoxylin solution for 30 seconds and mounting in warmed glycerin jelly solution.

[0134] For quantification of the liver cholesterol and triglyceride content liver sections were homogenized and incubated in chloroform/methanol (2:1) overnight. After adding of 0.05% H_2SO_4 and centrifugation for 10 minutes, the lower layer of each sample was collected, divided in two aliquots and dried under nitrogen. For the cholesterol measurement the dried lipids of the first aliquot were dissolved in 1% Triton X-100 in chloroform. Once dissolved, the solution was dried under nitrogen. After dissolving the lipids in ddH_20 and incubation for 30 minutes at 37°C the total cholesterol concentration was measured using a Total Cholesterol Kit (Wako Diagnostics). For the second aliquot the dried lipids were dissolved

in alcoholic KOH and incubated at 60°C for 30 minutes. Then 1 M MgCl2 was added, followed by incubation on ice for 10 minutes and centrifugation at 14,000 rpm for 30 minutes. The supernatant was finally evaluated for triglycerides (Wako Diagnostics).

[0135] All of the vectors pseudotyped in an AAV2/8 or AAV2/7 capsid lowered total cholesterol, LDL and triglycerides as compared to the control. These test vectors also corrected phenotype of hypercholesterolemia in a dose-dependent manner. A reduction in plaque area for the AAV2/8 and AAV2/7 mice was observed in treated mice at the first test (2 months), and the effect was observed to persist over the length of the experiment (6 months).

Example 10 - Functional Factor IX Expression and Correction of Hemophilia

A. *Knock-Out Mice*

[0136] Functional canine factor IX (FIX) expression was assessed in hemophilia B mice. Vectors with capsids of AAV1, AAV2, AAV5, AAV7 or AAV8 were constructed to deliver AAV2 5' ITR - liver-specific promoter [LSP] - canine FIX - woodchuck hepatitis post-regulatory element (WPRE) - AAV2 3' ITR . The vectors were constructed as described in Wang et al, 2000, *Molecular Therapy* 2: 154-158), using the appropriate capsids.

[0137] Knock-out mice were generated as described in Wang et al, 1997. *Proc. Natl. Acad. Sci. USA* 94: 11563-11566. This model closely mimic the phenotypes of hemophilia B in human.

[0138] Vectors of different serotypes (AAV1, AAV2, AAV5, AAV7 and AAV8) were delivered as a single intraportal injection into the liver of adult hemophiliac C57Bl/6 mice in a dose of 1×10^{11} GC/mouse for the five different serotypes and one group received an AAV8 vector at a lower dose, 1×10^{10} GC/mouse. Control group was injected with 1×10^{11} GC of AAV2/8 TBG LacZ3. Each group contains 5-10 male and female mice. Mice were bled bi-weekly after vector administration.

1. *ELISA*

[0139] The canine FIX concentration in the mouse plasma was determined by an ELISA assay specific for canine factor IX, performed essentially as described by Axelrod et al, 1990, *Proc.Natl.Acad.Sci. USA, 87:5173-5177* with modifications. Sheep anti-canine factor IX (Enzyme Research Laboratories) was used as primary antibody and rabbit anti-canine factor IX ((Enzyme Research Laboratories) was used as secondary antibody. Beginning at two weeks following injection, increased plasma levels of cFIX were detected for all test vectors. The increased levels were sustained at therapeutic levels throughout the length of the experiment, i.e., to 12 weeks. Therapeutic levels are considered to be 5% of normal levels, i.e., at about 250 ng/mL.

[0140] The highest levels of expression were observed for the AAV2/8 (at 10^{11}) and AAV2/7 constructs, with sustained superphysiology levels cFIX levels (ten-fold higher than the normal level). Expression levels for AAV2/8 (10^{11}) were approximately 10 fold higher than those observed for AAV2/2 and AAV2/8 (10^{10}). The lowest expression levels, although still above the therapeutic range, were observed for AAV2/5.

2. *In Vitro Activated Partial Thromboplastin time (aPTT) Assay*

[0141] Functional factor IX activity in plasma of the FIX knock-out mice was determined by an *in vitro* activated partial thromboplastin time (aPTT) assay-Mouse blood samples were collected from the retro-orbital plexus into 1/10 volume of citrate buffer. The aPTT assay was performed as described by Wang et al, 1997, *Proc. Natl. Acad. Sci. USA* **94**: 11563-11566.

[0142] Clotting times by aPTT on plasma samples of all vector injected mice were within the normal range (approximately 60 sec) when measured at two weeks post-injection, and sustained clotting times in the normal or shorter than normal range throughout the study period (12 weeks).

[0143] Lowest sustained clotting times were observed in the animals receiving AAV2/8 (10^{11}) and AAV2/7. By week 12, AAV2/2 also induced clotting times similar to those for AAV2/8 and AAV2/7. However, this lowered clotting time was not observed for AAV2/2 until week 12, whereas lowered clotting times (in the 25 - 40 sec range) were observed for AAV2/8 and AAV2/7 beginning at week two.

[0144] Immuno-histochemistry staining on the liver tissues harvested from some of the treated mice is currently being performed. About 70-80% of hepatocytes are stained positive for canine FIX in the mouse injected with AAV2/8.cFIX vector.

B. *Hemophilia B Dogs*

[0145] Dogs that have a point mutation in the catalytic domain of the F.IX gene, which, based on modeling studies,

appears to render the protein unstable, suffer from hemophilia B [Evans et al, 1989, Proc. Natl. Acad. Sci. USA, 86:10095-10099). A colony of such dogs has been maintained for more than two decades at the University of North Carolina, Chapel Hill. The homeostatic parameters of these dogs are well described and include the absence of plasma F.IX antigen, whole blood clotting times in excess of 60 minutes, whereas normal dogs are 6-8 minutes, and prolonged activated partial thromboplastin time of 50-80 seconds, whereas normal dogs are 13-28 seconds. These dogs experience recurrent spontaneous hemorrhages. Typically, significant bleeding episodes are successfully managed by the single intravenous infusion of 10 ml/kg of normal canine plasma; occasionally, repeat infusions are required to control bleeding.

[0146] Four dogs are injected intraportally with AAV.cFIX according to the schedule below. A first dog receives a single injection with AAV2/2.cFIX at a dose of 3.7×10^{11} genome copies (GC)/kg. A second dog receives a first injection of AAV2/2.cFIX (2.8×10^{11} GC/kg), followed by a second injection with AAV2/7.cFIX (2.3×10^{13} GC/kg) at day 1180. A third dog receives a single injection with AAV2/2.cFIX at a dose of 4.6×10^{12} GC/kg. The fourth dog receives an injection with AAV2/2.cFIX (2.8×10^{12} GC/kg) and an injection at day 99.5 with AAV2/7.cFIX (5×10^{12} GC/kg).

[0147] The abdomen of hemophilia dogs are aseptically and surgically opened under general anesthesia and a single infusion of vector is administered into the portal vein. The animals are protected from hemorrhage in the peri-operative period by intravenous administration of normal canine plasma. The dog is sedated, intubated to induce general anesthesia, and the abdomen shaved and prepped. After the abdomen is opened, the spleen is moved into the operative field. The splenic vein is located and a suture is loosely placed proximal to a small distal incision in the vein. A needle is rapidly inserted into the vein, then the suture loosened and a 5 F cannula is threaded to an intravenous location near the portal vein threaded to an intravenous location near the portal vein bifurcation. After hemostasis is secured and the catheter balloon inflated, approximately 5.0 ml of vector diluted in PBS is infused into the portal vein over a 5 minute interval. The vector infusion is followed by a 5.0 ml infusion of saline. The balloon is then deflated, the callula removed and venous hemostasis is secured. The spleen is then replaced, bleeding vessels are cauterized and the operative wound is closed. The animal is extubated having tolerated the surgical procedure well. Blood samples are analyzed as described. [Wang et al, 2000, *Molecular Therapy* 2: 154-158]

[0148] Results showing correction or partial correction are anticipated for AAV2/7.

SEQUENCE LISTING

[0149]

<110> The Trustees of The University of Pennsylvania

<120> A Method of Detecting and/or Identifying Adeno-Associated Virus (AAV) Sequences and Isolating Novel Sequences Identified Thereby

<130> UPN-02735ff

<150> US 60/350,607
<151> 2001-11-13

<150> US 60/341,117
<151> 2001-12-17

<150> US 60/377,066
<151> 2002-05-01

<150> US 60/386,675
<151> 2002-06-05

<160> 120

<170> PatentIn version 3.1

<210> 1
<211> 4721
<212> DNA
<213> adeno-associated virus serotype 7

<400> 1

```
ttggccactc cctctatgcg cgctcgctcg ctcggtgggg cctgcggacc aaaggtccgc    60
agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgcat agagggagtg   120
gccaactcca tcactagggg taccgcgaag cgcctcccac gctgccgcgt cagcgctgac   180
gtaaatcacg tcatagggga gtggtcctgt attagctgtc acgtgagtgc ttttgcgaca   240
ttttgcgaca ccacgtggcc atttgaggta tatatggccg agtgagcgag caggatctcc   300
attttgaccg cgaaatttga acgagcagca gccatgccgg gtttctacga gatcgtgatc   360
aaggtgccga gcgacctgga cgagcacctg ccgggcattt ctgactcgtt tgtgaactgg   420
gtggccgaga aggaatggga gctgcccccg gattctgaca tggatctgaa tctgatcgag   480
caggcacccc tgaccgtggc cgagaagctg cagcgcgact tcctggtcca atggcgccgc   540
gtgagtaagg ccccggaggc cctgttcttt gttcagttcg agaagggcga gagctacttc   600
caccttcacg ttctggtgga gaccacgggg gtcaagtcca tggtgctagg ccgcttcctg   660
agtcagattc gggagaagct ggtccagacc atctaccgcg gggtcgagcc cacgctgccc   720
aactggttcg cggtgaccaa gacgcgtaat ggcgccggcg gggggaacaa ggtggtggac   780
gagtgctaca tccccaacta cctcctgccc aagacccagc ccgagctgca gtgggcgtgg   840
actaacatgg aggagtatat aagcgcgtgt ttgaacctgg ccgaacgcaa acggctcgtg   900
```

gcgcagcacc tgacccacgt cagccagacg caggagcaga acaaggagaa tctgaacccc 960
aattctgacg cgcccgtgat caggtcaaaa acctccgcgc gctacatgga gctggtcggg 1020
tggctggtgg accggggcat cacctccgag aagcagtgga tccaggagga ccaggcctcg 1080
tacatctcct tcaacgccgc ctccaactcg cggtcccaga tcaaggccgc gctggacaat 1140
gccggcaaga tcatggcgct gaccaaatcc gcgcccgact acctggtggg gccctcgctg 1200
cccgcggaca ttaaaaccaa ccgcatctac cgcatcctgg agctgaacgg gtacgatcct 1260
gcctacgccg gctccgtctt tctcggctgg gcccagaaaa agttcgggaa gcgcaacacc 1320
atctggctgt ttgggcccgc caccaccggc aagaccaaca ttgcggaagc catcgcccac 1380
gccgtgccct tctacggctg cgtcaactgg accaatgaga actttccctt caacgattgc 1440
gtcgacaaga tggtgatctg gtgggaggag ggcaagatga cggccaaggt cgtggagtcc 1500
gccaaggcca ttctcggcgg cagcaaggtg cgcgtggacc aaaagtgcaa gtcgtccgcc 1560
cagatcgacc ccacccccgt gatcgtcacc tccaacacca acatgtgcgc cgtgattgac 1620
gggaacagca ccaccttcga gcaccagcag ccgttgcagg accggatgtt caaatttgaa 1680
ctcacccgcc gtctggagca cgactttggc aaggtgacga agcaggaagt caaagagttc 1740
ttccgctggg ccagtgatca cgtgaccgag gtggcgcatg agttctacgt cagaaagggc 1800
ggagccagca aaagacccgc ccccgatgac gcggatataa gcgagcccaa gcgggcctgc 1860
ccctcagtcg cggatccatc gacgtcagac gcggaaggag ctccggtgga ctttgccgac 1920
aggtaccaaa acaaatgttc tcgtcacgcg ggcatgattc agatgctgtt tccctgcaaa 1980
acgtgcgaga gaatgaatca gaatttcaac atttgcttca cacacggggt cagagactgt 2040
ttagagtgtt tccccggcgt gtcagaatct caaccggtcg tcagaaaaaa gacgtatcgg 2100
aaactctgcg cgattcatca tctgctgggg cgggcgcccg agattgcttg ctcggcctgc 2160
gacctggtca acgtggacct ggacgactgc gtttctgagc aataaatgac ttaaaccagg 2220
tatggctgcc gatggttatc ttccagattg gctcgaggac aacctctctg agggcattcg 2280
cgagtggtgg gacctgaaac ctggagcccc gaaacccaaa gccaaccagc aaaagcagga 2340
caacggccgg ggtctggtgc ttcctggcta caagtacctc ggacccttca acggactcga 2400
caagggggag cccgtcaacg cggcggacgc agcggccctc gagcacgaca aggcctacga 2460
ccagcagctc aaagcgggtg acaatccgta cctgcggtat aaccacgccg acgccgagtt 2520
tcaggagcgt ctgcaagaag atacgtcatt tggggggcaac ctcgggcgag cagtcttcca 2580
ggccaagaag cgggttctcg aacctctcgg tctggttgag gaaggcgcta agacggctcc 2640
tgcaaagaag agaccggtag agccgtcacc tcagcgttcc cccgactcct ccacgggcat 2700
cggcaagaaa ggccagcagc ccgccagaaa gagactcaat ttcggtcaga ctggcgactc 2760
agagtcagtc cccgaccctc aacctctcgg agaacctcca gcagcgccct ctagtgtggg 2820

```
atctggtaca gtggctgcag gcggtggcgc accaatggca gacaataacg aaggtgccga   2880
cggagtgggt aatgcctcag gaaattggca ttgcgattcc acatggctgg gcgacagagt   2940
cattaccacc agcacccgaa cctgggccct gcccacctac aacaaccacc tctacaagca   3000
aatctccagt gaaactgcag gtagtaccaa cgacaacacc tacttcggct acagcacccc   3060
ctgggggtat tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg   3120
actcatcaac aacaactggg gattccggcc caagaagctg cggttcaagc tcttcaacat   3180
ccaggtcaag gaggtcacga cgaatgacgg cgttacgacc atcgctaata accttaccag   3240
cacgattcag gtattctcgg actcggaata ccagctgccg tacgtcctcg gctctgcgca   3300
ccagggctgc ctgcctccgt tcccggcgga cgtcttcatg attcctcagt acggctacct   3360
gactctcaac aatggcagtc agtctgtggg acgttcctcc ttctactgcc tggagtactt   3420
cccctctcag atgctgagaa cgggcaacaa ctttgagttc agctacagct tcgaggacgt   3480
gcctttccac agcagctacg cacacagcca gagcctggac cggctgatga atcccctcat   3540
cgaccagtac ttgtactacc tggccagaac acagagtaac ccaggaggca cagctggcaa   3600
tcgggaactg cagttttacc agggcgggcc ttcaactatg gccgaacaag ccaagaattg   3660
gttacctgga ccttgcttcc ggcaacaaag agtctccaaa acgctggatc aaaacaacaa   3720
cagcaacttt gcttggactg gtgccaccaa atatcacctg aacggcagaa actcgttggt   3780
taatcccggc gtcgccatgg caactcacaa ggacgacgag gaccgctttt tcccatccag   3840
cggagtcctg atttttggaa aaactggagc aactaacaaa actacattgg aaaatgtgtt   3900
aatgacaaat gaagaagaaa ttcgtcctac taatcctgta gccacggaag aatacgggat   3960
agtcagcagc aacttacaag cggctaatac tgcagcccag acacaagttg tcaacaacca   4020
gggagcctta cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcccatctg   4080
ggccaagatt cctcacacgg atggcaactt tcacccgtct cctttgatgg gcggctttgg   4140
acttaaacat ccgcctcctc agatcctgat caagaacact cccgttcccg ctaatcctcc   4200
ggaggtgttt actcctgcca agtttgcttc gttcatcaca cagtacagca ccggacaagt   4260
cagcgtggaa atcgagtggg agctgcagaa ggaaaacagc aagcgctgga acccggagat   4320
tcagtacacc tccaactttg aaaagcagac tggtgtggac tttgccgttg acagccaggg   4380
tgtttactct gagcctcgcc ctattggcac tcgttacctc acccgtaatc tgtaattgca   4440
tgttaatcaa taaaccggtt gattcgtttc agttgaactt tggtctcctg tgcttcttat   4500
cttatcggtt tccatagcaa ctggttacac attaactgct tgggtgcgct tcacgataag   4560
aacactgacg tcaccgcggt acccctagtg atggagttgg ccactccctc tatgcgcgct   4620
cgctcgctcg gtggggcctg cggaccaaag gtccgcagac ggcagagctc tgctctgccg   4680
gccccaccga gcgagcgagc gcgcatagag ggagtggcca a                        4721
```

<210> 2
<211> 737

<212> PRT
<213> capsid protein of adeno-associated virus serotpye 7

<400> 2

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
    130                 135                 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145                 150                 155                 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
                165                 170                 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
            180                 185                 190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
        195                 200                 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
    210                 215                 220

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225                 230                 235                 240
```

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
435 440 445

Arg Thr Gln Ser Asn Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
450 455 460

Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
530 535 540

Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
545 550 555 560

Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
565 570 575

Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
580 585 590

Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
595 600 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
610 615 620

His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
625 630 635 640

Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
645 650 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
660 665 670

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
675 680 685

Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser
690 695 700

Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly
705 710 715 720

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn
725 730 735

Leu

<210> 3

<211> 623
<212> PRT
<213> rep protein of adeno-associated virus serotype 7

<400> 3

Met Pro Gly Phe Tyr Glu Ile Val Ile Lys Val Pro Ser Asp Leu Asp
1 5 10 15

Glu His Leu Pro Gly Ile Ser Asp Ser Phe Val Asn Trp Val Ala Glu
20 25 30

Lys Glu Trp Glu Leu Pro Pro Asp Ser Asp Met Asp Leu Asn Leu Ile
35 40 45

Glu Gln Ala Pro Leu Thr Val Ala Glu Lys Leu Gln Arg Asp Phe Leu
50 55 60

Val Gln Trp Arg Arg Val Ser Lys Ala Pro Glu Ala Leu Phe Phe Val
65 70 75 80

Gln Phe Glu Lys Gly Glu Ser Tyr Phe His Leu His Val Leu Val Glu
85 90 95

Thr Thr Gly Val Lys Ser Met Val Leu Gly Arg Phe Leu Ser Gln Ile
100 105 110

Arg Glu Lys Leu Val Gln Thr Ile Tyr Arg Gly Val Glu Pro Thr Leu
115 120 125

Pro Asn Trp Phe Ala Val Thr Lys Thr Arg Asn Gly Ala Gly Gly Gly
130 135 140

Asn Lys Val Val Asp Glu Cys Tyr Ile Pro Asn Tyr Leu Leu Pro Lys
145 150 155 160

Thr Gln Pro Glu Leu Gln Trp Ala Trp Thr Asn Met Glu Glu Tyr Ile
165 170 175

Ser Ala Cys Leu Asn Leu Ala Glu Arg Lys Arg Leu Val Ala Gln His
180 185 190

Leu Thr His Val Ser Gln Thr Gln Glu Gln Asn Lys Glu Asn Leu Asn
195 200 205

Pro Asn Ser Asp Ala Pro Val Ile Arg Ser Lys Thr Ser Ala Arg Tyr
210 215 220

Met Glu Leu Val Gly Trp Leu Val Asp Arg Gly Ile Thr Ser Glu Lys
225 230 235 240

Gln Trp Ile Gln Glu Asp Gln Ala Ser Tyr Ile Ser Phe Asn Ala Ala
245 250 255

Ser Asn Ser Arg Ser Gln Ile Lys Ala Ala Leu Asp Asn Ala Gly Lys
260 265 270

Ile Met Ala Leu Thr Lys Ser Ala Pro Asp Tyr Leu Val Gly Pro Ser
275 280 285

Leu Pro Ala Asp Ile Lys Thr Asn Arg Ile Tyr Arg Ile Leu Glu Leu
290 295 300

Asn Gly Tyr Asp Pro Ala Tyr Ala Gly Ser Val Phe Leu Gly Trp Ala
305 310 315 320

Gln Lys Lys Phe Gly Lys Arg Asn Thr Ile Trp Leu Phe Gly Pro Ala
325 330 335

Thr Thr Gly Lys Thr Asn Ile Ala Glu Ala Ile Ala His Ala Val Pro
340 345 350

Phe Tyr Gly Cys Val Asn Trp Thr Asn Glu Asn Phe Pro Phe Asn Asp
355 360 365

Cys Val Asp Lys Met Val Ile Trp Trp Glu Glu Gly Lys Met Thr Ala
370 375 380

Lys Val Val Glu Ser Ala Lys Ala Ile Leu Gly Gly Ser Lys Val Arg
385 390 395 400

Val Asp Gln Lys Cys Lys Ser Ser Ala Gln Ile Asp Pro Thr Pro Val
405 410 415

Ile Val Thr Ser Asn Thr Asn Met Cys Ala Val Ile Asp Gly Asn Ser
420 425 430

Thr Thr Phe Glu His Gln Gln Pro Leu Gln Asp Arg Met Phe Lys Phe
435 440 445

Glu Leu Thr Arg Arg Leu Glu His Asp Phe Gly Lys Val Thr Lys Gln
450 455 460

Glu Val Lys Glu Phe Phe Arg Trp Ala Ser Asp His Val Thr Glu Val
465 470 475 480

Ala His Glu Phe Tyr Val Arg Lys Gly Gly Ala Ser Lys Arg Pro Ala
485 490 495

Pro Asp Asp Ala Asp Ile Ser Glu Pro Lys Arg Ala Cys Pro Ser Val
500 505 510

Ala Asp Pro Ser Thr Ser Asp Ala Glu Gly Ala Pro Val Asp Phe Ala
515 520 525

Asp Arg Tyr Gln Asn Lys Cys Ser Arg His Ala Gly Met Ile Gln Met
530 535 540

Leu Phe Pro Cys Lys Thr Cys Glu Arg Met Asn Gln Asn Phe Asn Ile
545 550 555 560

Cys Phe Thr His Gly Val Arg Asp Cys Leu Glu Cys Phe Pro Gly Val
565 570 575

Ser Glu Ser Gln Pro Val Val Arg Lys Lys Thr Tyr Arg Lys Leu Cys
580 585 590

Ala Ile His His Leu Leu Gly Arg Ala Pro Glu Ile Ala Cys Ser Ala
595 600 605

Cys Asp Leu Val Asn Val Asp Leu Asp Asp Cys Val Ser Glu Gln
610 615 620

<210> 4
<211> 4393
<212> DNA
<213> adeno-associated virus serotype 8

<400> 4

```
cagagaggga gtggccaact ccatcactag gggtagcgcg aagcgcctcc cacgctgccg      60
cgtcagcgct gacgtaaatt acgtcatagg ggagtggtcc tgtattagct gtcacgtgag     120
tgcttttgcg gcattttgcg acaccacgtg gccatttgag gtatatatgg ccgagtgagc     180
gagcaggatc tccattttga ccgcgaaatt tgaacgagca gcagccatgc cgggcttcta     240
cgagatcgtg atcaaggtgc cgagcgacct ggacgagcac ctgccgggca tttctgactc     300
gtttgtgaac tgggtggccg agaaggaatg ggagctgccc ccggattctg acatggatcg     360
gaatctgatc gagcaggcac ccctgaccgt ggccgagaag ctgcagcgcg acttcctggt     420
ccaatggcgc cgcgtgagta aggccccgga ggccctcttc tttgttcagt tcgagaaggg     480
cgagagctac tttcacctgc acgttctggt cgagaccacg ggggtcaagt ccatggtgct     540
aggccgcttc ctgagtcaga ttcgggaaaa gcttggtcca gaccatctac ccgcggggtc     600
gagccccacc ttgcccaact ggttcgcggt gaccaaagac gcggtaatgg cgccggcggg     660
ggggaacaag gtggtggacg agtgctacat ccccaactac ctcctgccca agactcagcc     720
cgagctgcag tgggcgtgga ctaacatgga ggagtatata agcgcgtgct tgaacctggc     780
```

cgagcgcaaa cggctcgtgg cgcagcacct gacccacgtc agccagacgc aggagcagaa 840
caaggagaat ctgaacccca attctgacgc gcccgtgatc aggtcaaaaa cctccgcgcg 900
ctatatggag ctggtcgggt ggctggtgga ccggggcatc acctccgaga agcagtggat 960
ccaggaggac caggcctcgt acatctcctt caacgccgcc tccaactcgc ggtcccagat 1020
caaggccgcg ctggacaatg ccggcaagat catggcgctg accaaatccg cgcccgacta 1080
cctggtgggg ccctcgctgc ccgcggacat tacccagaac cgcatctacc gcatcctcgc 1140
tctcaacggc tacgaccctg cctacgccgg ctccgtcttt ctcggctggg ctcagaaaaa 1200
gttcgggaaa cgcaacacca tctggctgtt tggacccgcc accaccggca agaccaacat 1260
tgcggaagcc atcgcccacg ccgtgccctt ctacggctgc gtcaactgga ccaatgagaa 1320
ctttcccttc aatgattgcg tcgacaagat ggtgatctgg tgggaggagg gcaagatgac 1380
ggccaaggtc gtggagtccg ccaaggccat tctcggcggc agcaaggtgc gcgtggacca 1440
aaagtgcaag tcgtccgccc agatcgaccc cacccccgtg atcgtcacct ccaacaccaa 1500
catgtgcgcc gtgattgacg ggaacagcac caccttcgag caccagcagc ctctccagga 1560
ccggatgttt aagttcgaac tcacccgccg tctggagcac gactttggca aggtgacaaa 1620
gcaggaagtc aaagagttct tccgctgggc cagtgatcac gtgaccgagg tggcgcatga 1680
gttttacgtc agaaagggcg gagccagcaa aagacccgcc cccgatgacg cggataaaag 1740
cgagcccaag cgggcctgcc cctcagtcgc ggatccatcg acgtcagacg cggaaggagc 1800
tccggtggac tttgccgaca ggtaccaaaa caaatgttct cgtcacgcgg gcatgcttca 1860
gatgctgttt ccctgcaaaa cgtgcgagag aatgaatcag aatttcaaca tttgcttcac 1920
acacggggtc agagactgct cagagtgttt ccccggcgtg tcagaatctc aaccggtcgt 1980
cagaaagagg acgtatcgga aactctgtgc gattcatcat ctgctggggc gggctcccga 2040
gattgcttgc tcggcctgcg atctggtcaa cgtggacctg gatgactgtg tttctgagca 2100
ataaatgact taaaccaggt atggctgccg atggttatct tccagattgg ctcgaggaca 2160
acctctctga gggcattcgc gagtggtggg cgctgaaacc tggagccccg aagcccaaag 2220
ccaaccagca aaagcaggac gacggccggg gtctggtgct tcctggctac aagtacctcg 2280
gacccttcaa cggactcgac aagggggagc ccgtcaacgc ggcggacgca gcggccctcg 2340
agcacgacaa ggcctacgac cagcagctgc aggcgggtga caatccgtac ctgcggtata 2400
accacgccga cgccgagttt caggagcgtc tgcaagaaga tacgtctttt gggggcaacc 2460
tcgggcgagc agtcttccag gccaagaagc gggttctcga acctctcggt ctggttgagg 2520
aaggcgctaa gacggctcct ggaaagaaga gaccggtaga gccatcaccc cagcgttctc 2580
cagactcctc tacgggcatc ggcaagaaag gccaacagcc cgccagaaaa agactcaatt 2640
ttggtcagac tggcgactca gagtcagttc cagaccctca acctctcgga gaacctccag 2700

cagcgccctc tggtgtggga cctaatacaa tggctgcagg cggtggcgca ccaatggcag 2760
acaataacga aggcgccgac ggagtgggta gttcctcggg aaattggcat tgcgattcca 2820
catggctggg cgacagagtc atcaccacca gcacccgaac ctgggccctg cccacctaca 2880
acaaccacct ctacaagcaa atctccaacg ggacatcggg aggagccacc aacgacaaca 2940
cctacttcgg ctacagcacc ccctgggggt attttgactt taacagattc cactgccact 3000
tttcaccacg tgactggcag cgactcatca acaacaactg gggattccgg cccaagagac 3060
tcagcttcaa gctcttcaac atccaggtca aggaggtcac gcagaatgaa ggcaccaaga 3120
ccatcgccaa taacctcacc agcaccatcc aggtgtttac ggactcggag taccagctgc 3180
cgtacgttct cggctctgcc caccagggct gcctgcctcc gttcccggcg gacgtgttca 3240
tgattcccca gtacggctac ctaacactca acaacggtag tcaggccgtg ggacgctcct 3300
ccttctactg cctggaatac tttccttcgc agatgctgag aaccggcaac aacttccagt 3360
ttacttacac cttcgaggac gtgcctttcc acagcagcta cgcccacagc cagagcttgg 3420
accggctgat gaatcctctg attgaccagt acctgtacta cttgtctcgg actcaaacaa 3480
caggaggcac ggcaaatacg cagactctgg gcttcagcca aggtgggcct aatacaatgg 3540
ccaatcaggc aaagaactgg ctgccaggac cctgttaccg ccaacaacgc gtctcaacga 3600
caaccgggca aaacaacaat agcaactttg cctggactgc tgggaccaaa taccatctga 3660
atggaagaaa ttcattggct aatcctggca tcgctatggc aacacacaaa gacgacgagg 3720
agcgtttttt tcccagtaac gggatcctga tttttggcaa acaaaatgct gccagagaca 3780
atgcggatta cagcgatgtc atgctcacca gcgaggaaga aatcaaaacc actaaccctg 3840
tggctacaga ggaatacggt atcgtggcag ataacttgca gcagcaaaac acggctcctc 3900
aaattggaac tgtcaacagc caggggggcct tacccggtat ggtctggcag aaccgggacg 3960
tgtacctgca gggtcccatc tgggccaaga ttcctcacac ggacggcaac ttccacccgt 4020
ctccgctgat gggcggcttt ggcctgaaac atcctccgcc tcagatcctg atcaagaaca 4080
cgcctgtacc tgcggatcct ccgaccacct tcaaccagtc aaagctgaac tctttcatca 4140
cgcaatacag caccggacag gtcagcgtgg aaattgaatg ggagctgcag aaggaaaaca 4200
gcaagcgctg gaaccccgag atccagtaca cctccaacta ctacaaatct acaagtgtgg 4260
actttgctgt taatacagaa ggcgtgtact ctgaaccccg ccccattggc acccgttacc 4320
tcacccgtaa tctgtaattg cctgttaatc aataaaccgg ttgattcgtt tcagttgaac 4380
tttggtctct gcg 4393

<210> 5
<211> 4385
<212> DNA
<213> adeno-associated virus serotype 9

<400> 5

```
cagagaggga gtggccaact ccatcactag gggtaatcgc gaagcgcctc ccacgctgcc      60
gcgtcagcgc tgacgtagat tacgtcatag gggagtggtc ctgtattagc tgtcacgtga     120
gtgcttttgc gacattttgc gacaccacat ggccatttga ggtatatatg gccgagtgag     180
cgagcaggat ctccattttg accgcgaaat ttgaacgagc agcagccatg ccgggcttct     240
acgagattgt gatcaaggtg ccgagcgacc tggacgagca cctgccgggc atttctgact     300
cttttgtgaa ctgggtggcc gagaaggaat gggagctgcc cccggattct gacatggatc     360
ggaatctgat cgagcaggca cccctgaccg tggccgagaa gctgcagcgc gacttcctgg     420
tccaatggcg ccgcgtgagt aaggccccgg aggccctctt ctttgttcag ttcgagaagg     480
gcgagagcta ctttcacctg cacgttctgg tcgagaccac gggggtcaag tccatggtgc     540
taggccgctt cctgagtcag attcgggaga agctggtcca gaccatctac cgcgggatcg     600
agccgaccct gcccaactgg ttcgcggtga ccaagacgcg taatggcgcc ggcgggggga     660
acaaggtggt ggacgagtgc tacatcccca actacctcct gcccaagact cagcccgagc     720
tgcagtgggc gtggactaac atggaggagt atataagcgc gtgcttgaac ctggccgagc     780
gcaaacggct cgtggcgcag cacctgaccc acgtcagcca gacgcaggag cagaacaagg     840
agaatctgaa ccccaattct gacgcgcccg tgatcaggtc aaaaacctcc gcgcgctaca     900
tggagctggt cgggtggctg gtggaccggg gcatcacctc cgagaagcag tggatccagg     960
aggaccaggc ctcgtacatc tccttcaacg ccgcctccaa ctcgcggtcc cagatcaagg    1020
ccgcgctgga caatgccggc aagatcatgg cgctgaccaa atccgcgccc gactacctgg    1080
taggcccttc acttccggtg gacattacgc agaaccgcat ctaccgcatc ctgcagctca    1140
acggctacga ccctgcctac gccggctccg tctttctcgg ctgggcacaa aagaagttcg    1200
ggaaacgcaa caccatctgg ctgtttgggc cggccaccac gggaaagacc aacatcgcag    1260
aagccattgc ccacgccgtg cccttctacg gctgcgtcaa ctggaccaat gagaactttc    1320
ccttcaacga ttgcgtcgac aagatggtga tctggtggga ggagggcaag atgacggcca    1380
aggtcgtgga gtccgccaag gccattctcg gcggcagcaa ggtgcgcgtg gaccaaaagt    1440
gcaagtcgtc cgcccagatc gaccccactc ccgtgatcgt cacctccaac accaacatgt    1500
gcgccgtgat tgacgggaac agcaccacct tcgagcacca gcagcctctc caggaccgga    1560
tgtttaagtt cgaactcacc cgccgtctgg agcacgactt tggcaaggtg acaaagcagg    1620
aagtcaaaga gttcttccgc tgggccagtg atcacgtgac cgaggtggcg catgagtttt    1680
acgtcagaaa gggcggagcc agcaaaagac ccgcccccga tgacgcggat aaaagcgagc    1740
ccaagcgggc ctgcccctca gtcgcggatc catcgacgtc agacgcggaa ggagctccgg    1800
tggactttgc cgacaggtac caaaacaaat gttctcgtca cgcgggcatg cttcagatgc    1860
tgcttccctg caaaacgtgc gagagaatga atcagaattt caacatttgc ttcacacacg    1920
```

```
gggtcagaga ctgctcagag tgtttccccg gcgtgtcaga atctcaaccg gtcgtcagaa   1980
agaggacgta tcggaaactc tgtgcgattc atcatctgct ggggcgggct cccgagattg   2040
cttgctcggc ctgcgatctg gtcaacgtgg acctggatga ctgtgtttct gagcaataaa   2100
tgacttaaac caggtatggc tgccgatggt tatcttccag attggctcga ggacaacctc   2160
tctgagggca ttcgcgagtg gtgggcgctg aaacctggag ccccgaagcc caaagccaac   2220
cagcaaaagc aggacgacgg ccggggtctg gtgcttcctg gctacaagta cctcggaccc   2280
ttcaacggac tcgacaaggg ggagcccgtc aacgcggcgg acgcagcggc cctcgagcac   2340
ggcaaggcct acgaccagca gctgcaggcg ggtgacaatc cgtacctgcg gtataaccac   2400
gccgacgccg agtttcagga gcgtctgcaa gaagatacgt cttttggggg caacctcggg   2460
cgagcagtct tccaggccaa gaagcgggtt ctcgaacctc tcggtctggt tgaggaaggc   2520
gctaagacgg ctcctggaaa gaagagaccg gtagagccat caccccagcg ttctccagac   2580
tcctctacgg gcatcggcaa gaaaggccaa cagcccgcca gaaaaagact caattttggt   2640
cagactggcg actcagagtc agttccagac cctcaacctc tcggagaacc tccagcagcg   2700
ccctctggtg tgggacctaa tacaatggct gcaggcggtg gcgcaccaat ggcagacaat   2760
aacgaaggcg ccgacggagt gggtaattcc tcgggaaatt ggcattgcga ttccacatgg   2820
ctgggggaca gagtcatcac caccagcacc cgaacctggg cattgcccac ctacaacaac   2880
cacctctaca agcaaatctc caatggaaca tcgggaggaa gcaccaacga caacacctac   2940
tttggctaca gcaccccctg ggggtatttt gacttcaaca gattccactg ccacttctca   3000
ccacgtgact ggcagcgact catcaacaac aactggggat tccggccaaa gagactcaac   3060
ttcaagctgt tcaacatcca ggtcaaggag gttacgacga acgaaggcac caagaccatc   3120
gccaataacc ttaccagcac cgtccaggtc tttacggact cggagtacca gctaccgtac   3180
gtcctaggct ctgcccacca aggatgcctg ccaccgtttc ctgcagacgt cttcatggtt   3240
cctcagtacg gctacctgac gctcaacaat ggaagtcaag cgttaggacg ttcttctttc   3300
tactgtctgg aatacttccc ttctcagatg ctgagaaccg gcaacaactt tcagttcagc   3360
tacactttcg aggacgtgcc tttccacagc agctacgcac acagccagag tctagatcga   3420
ctgatgaacc ccctcatcga ccagtaccta tactacctgg tcagaacaca gacaactgga   3480
actgggggaa ctcaaacttt ggcattcagc caagcaggcc ctagctcaat ggccaatcag   3540
gctagaaact gggtacccgg gccttgctac cgtcagcagc gcgtctccac aaccaccaac   3600
caaaataaca acagcaactt tgcgtggacg ggagctgcta aattcaagct gaacgggaga   3660
gactcgctaa tgaatcctgg cgtggctatg gcatcgcaca aagacgacga ggaccgcttc   3720
tttccatcaa gtggcgttct catatttggc aagcaaggag ccgggaacga tggagtcgac   3780
tacagccagg tgctgattac agatgaggaa gaaattaaag ccaccaaccc tgtagccaca   3840
```

gaggaatacg gagcagtggc catcaacaac caggccgcta acacgcaggc gcaaactgga 3900
cttgtgcata accagggagt tattcctggt atggtctggc agaaccggga cgtgtacctg 3960
cagggcccta tttgggctaa aatacctcac acagatggca actttcaccc gtctcctctg 4020
atgggtggat ttggactgaa acacccacct ccacagattc taattaaaaa tacaccagtg 4080
ccggcagatc ctcctcttac cttcaatcaa gccaagctga actctttcat cacgcagtac 4140
agcacgggac aagtcagcgt ggaaatcgag tgggagctgc agaaagaaaa cagcaagcgc 4200
tggaatccag agatccagta tacttcaaac tactacaaat ctacaaatgt ggactttgct 4260
gtcaatacca aaggtgttta ctctgagcct cgccccattg gtactcgtta cctcacccgt 4320
aatttgtaat tgcctgttaa tcaataaacc ggttaattcg tttcagttga actttggtct 4380
ctgcg 4385

<210> 6
<211> 4718
<212> DNA
<213> adeno-associated virus serotype 1

<400> 6

ttgcccactc cctctctgcg cgctcgctcg ctcggtgggg cctgcggacc aaaggtccgc 60
agacggcaga gctctgctct gccggcccca ccgagcgagc gagcgcgcag agagggagtg 120
ggcaactcca tcactagggg taatcgcgaa gcgcctccca cgctgccgcg tcagcgctga 180
cgtaaattac gtcatagggg agtggtcctg tattagctgt cacgtgagtg cttttgcgac 240
attttgcgac accacgtggc catttagggt atatatggcc gagtgagcga gcaggatctc 300
cattttgacc gcgaaatttg aacgagcagc agccatgccg ggcttctacg agatcgtgat 360
caaggtgccg agcgacctgg acgagcacct gccgggcatt tctgactcgt ttgtgagctg 420
ggtggccgag aaggaatggg agctgccccc ggattctgac atggatctga atctgattga 480
gcaggcaccc ctgaccgtgg ccgagaagct gcagcgcgac ttcctggtcc aatggcgccg 540
cgtgagtaag gccccggagg ccctcttctt tgttcagttc gagaagggcg agtcctactt 600
ccacctccat attctggtgg agaccacggg ggtcaaatcc atggtgctgg gccgcttcct 660
gagtcagatt agggacaagc tggtgcagac catctaccgc gggatcgagc cgaccctgcc 720
caactggttc gcggtgacca agacgcgtaa tggcgccgga gggggaaca aggtggtgga 780
cgagtgctac atccccaact acctcctgcc caagactcag cccgagctgc agtgggcgtg 840
gactaacatg gaggagtata taagcgcctg tttgaacctg gccgagcgca aacggctcgt 900
ggcgcagcac ctgacccacg tcagccagac ccaggagcag aacaaggaga atctgaaccc 960
caattctgac gcgcctgtca tccggtcaaa aacctccgcg cgctacatgg agctggtcgg 1020
gtggctggtg gaccggggca tcacctccga gaagcagtgg atccaggagg accaggcctc 1080

gtacatctcc ttcaacgccg cttccaactc gcggtcccag atcaaggccg ctctggacaa 1140
tgccggcaag atcatggcgc tgaccaaatc cgcgccccgac tacctggtag gccccgctcc 1200
gcccgcggac attaaaacca accgcatcta ccgcatcctg gagctgaacg gctacgaacc 1260
tgcctacgcc ggctccgtct ttctcggctg ggcccagaaa aggttcggga agcgcaacac 1320
catctggctg tttgggccgg ccaccacggg caagaccaac atcgcggaag ccatcgccca 1380
cgccgtgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaatgattg 1440
cgtcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc 1500
cgccaaggcc attctcggcg gcagcaaggt gcgcgtggac caaaagtgca agtcgtccgc 1560
ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga 1620
cgggaacagc accaccttcg agcaccagca gccgttgcag gaccggatgt tcaaatttga 1680
actcacccgc cgtctggagc atgactttgg caaggtgaca aagcaggaag tcaaagagtt 1740
cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagttctacg tcagaaaggg 1800
tggagccaac aaaagacccg cccccgatga cgcggataaa agcgagccca agcgggcctg 1860
cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga 1920
caggtaccaa aacaaatgtt ctcgtcacgc gggcatgctt cagatgctgt ttccctgcaa 1980
gacatgcgag agaatgaatc agaatttcaa catttgcttc acgcacggga cgagagactg 2040
ttcagagtgc ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg 2100
gaaactctgt gccattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg 2160
cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag 2220
gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc 2280
gcgagtggtg ggacttgaaa cctggagccc cgaagcccaa agccaaccag caaaagcagg 2340
acgacggccg gggtctggtg cttcctggct acaagtacct cggacccttc aacggactcg 2400
acaaggggga gcccgtcaac gcggcggacg cagcggccct cgagcacgac aaggcctacg 2460
accagcagct caaagcgggt gacaatccgt acctgcggta taaccacgcc gacgccgagt 2520
ttcaggagcg tctgcaagaa gatacgtctt ttgggggcaa cctcgggcga gcagtcttcc 2580
aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 2640
ctggaaagaa acgtccggta gagcagtcgc cacaagagcc agactcctcc tcgggcatcg 2700
gcaagacagg ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag 2760
agtcagtccc cgatccacaa cctctcggag aacctccagc aacccccgct gctgtgggac 2820
ctactacaat ggcttcaggc ggtggcgcac caatggcaga caataacgaa ggcgccgacg 2880
gagtgggtaa tgcctcagga aattggcatt gcgattccac atggctgggc gacagagtca 2940
tcaccaccag cacccgcacc tgggccttgc ccacctacaa taaccacctc tacaagcaaa 3000

tctccagtgc ttcaacgggg gccagcaacg acaaccacta cttcggctac agcaccccct 3060
gggggtattt tgatttcaac agattccact gccacttttc accacgtgac tggcagcgac 3120
tcatcaacaa caattgggga ttccggccca agagactcaa cttcaaactc ttcaacatcc 3180
aagtcaagga ggtcacgacg aatgatggcg tcacaaccat cgctaataac cttaccagca 3240
cggttcaagt cttctcggac tcggagtacc agcttccgta cgtcctcggc tctgcgcacc 3300
agggctgcct ccctccgttc ccggcggacg tgttcatgat tccgcaatac ggctacctga 3360
cgctcaacaa tggcagccaa gccgtgggac gttcatcctt ttactgcctg gaatatttcc 3420
cttctcagat gctgagaacg ggcaacaact ttaccttcag ctacaccttt gaggaagtgc 3480
ctttccacag cagctacgcg cacagccaga gcctggaccg gctgatgaat cctctcatcg 3540
accaatacct gtattacctg aacagaactc aaaatcagtc cggaagtgcc caaaacaagg 3600
acttgctgtt tagccgtggg tctccagctg gcatgtctgt tcagcccaaa aactggctac 3660
ctggaccctg ttatcggcag cagcgcgttt ctaaaacaaa aacagacaac aacaacagca 3720
attttacctg gactggtgct tcaaaatata acctcaatgg gcgtgaatcc atcatcaacc 3780
ctggcactgc tatggcctca cacaaagacg acgaagacaa gttctttccc atgagcggtg 3840
tcatgatttt tggaaaagag agcgccggag cttcaaacac tgcattggac aatgtcatga 3900
ttacagacga agaggaaatt aaagccacta accctgtggc caccgaaaga tttgggaccg 3960
tggcagtcaa tttccagagc agcagcacag accctgcgac cggagatgtg catgctatgg 4020
gagcattacc tggcatggtg tggcaagata gagacgtgta cctgcagggt cccatttggg 4080
ccaaaattcc tcacacagat ggacactttc acccgtctcc tcttatgggc ggctttggac 4140
tcaagaaccc gcctcctcag atcctcatca aaaacacgcc tgttcctgcg aatcctccgg 4200
cggagttttc agctacaaag tttgcttcat tcatcaccca atactccaca ggacaagtga 4260
gtgtggaaat tgaatgggag ctgcagaaag aaaacagcaa gcgctggaat cccgaagtgc 4320
agtacacatc caattatgca aaatctgcca acgttgattt tactgtggac aacaatggac 4380
tttatactga gcctcgcccc attggcaccc gttaccttac ccgtcccctg taattacgtg 4440
ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctcctgtc cttcttatct 4500
tatcggttac catggttata gcttacacat taactgcttg gttgcgcttc gcgataaaag 4560
acttacgtca tcgggttacc cctagtgatg gagttgccca ctccctctct gcgcgctcgc 4620
tcgctcggtg gggcctgcgg accaaaggtc cgcagacggc agagctctgc tctgccggcc 4680
ccaccgagcg agcgagcgcg cagagaggga gtgggcaa 4718

<210> 7
<211> 4675
<212> DNA
<213> adeno-associated virus serotype 2

<400> 7

ttggccactc cctctctgcg cgctcgctcg ctcactgagg ccgggcgacc aaaggtcgcc 60
cgacgcccgg gctttgcccg ggcggcctca gtgagcgagc gagcgcgcag agagggagtg 120
gccaactcca tcactagggg ttcctggagg ggtggagtcg tgacgtgaat tacgtcatag 180
ggttagggag gtcctgtatt agaggtcacg tgagtgtttt gcgacatttt gcgacaccat 240
gtggtcacgc tgggtattta agcccgagtg agcacgcagg gtctccattt tgaagcggga 300
ggtttgaacg cgcagccgcc atgccggggt tttacgagat tgtgattaag gtccccagcg 360
accttgacgg gcatctgccc ggcatttctg acagctttgt gaactgggtg gccgagaagg 420
aatgggagtt gccgccagat tctgacatgg atctgaatct gattgagcag gcacccctga 480
ccgtggccga gaagctgcag cgcgactttc tgacggaatg gcgccgtgtg agtaaggccc 540
cggaggccct tttctttgtg caatttgaga agggagagag ctacttccac atgcacgtgc 600
tcgtggaaac caccggggtg aaatccatgg ttttgggacg tttcctgagt cagattcgcg 660
aaaaactgat tcagagaatt taccgcggga tcgagccgac tttgccaaac tggttcgcgg 720
tcacaaagac cagaaatggc gccggaggcg ggaacaaggt ggtggatgag tgctacatcc 780
ccaattactt gctccccaaa acccagcctg agctccagtg ggcgtggact aatatggaac 840
agtatttaag cgcctgtttg aatctcacgg agcgtaaacg gttggtggcg cagcatctga 900
cgcacgtgtc gcagacgcag gagcagaaca aagagaatca gaatcccaat tctgatgcgc 960
cggtgatcag atcaaaaact tcagccaggt acatggagct ggtcgggtgg ctcgtggaca 1020
aggggattac ctcggagaag cagtggatcc aggaggacca ggcctcatac atctccttca 1080
atgcggcctc caactcgcgg tcccaaatca aggctgcctt ggacaatgcg ggaaagatta 1140
tgagcctgac taaaaccgcc cccgactacc tggtgggcca gcagcccgtg gaggacattt 1200
ccagcaatcg gatttataaa attttggaac taaacgggta cgatccccaa tatgcggctt 1260
ccgtctttct gggatgggcc acgaaaaagt tcggcaagag gaacaccatc tggctgtttg 1320
ggcctgcaac taccgggaag accaacatcg cggaggccat agcccacact gtgcccttct 1380
acgggtgcgt aaactggacc aatgagaact ttcccttcaa cgactgtgtc gacaagatgg 1440
tgatctggtg ggaggagggg aagatgaccg ccaaggtcgt ggagtcggcc aaagccattc 1500
tcggaggaag caaggtgcgc gtggaccaga aatgcaagtc ctcggcccag atagacccga 1560
ctcccgtgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg aactcaacga 1620
ccttcgaaca ccagcagccg ttgcaagacc ggatgttcaa atttgaactc acccgccgtc 1680
tggatcatga ctttgggaag gtcaccaagc aggaagtcaa agactttttc cggtgggcaa 1740
aggatcacgt ggttgaggtg gagcatgaat tctacgtcaa aaagggtgga gccaagaaaa 1800
gacccgcccc cagtgacgca gatataagtg agcccaaacg ggtgcgcgag tcagttgcgc 1860
agccatcgac gtcagacgcg gaagcttcga tcaactacgc agacaggtac caaaacaaat 1920

gttctcgtca cgtgggcatg aatctgatgc tgtttccctg cagacaatgc gagagaatga 1980
atcagaattc aaatatctgc ttcactcacg gacagaaaga ctgtttagag tgctttcccg 2040
tgtcagaatc tcaacccgtt tctgtcgtca aaaaggcgta tcagaaactg tgctacattc 2100
atcatatcat gggaaaggtg ccagacgctt gcactgcctg cgatctggtc aatgtggatt 2160
tggatgactg catctttgaa caataaatga tttaaatcag gtatggctgc cgatggttat 2220
cttccagatt ggctcgagga cactctctct gaaggaataa gacagtggtg gaagctcaaa 2280
cctggcccac caccaccaaa gcccgcagag cggcataagg acgacagcag gggtcttgtg 2340
cttcctgggt acaagtacct cggacccttc aacggactcg acaagggaga gccggtcaac 2400
gaggcagacg ccgcggccct cgagcacgta caaagcctac gaccggcagc tcgacagcgg 2460
agacaacccg tacctcaagt acaaccacgc cgacgcggag tttcaggagc gccttaaaga 2520
agatacgtct tttgggggca acctcggacg agcagtcttc caggcgaaaa agagggttct 2580
tgaacctctg ggcctggttg aggaacctgt taagacggct ccgggaaaaa agaggccggt 2640
agagcactct cctgtggagc cagactcctc ctcgggaacc ggaaaggcgg gccagcagcc 2700
tgcaagaaaa agattgaatt ttggtcagac tggagacgca gactcagtac ctgaccccca 2760
gcctctcgga cagccaccag cagccccctc tggtctggga actaatacga tggctacagg 2820
cagtggcgca ccaatggcag acaataacga gggcgccgac ggagtgggta attcctccgg 2880
aaattggcat tgcgattcca catggatggg cgacagagtc atcaccacca gcacccgaac 2940
ctgggccctg cccacctaca acaaccacct ctacaaacaa atttccagcc aatcaggagc 3000
ctcgaacgac aatcactact ttggctacag caccccttgg gggtattttg acttcaacag 3060
attccactgc cacttttcac cacgtgactg gcaaagactc atcaacaaca actggggatt 3120
ccgacccaag agactcaact tcaagctctt taacattcaa gtcaaagagg tcacgcagaa 3180
tgacggtacg acgacgattg ccaataacct taccagcacg gttcaggtgt ttactgactc 3240
ggagtaccag ctcccgtacg tcctcggctc ggcgcatcaa ggatgcctcc cgccgttccc 3300
agcagacgtc ttcatggtgc cacagtatgg atacctcacc ctgaacaacg ggagtcaggc 3360
agtaggacgc tcttcatttt actgcctgga gtactttcct tctcagatgc tgcgtaccgg 3420
aaacaacttt accttcagct acacttttga ggacgttcct ttccacagca gctacgctca 3480
cagccagagt ctggaccgtc tcatgaatcc tctcatcgac cagtacctgt attacttgag 3540
cagaacaaac actccaagtg gaaccaccac gcagtcaagg cttcagtttt ctcaggccgg 3600
agcgagtgac attcgggacc agtctaggaa ctggcttcct ggaccctgtt accgccagca 3660
gcgagtatca aagacatctg cggataacaa caacagtgaa tactcgtgga ctggagctac 3720
caagtaccac ctcaatggca gagactctct ggtgaatccg gccatggcaa gccacaagga 3780
cgatgaagaa aagttttttc ctcagagcgg ggttctcatc tttgggaagc aaggctcaga 3840

gaaaacaaat gtgaacattg aaaaggtcat gattacagac gaagaggaaa tcggaacaac 3900
caatcccgtg gctacggagc agtatggttc tgtatctacc aacctccaga gaggcaacag 3960
acaagcagct accgcagatg tcaacacaca aggcgttctt ccaggcatgg tctggcagga 4020
cagagatgtg taccttcagg ggcccatctg ggcaaagatt ccacacacgg acggacattt 4080
tcacccctct cccctcatgg gtggattcgg acttaaacac cctcctccac agattctcat 4140
caagaacacc ccggtacctg cgaatccttc gaccaccttc agtgcggcaa agtttgcttc 4200
cttcatcaca cagtactcca cgggacacgg tcagcgtgga gatcgagtgg gagctgcaga 4260
aggaaaacag caaacgctgg aatcccgaaa ttcagtacac ttccaactac aacaagtctg 4320
ttaatcgtgg acttaccgtg gatactaatg gcgtgtattc agagcctcgc cccattggca 4380
ccagatacct gactcgtaat ctgtaattgc ttgttaatca ataaaccgtt taattcgttt 4440
cagttgaact ttggtctctg cgtatttctt tcttatctag tttccatggc tacgtagata 4500
agtagcatgg cgggttaatc attaactaca aggaacccct agtgatggag ttggccactc 4560
cctctctgcg cgctcgctcg ctcactgagg ccgggcgacc aaaggtcgcc cgacgcccgg 4620
gctttgcccg ggcggcctca gtgagcgagc gagcgcgcag agagggagtg gccaa 4675

<210> 8
<211> 4726
<212> DNA
<213> adeno-associated virus serotype 3

<400> 8

ttggccactc cctctatgcg cactcgctcg ctcggtgggg cctggcgacc aaaggtcgcc 60
agacggacgt gctttgcacg tccggcccca ccgagcgagc gagtgcgcat agagggagtg 120
gccaactcca tcactagagg tatggcagtg acgtaacgcg aagcgcgcga agcgagacca 180
cgcctaccag ctgcgtcagc agtcaggtga cccttttgcg acagtttgcg acaccacgtg 240
gccgctgagg gtatatattc tcgagtgagc gaaccaggag ctccattttg accgcgaaat 300
ttgaacgagc agcagccatg ccggggttct acgagattgt cctgaaggtc ccgagtgacc 360
tggacgagcg cctgccgggc atttctaact cgtttgttaa ctgggtggcc gagaaggaat 420
gggacgtgcc gccggattct gacatggatc cgaatctgat tgagcaggca cccctgaccg 480
tggccgaaaa gcttcagcgc gagttcctgg tggagtggcg ccgcgtgagt aaggccccgg 540
aggccctctt ttttgtccag ttcgaaaagg gggagaccta cttccacctg cacgtgctga 600
ttgagaccat cggggtcaaa tccatggtgg tcggccgcta cgtgagccag attaaagaga 660
agctggtgac ccgcatctac cgcggggtcg agccgcagct tccgaactgg ttcgcggtga 720
ccaaaacgcg aaatggcgcc gggggcggga acaaggtggt ggacgactgc tacatcccca 780
actacctgct ccccaagacc cagcccgagc tccagtgggc gtggactaac atggaccagt 840

atttaagcgc ctgtttgaat ctcgcggagc gtaaacggct ggtggcgcag catctgacgc 900
acgtgtcgca gacgcaggag cagaacaaag agaatcagaa ccccaattct gacgcgccgg 960
tcatcaggtc aaaaacctca gccaggtaca tggagctggt cgggtggctg gtggaccgcg 1020
ggatcacgtc agaaaagcaa tggattcagg aggaccaggc ctcgtacatc tccttcaacg 1080
ccgcctccaa ctcgcggtcc cagatcaagg ccgcgctgga caatgcctcc aagatcatga 1140
gcctgacaaa gacggctccg gactacctgg tgggcagcaa cccgccggag gacattacca 1200
aaaatcggat ctaccaaatc ctggagctga acgggtacga tccgcagtac gcggcctccg 1260
tcttcctggg ctgggcgcaa aagaagttcg ggaagaggaa caccatctgg ctctttgggc 1320
cggccacgac gggtaaaacc aacatcgcgg aagccatcgc ccacgccgtg cccttctacg 1380
gctgcgtaaa ctggaccaat gagaactttc ccttcaacga ttgcgtcgac aagatggtga 1440
tctggtggga ggagggcaag atgacggcca aggtcgtgga gagcgccaag gccattctgg 1500
gcggaagcaa ggtgcgcgtg gaccaaaagt gcaagtcatc ggcccagatc gaacccactc 1560
ccgtgatcgt cacctccaac accaacatgt gcgccgtgat tgacgggaac agcaccacct 1620
tcgagcatca gcagccgctg caggaccgga tgtttgaatt tgaacttacc cgccgtttgg 1680
accatgactt tgggaaggtc accaaacagg aagtaaagga ctttttccgg tgggcttccg 1740
atcacgtgac tgacgtggct catgagttct acgtcagaaa gggtggagct aagaaacgcc 1800
ccgcctccaa tgacgcggat gtaagcgagc caaaacggga gtgcacgtca cttgcgcagc 1860
cgacaacgtc agacgcggaa gcaccggcgg actacgcgga caggtaccaa aacaaatgtt 1920
ctcgtcacgt gggcatgaat ctgatgcttt ttccctgtaa aacatgcgag agaatgaatc 1980
aaatttccaa tgtctgtttt acgcatggtc aaagagactg tggggaatgc ttccctggaa 2040
tgtcagaatc tcaacccgtt tctgtcgtca aaaagaagac ttatcagaaa ctgtgtccaa 2100
ttcatcatat cctgggaagg gcacccgaga ttgcctgttc ggcctgcgat ttggccaatg 2160
tggacttgga tgactgtgtt tctgagcaat aaatgactta aaccaggtat ggctgctgac 2220
ggttatcttc cagattggct cgaggacaac ctttctgaag gcattcgtga gtggtgggct 2280
ctgaaacctg gagtccctca acccaaagcg aaccaacaac accaggacaa ccgtcggggt 2340
cttgtgcttc cgggttacaa atacctcgga cccggtaacg gactcgacaa aggagagccg 2400
gtcaacgagg cggacgcggc agccctcgaa cacgacaaag cttacgacca gcagctcaag 2460
gccggtgaca acccgtacct caagtacaac cacgccgacg ccgagtttca ggagcgtctt 2520
caagaagata cgtcttttgg gggcaacctt ggcagagcag tcttccaggc caaaaagagg 2580
atccttgagc ctcttggtct ggttgaggaa gcagctaaaa cggctcctgg aaagaagggg 2640
gctgtagatc agtctcctca ggaaccggac tcatcatctg gtgttggcaa atcgggcaaa 2700
cagcctgcca gaaaaagact aaatttcggt cagactggag actcagagtc agtcccagac 2760

cctcaacctc tcggagaacc accagcagcc cccacaagtt tgggatctaa tacaatggct 2820
tcaggcggtg gcgcaccaat ggcagacaat aacgagggtg ccgatggagt gggtaattcc 2880
tcaggaaatt ggcattgcga ttcccaatgg ctgggcgaca gagtcatcac caccagcacc 2940
agaacctggg ccctgcccac ttacaacaac catctctaca agcaaatctc cagccaatca 3000
ggagcttcaa acgacaacca ctactttggc tacagcaccc cttgggggta ttttgacttt 3060
aacagattcc actgccactt ctcaccacgt gactggcagc gactcattaa caacaactgg 3120
ggattccggc ccaagaaact cagcttcaag ctcttcaaca tccaagttag aggggtcacg 3180
cagaacgatg gcacgacgac tattgccaat aaccttacca gcacggttca agtgtttacg 3240
gactcggagt atcagctccc gtacgtgctc gggtcggcgc accaaggctg tctcccgccg 3300
tttccagcgg acgtcttcat ggtccctcag tatggatacc tcaccctgaa caacggaagt 3360
caagcggtgg gacgctcatc cttttactgc ctggagtact tcccttcgca gatgctaagg 3420
actggaaata acttccaatt cagctatacc ttcgaggatg taccttttca cagcagctac 3480
gctcacagcc agagtttgga tcgcttgatg aatcctctta ttgatcagta tctgtactac 3540
ctgaacagaa cgcaaggaac aacctctgga acaaccaacc aatcacggct gctttttagc 3600
caggctgggc ctcagtctat gtctttgcag gccagaaatt ggctacctgg gccctgctac 3660
cggcaacaga gactttcaaa gactgctaac gacaacaaca acagtaactt tccttggaca 3720
gcggccagca aatatcatct caatggccgc gactcgctgg tgaatccagg accagctatg 3780
gccagtcaca aggacgatga agaaaaattt ttccctatgc acggcaatct aatatttggc 3840
aaagaaggga caacggcaag taacgcagaa ttagataatg taatgattac ggatgaagaa 3900
gagattcgta ccaccaatcc tgtggcaaca gagcagtatg gaactgtggc aaataacttg 3960
cagagctcaa atacagctcc cacgactgga actgtcaatc atcagggggc cttacctggc 4020
atggtgtggc aagatcgtga cgtgtacctt caaggaccta tctgggcaaa gattcctcac 4080
acggatggac actttcatcc ttctcctctg atgggaggct ttggactgaa acatccgcct 4140
cctcaaatca tgatcaaaaa tactccggta ccggcaaatc ctccgacgac tttcagcccg 4200
gccaagtttg cttcatttat cactcagtac tccactggac aggtcagcgt ggaaattgag 4260
tgggagctac agaaagaaaa cagcaaacgt tggaatccag agattcagta cacttccaac 4320
tacaacaagt ctgttaatgt ggactttact gtagacacta atggtgttta tagtgaacct 4380
cgccctattg gaacccggta tctcacacga aacttgtgaa tcctggttaa tcaataaacc 4440
gtttaattcg tttcagttga actttggctc ttgtgcactt ctttatcttt atcttgtttc 4500
catggctact gcgtagataa gcagcggcct gcggcgcttg cgcttcgcgg tttacaactg 4560
ctggttaata tttaactctc gccatacctc tagtgatgga gttggccact ccctctatgc 4620
gcactcgctc gctcggtggg gcctggcgac caaaggtcgc cagacggacg tgctttgcac 4680

gtccggcccc accgagcgag cgagtgcgca tagagggagt ggccaa 4726

<210> 9
<211> 3098
<212> DNA
<213> new AAV serotype, clone 42.2

<400> 9

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg 180
cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gctgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggatgacc gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac 1080
gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag 1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagacccat agaatccccc gactcctcca cgggcatcgg caagaaaggc 1320
cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgccc 1380
gacccccaac ctctcggaga acctcccgcc gcgccctcag gtctgggatc tggtacaatg 1440
gctgcaggcg gtggcgcacc aatggcagac aataacgaag gcgccgacgg agtgggtaat 1500
gcctccggaa attggcattg cgattccaca tggctgggcg acagagtcat caccaccagc 1560
acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtcag 1620
agcggggcta ccaacgacaa ccacttcttc ggctacagca ccccctgggg ctattttgac 1680

ttcaacagat tccactgcca cttctcacca cgtgactggc agcgactcat caacaacaac 1740
tggggattcc ggcccagaaa gctgcggttc aagttgttca acatccaggt caaggaggtc 1800
acgacgaacg acggcgttac gaccatcgct aataacctta ccagcacgat tcaggtcttc 1860
tcggactcgg agtaccaact gccgtacgtc ctcggctctg cgcaccaggg ctgcctccct 1920
ccgttccctg cggacgtgtt catgattcct cagtacggat atctgactct aaacaacggc 1980
agtcagtctg tgggacgttc ctccttctac tgcctggagt actttccttc tcagatgctg 2040
agaacgggca ataactttga attcagctac acctttgagg aagtgccttt ccacagcagc 2100
tatgcgcaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac 2160
tacctggccc ggacccagag cactacgggg tccacaaggg agctgcagtt ccatcaggct 2220
gggcccaaca ccatggccga gcaatcaaag aactggctgc ccggaccctg ttatcggcag 2280
cagagactgt caaaaaacat agacagcaac aacaacagta actttgcctg gaccggggcc 2340
actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc 2400
aacaaggacg acgaggacca gttctttccc atcaacggag tgctggtttt tggcgaaacg 2460
ggggctgcca acaagacaac gctggaaaac gtgctaatga ccagcgagga ggagatcaaa 2520
accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct 2580
acggccggac cccagacaca gactgtcaac agccaggggg ctctgcccgg catggtctgg 2640
cagaaccggg acgtgtacct gcagggtccc atctgggcca aaattcctca cacggacggc 2700
aactttcacc cgtctcccct gatgggcgga tttggactca aacacccgcc tcctcaaatt 2760
ctcatcaaaa acaccccggt acctgctaat cctccagagg tgtttactcc tgccaagttt 2820
gcctcattta tcacgcagta cagcaccggc caggtcagcg tggagatcga gtgggaactg 2880
cagaaagaaa acagcaaacg ctggaatcca gagattcagt acacctcaaa ttatgccaag 2940
tctaataatg tggaatttgc tgtcaacaac gaagggggttt atactgagcc tcgccccatt 3000
ggcacccgtt acctcacccg taacctgtaa ttgcctgtta atcaataaac cggttaattc 3060
gtttcagttg aactttggtc tctgcgaagg gcgaattc 3098

<210> 10
<211> 3098
<212> DNA
<213> new AAV serotype, clone 16.3

<400> 10

gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta 60
acaagtaatt acaggttacg ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa 120
acccccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgaggtgtac 180
tgaatctctg gattccagcg tttgctgttt tctttctgca gttcccactc gatctccacg 240

```
ctgacctggc cggtgctgta ctgcgtgata aatgaggcaa actaggcagg agtaaacacc    300
cctggaggat tagcaggtac cggggtgttt ttgatgagaa tttgaggagg cgggtgtttg    360
agtccaaatc cgcccatcag gggagacggg tgaaagttgc cgtccgtgtg aggaattttg    420
gcccagatgg gaccctgcag gtacacgtcc cggttctgcc agaccatgcc gggcagagcc    480
ccctggctgt tgacagtctg tgtctggggt ccggccgtag acgattgcag gttgctggag    540
accacaccgt attcttctgt agccacggga ttggtggttt tgatctcctc ctcgctggtc    600
attagcacgt tttccagcgt tgtcttgttg gcagccccccg ttttgccaaa aaccagcact    660
ccgttgatgg gaaagaactg gccctcgtcg tccttgttgg tggccatggc tacgcccggg    720
ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta    780
ctgttgttgt tgctgtctat gtttttttgac agtctctgct gccgataaca gggtccgggc    840
agccagttct ttgattgctc ggccatggtg ttgggcccag cctgatggaa ctgcagctcc    900
cttgtggacc ccgtagtgct ctgggtccgg gccaggtagt acaggtactg gtcgatgagg    960
ggattcatca gccggtccag gctctggctg tgcgcatagc tgctgtggaa aggcacttcc   1020
tcaaaggtgt agctgaattc aaagttattg cccgttctca gcatctgaga aggaaagtac   1080
tccaggcagt agaaggagga acgtcccata gactgactgc cgttgtttag agtcagatat   1140
ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca   1200
gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta   1260
aggttattag cgatggtcgt aacgccgtcg ttcgtcgtga cctccttgac ctggatgttg   1320
aacaacttga accgcagctt tctgggccgg aatccccagt tgttgttgat gagtcgctgc   1380
cagtcacgtg gtgagaagtg gcagtggaat ctgttgaagt caaaatagcc ccaggggggtg   1440
ctgtagccga agaagtggtt gtcgttggta gcccccgctct gacttgatat ctgcttgtag   1500
aggtggttgt tgtaggtggg cagggcccag gtgcgggtgc tggtggtgat gactctgtcg   1560
cccagccatg tggaatcgca atgccaattt ccggaggcat tacccactcc gtcggcgcct   1620
tcgttattgt ctgccattgg tgcgccaccg cctgcagcca ttgtaccaga tcccagacct   1680
gagggcgcgg cgggaggttc tccgagaggt tgggggtcgg gcactgactc tgagtcgcca   1740
gtctgcccaa agttgagctt ctttttagcg ggctgctggc ctttcttgcc gatgcccgtg   1800
gaggagtcgg gggattctat gggtctcttc tttccaggag ccgtcttagc gccttcctca   1860
accagaccga gaggttcgag aacccgcttc ttggcctgga agactgctcg cccgaggttg   1920
cccccaaaag acgtatcttc ttgaagacgc tcctgaaact cagcgtcggc gtggttgtac   1980
ttgaggtacg ggttgtcccc ctgctcgagc tgcttgtcgt aggccttgtc gtgctcgagg   2040
gccgcggcgt ctgcctcgtt gaccggctct cccttgtcga gtccgttgaa gggtccgagg   2100
tacttgtagc caggaagcac cagaccccgg ccgtcgtcct gcttttgctg gttggctttg   2160
```

```
ggtttcgggg ctccaggttt caagtcccac cactcgcgaa tgccctcaga gaggttgtcc   2220
tcgagccaat ctggaagata accatcggca gccatacctg gtttaagtca tttattgctc   2280
agaaacacag tcatccaggt ccacgttgac cagatcgcag gccgagcaag caatctcggg   2340
agcccgcccc agcagatgat gaatggcaca gagtttccga tacgtcctct ttctgacgac   2400
cggttgagat tctgacacgc cggggaaaca ttctgaacag tctctggtcc cgtgcgtgaa   2460
gcaaatgttg aaattctgat tcattctctc gcatgtcttg cagggaaaca gcatctgaag   2520
catgcccgcg tgacgagaac atttgttttg gtacctgtcg gcaaagtcca ccggagctcc   2580
ttccgcgtct gacgtcgatg gatccgcgac tgaggggcag gcccgcttgg gctcgctttt   2640
atccgcgtca tcgggggcgg gcctcttgtt ggctccaccc tttctgacgt agaactcatg   2700
cgccacctcg gtcacgtgat cctgcgccca gcggaagaac tctttgactt cctgctttgt   2760
caccttgcca aagtcctgct ccagacggcg ggtgagttca aatttgaaca tccggtcttg   2820
taacggctgc tggtgctcga aggtggtgct gttcccgtca atcacggcgc acatgttggt   2880
gttggaagtg acgatcacgg gggtgggatc gatctgggcg gacgacttgc acttttggtc   2940
cacgcgcacc ttgctgccgc cgagaatggc cttggcggac tccacgacct tggccgtcat   3000
cttgccctcc tcccaccaga tcaccatctt gtcgacgcaa tcgttgaagg gaaagttctc   3060
attggtccag ttgacgcagc cgtagaaagg gcgaattc                           3098
```

<210> 11
<211> 3121
<212> DNA
<213> new AAV serotype, clone 29.3

<400> 11

```
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta    60
acaagcaatt acagattacg ggtgaggtaa cgggtgccga tggggcgagg ctcagaataa   120
gtgccatctg tgttaacagc aaagtccaca tttgtagatt tgtagtagtt ggaagtgtat   180
tgaatctctg ggttccagcg tttgctgttt tctttctgca gctcccattc aatttccacg   240
ctgacctgtc cggtgctgta ctgcgtgatg aacgacgcca gcttagcttg actgaaggta   300
gttggaggat ccgcgggaac aggtgtattc ttaatcagga tctgaggagg cgggtgtttc   360
agtccaaagc cccccatcag cggcgaggga tgaaagtttc cgtccgtgtg aggaatcttg   420
gcccagatag gaccctgcag gtacacgtcc cggttctgcc agaccatgcc aggtaaggct   480
ccttgactgt tgacggcccc tacaatagga gcggcgtttt gctgttgcag gttatcggcc   540
accacgccgt actgttctgt ggccactggg ttggtggttt taatttcttc ctcactggtt   600
agcataacgc tgctatagtc cacgttgcct tttccagctc cctgtttccc aaacattaag   660
actccgctgg acggaaaaaa tcgctcttcg tcgtccttgt gggttgccat agcgacaccg   720
ggatttacca gagagtctct gccattcaga tgatacttgg tggcaccggt ccaggcaaag   780
```

ttgctgttgt tattttgcga cagtgtcgtg gagacgcgtt gctgccggta gcagggcccg 840
ggtagccagt ttttggcctg agccgacatg ttattaggcc cggcctgaga aaatagcaac 900
tgctgagttc ctgcggtacc tcccgtggac tgagtccgag acaggtagta caggtactgg 960
tcgatgaggg ggttcatcag ccggtccagg ctttggctgt gcgcgtagct gctgtgaaaa 1020
ggcacgtcct caaactggta gctgaactca aagttgttgc ccgttctcag catttgagaa 1080
ggaaagtact ccaggcagta gaaggaggaa cggcccacgg cctgactgcc attgttcaga 1140
gtcaggtacc cgtactgagg aatcatgaag acgtccgccg ggaacggagg caggcagccc 1200
tggcgcgcag agccgaggac gtacgggagc tggtattccg agtccgtaaa gacctgaatc 1260
gtgctggtaa ggttattggc gatggtcttg gtgccttcat tctgcgtgac ctccttgacc 1320
tggatgttga agagcttgaa gttgagtctc ttgggccgga atccccagtt gttgttgatg 1380
agtcgctgcc agtcacgtgg tgagaagtgg cagtggaatc tgttaaagtc aaaatacccc 1440
caggggggtgc tgtagccgaa gtaggtgttg tcgttggtgc ttcctcccga agtcccgttg 1500
gagatttgct tgtagaggtg gttgttgtag gtggggaggg cccaggttcg ggtgctggtg 1560
gtgatgactc tgtcgcccag ccatgtggaa tcgcaatgcc aatttcctga ggaactaccc 1620
actccgtcgg cgccttcgtt attgtctgcc attggagcgc caccgcctgc agccattgta 1680
ccagatccca gaccagaggg gcctgcgggg ggttctccga ttggttgagg gtcgggcact 1740
gactctgagt cgccagtctg cccaaagttg agtctctttt tcgcgggctg ctggcctttc 1800
ttgccgatgc ccgtagtgga gtctggagaa cgctggggtg atggctctac cggtctcttc 1860
tttccaggag ccgtcttagc gccttcctca accagaccga gaggttcgag aacccgcttc 1920
ttggcctgga agactgctcg tccgaggttg cccccaaaag acgtatcttc ttgcagacgc 1980
tcctgaaact cggcgtcggc gtggttatac cgcaggtacg gattgtcacc cgctttgagc 2040
tgctggtcgt aggccttgtc gtgctcgagg gccgctgcgt ccgccgcgtt gacgggctcc 2100
cccttgtcga gtccgttgaa gggtccgagg tacttgtagc caggaagcac cagaccccgg 2160
ccgtcgtcct gcttttgctg gttggctttg ggcttcgggg ctccaggttt cagcgcccac 2220
cactcgcgaa tgccctcaga gaggttgtcc tcgagccaat ctggaagata accatcggca 2280
gccatacctg atctaaatca tttattgttc aaagatgcag tcatccaaat ccacattgac 2340
cagatcgcag gcagtgcaag cgtctggcac ctttcccatg atatgatgaa tgtagcacag 2400
tttctgatac gcctttttga cgacagaaac gggttgagat tctgacacgg gaaagcactc 2460
taaacagtct ttctgtccgt gagtgaagca gatatttgaa ttctgattca ttctctcgca 2520
ttgtctgcag ggaaacagca tcagattcat gcccacgtga cgagaacatt tgttttggta 2580
cctgtccgcg tagttgatcg aagcttccgc gtctgacgtc gatggctgcg caactgactc 2640
gcgcacccgt ttgggctcac ttatatctgc gtcactgggg gcgggtcttt tcttggctcc 2700

acccttttttg acgtagaatt catgctccac ctcaaccacg tgatcctttg cccaccggaa 2760

aaagtctttg acttcctgct tggtgacctt cccaaagtca tgatccagac ggcgggtgag 2820

ttcaaatttg aacatccggt cttgcaacgg ctgctggtgt tcgaaggtcg ttgagttccc 2880

gtcaatcacg gcgcacatgt tggtgttgga ggtgacgatc acgggagtcg ggtctatctg 2940

ggccgaggac ttgcatttct ggtccacgcg caccttgctt cctccgagaa tggctttggc 3000

cgactccacg accttggcgg tcatcttccc ctcctcccac cagatcacca tcttgtcgac 3060

acagtcgttg aagggaaagt tctcattggt ccagttgacg cagccgtaga agggcgaatt 3120

c 3121

<210> 12
<211> 3121
<212> DNA
<213> new AAV serotype, clone 29.4

<400> 12

```
gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgactg      60
tgtcgacaag atggtgatct ggtgggagga ggggaagatg accgccaagg tcgtggagtc     120
ggccaaagcc attctcggag gaagcaaggt gcgcgtggac cagaaatgca agtcctcggc     180
ccagatagac ccgactcccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga     240
cgggaactca acgaccttcg aacaccagca gccgttgcaa gaccggatgt tcaaatttga     300
actcacccgc cgtctggatc atgactttgg gaaggtcacc aagcaggaag tcaaagactt     360
tttccggtgg gcaaaggatc acgtggttga ggtggagcac gaattctacg tcaaaaaggg     420
tggagccaag aaaagacccg cccccagtga cgcagatata agtgagccca aacgggtgcg     480
cgagtcagtt gcgcagccat cgacgtcaga cgcggaagct tcgatcaact acgcagacag     540
gtaccaaaac aaatgttctc gtcacgcggg catgaatctg atgctgtttc cctgcagaca     600
atgcgagaga atgaatcaga attcaaatat ctgcttcact cacggacaga aagactgttt     660
agagtgcttt cccgtgtcag aatctcaacc cgtttctgtc gtcaaaaagg cgtatcagaa     720
actgtgctac attcatcata tcatgggaaa ggtgccagac gcttgcactg cctgcgatct     780
ggtcgatgtg gatttggatg actgcatctt tgaacaataa atgatttaaa tcaggtatgg     840
ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt     900
ggtgggcgct gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag caggacggcg     960
gccggggtct ggtgcttcct ggctacaagt acctcggacc cttcaacgga ctcgacaagg    1020
gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc    1080
agctcaaagc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc gagtttcagg    1140
agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc ttccaggcca    1200
```

agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg gctcctggaa 1260
agaagagacc ggtagagcca tcaccccagc gttctccaga ctcctctacg ggcatcggca 1320
agaaaggcca gcagcccgcg aaaaagagac tcaactttgg gcagactggc gactcagagt 1380
cagtgcccga ccctcaacca atcggagaac cccccgcagg cccctctggt ctgggatctg 1440
gtacaatggc tgcaggcggt ggcgctccaa tggcagacaa taacgaaggc gccgacggag 1500
tgggtagttc ctcaggaaat tggcattgcg attccacatg gctgggcgac tgagtcatca 1560
ccaccagcac ccgaacctgg gccctcccca cctacaacaa ccacctctac aagcaaatct 1620
ccaacgggac ttcgggagga agcaccaacg acaacaccta cttcggctac agcacccccct 1680
gggggtattt tgactttaac agattccact gccacttctc accacgtgac tggcagcgac 1740
tcatcaacaa caactgggga ttccggccca agagactcaa cttcaagctc ttcaacatcc 1800
aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac cttaccagca 1860
cgattcaggt ctttacggac tcggaatacc agctcccgta cgtcctcggc tctgcgcacc 1920
agggctgcct gcctccgttc ccggcggacg tcttcatgat tcctcagtac gggtacctga 1980
ctctgaacaa tggcagtcag gccgtgggcc gttcctcctt ctactgcctg gagtactttc 2040
cttctcaaat gctgagaacg ggcaacaact ttgagttcag ctaccagttt gaggacgtgc 2100
cttttcacag cagctacgcg cacagccaaa gcctggaccg gctgatgaac cccctcatcg 2160
accagtacct gtactacctg tctcggactc agtccacggg aggtaccgca ggaactcagc 2220
agttgctatt ttctcaggcc gggcctaata acatgtcggc tcaggccaaa aactggctac 2280
ccgggccctg ctaccggcag taacgcgtct ccacgacact gtcgcaaaat aacaacagca 2340
actttgtctg gaccggtgcc accaagtatc atctgaatgg cagagactct ctggtagatc 2400
ccggtgtcgc tatggcaacc cacaaggacg acgaagagcg atttttttccg tccagcggag 2460
tcataatgtt tgggaaacag ggagctggaa aagacaacgt ggactatagc agcgtcatgc 2520
taaccagtga ggaagaaatt aaaaccacca acccagtggc cacagaacag tacggcgtgg 2580
tggccgataa cctgcaacag caaaacgccg ctcctattgt aggggccgtc aacagtcaag 2640
gagccttacc tggcatggtc tggcagaacc gggacgtgta cctgcagggt cctacctggg 2700
ccaagattcc tcacacggac ggaaactttc atccctcgcc gctgatggga ggctttggac 2760
tgaaacaccc gcctcctcag atcctgatta agaatacacc tgttcccgcg gatcctccaa 2820
ctaccttcag tcaagctaag ctggcgtcgt tcatcacgca gtacagcacc ggacaggtca 2880
gcgtggaaat tgaatgggag ctgcaggaag aaaacagcaa acgctggaac ccagagattc 2940
aatacacttc caactactac aaatctacaa atgtggactt tgctgttaac acagatggca 3000
cttattctga gcctcgcccc atcggcaccc gttacctcac ccgtaatctg taattgcttg 3060
ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctctgcga agggcgaatt 3120

c 3121

<210> 13
<211> 3121
<212> DNA
<213> new AAV serotype, clone 29.5

<400> 13

gaattcgccc ttcgcgagac caaagttcaa ctgaaacgaa tcaaccggtt tattgattaa 60
caagcaatta cagattacgg gtgaggtaac gggtgccgat ggggcgaggc tcagaataag 120
tgccatctgt gttaacagca aagtccacat ttgtagattt gtagtagttg gaagtgtatt 180
gaatctctgg gttccagcgt ttgctgtttt ctttctgcag ctcccattca atttccacgc 240
tgacctgtcc ggtgctgtac tgcgtgatga acgacgccag cttagcttga ctgaaggtag 300
ttggaggatc cgcgggaaca ggtgtattct taatcaggat ctgaggaggc gggtgtttca 360
gtccaaagcc tcccatcagc ggcgagggat gaaagtttcc gtccgtgtga ggaatcttgg 420
cccagatagg accctgcagg tacacgtccc ggttctgcca gaccatgcca ggtaaggctc 480
cttgactgtt gacggcccct acaataggag cggcgttttg ctgttgcagg ttatcggcca 540
ccacgccgta ctgttctgtg gccactgggt tggtggtttt aatttcttcc tcactggtta 600
gcataacgct gctatagtcc acgttgtctt ttccagctcc ctgtttccca aacattaaga 660
ctccgctgga cggaaaaaat cgctcttcgt cgtccttgtg ggttgccata gcgacaccgg 720
gatttaccag agagtctctg ccattcagat gatacttggt ggcaccggtc caggcaaagt 780
tgctgttgtc attttgcgac agtgtcgtgg agacgcgttg ctgccggtag cagggcccgg 840
gtagccagtt tttggcctga gccgacatgt tattaggccc ggcctgagaa aatagcaact 900
gctgagttcc tgcggtacct cccgtggact gagtccgaga caggtagtac aggtactggt 960
cgatgagggg gttcatcagc cggtccaggc tttggctgtg cgcgtagctg ctgtgaaaag 1020
gcacgtcctc aaactggtag ctgaactcaa agttgttgcc cgttctcagc atttgagaag 1080
gaaagtactc caggcagtag aaggaggaac ggcccacggc ctgactgcca ttgttcagag 1140
tcaggtaccc gtactgagga atcatgaaga cgtccgccgg gaacggaggc aggcagccct 1200
ggtgcgcaga gccgaggacg tacgggagct ggtattccga gtccgtaaag acctgaatcg 1260
tgctggtaag gttattggcg atggtcttgg tgccttcatt ctgcgtgacc tccttgacct 1320
ggatgttgaa gagcttgaag ttgaggctct tgggccggaa tccccagttg ttgttgatga 1380
gtcgctgcca gtcacgtggt gagaagtggc agtggaatct gttaaagtca aaatacccc 1440
agggggtgct gtagccgaag taggtgttgt cgttggtgct tcctcccgaa gtcccgttgg 1500
agatttgctt gtagaggtgg ttgttgtagg tggggagggc ccaggttcgg gtgctggtgg 1560
tgatgactcc gtcgcccagc catgtggaat cgcaatgcca atttcctgag gaactaccca 1620
ctccgtcggc gccttcgtta ttgtctgcca ttggagcgcc accgcctgca gccattgtac 1680

```
cagatcccag accagagggg cctgcggggg gttctccgat tggttgaggg tcgggcactg   1740
actctgagtc gccagtctgc ccaaagttga gtctcttttt cgcgggctgc tggcctttct   1800
tgccgatgcc cgtagaggag tctggagaac gctggggtga tggctctacc ggtctcttct   1860
ttccaggagc cgtcttagcg ccttcctcaa ccagaccgag aggttcgaga acccgcttct   1920
tggcctggaa gactgctcgc ccgaggttgc ccccaaaaga cgtatcttct tgcagacgct   1980
cctgaaactc ggcgtcggcg tggttatacc gcaggtacgg attgtcaccc gctttgagct   2040
gctggtcgta ggccttgtcg tgctcgaggg ccgctgcgtc cgccgcgttg acgggctccc   2100
ccttgtcgag tccgttgaag ggtccgaggt acttgtagcc aggaagcacc agaccccggc   2160
cgtcgtcctg cttttgctgg ttggctttgg gcttcggggc tccaggtttc agcgcccacc   2220
actcgcgaat gccctcagag aggttgtcct cgagccaatc tggaagataa ccatcggcag   2280
ccatacctga tttaaatcat ttattgttca aagatgcagt catccaaatc cacattgacc   2340
agatcgcagg cagtgcaagc gtctggcacc tttcccatga tatgatgaat gtagcacagt   2400
ttctgatacg ccttttttgac gacagaaacg ggttgagatt ctgacacggg aaagcactct   2460
aaacagtctt tctgtccgtg agtgaagcag atatttgaat tctgattcat tctctcgcat   2520
tgtctgcagg gaaacagcat cagattcatg cccacgtgac gagaacattt gttttggtac   2580
ctgtctgcgt agttgatcga agcttccgcg tctgacgtcg atggctgcgc aactgactcg   2640
cgcacccgtt tgggctcact tatatctgcg tcactggggg cgggtctttt cttggctcca   2700
ccctttttga cgtagaattc atgctccacc tcaaccacgt gatcctttgc ccaccggaaa   2760
aagtctttga cttcctgctt ggtgaccttc ccaaagtcat gatccagacg gcgggtgagt   2820
tcaaatttga acatccggtc ttgcaacggc tgctggtgtt cgaaggtcgt tgagttcccg   2880
tcaatcacgg cgcacatgtt ggtgttggag gtgacgatca cgggagtcgg gtctatctgg   2940
gccgaggact tgcatttctg gtccacgcgc accttgcttc ctccgagaat ggctttggcc   3000
gactccacga ccttggcggt catcttcccc tcctcccacc agatcaccat cttgtcgaca   3060
cagtcgttga agggaaagtt ctcattggtc cagttgacgc agccgtagaa agggcgaatt   3120
c                                                                   3121
```

<210> 14
<211> 3131
<212> DNA
<213> new AAV serotype, clone 1-3

<400> 14

```
gcggccgcga attcgccctt ggctgcgtca actggaccaa tgagaacttt cccttcaatg     60
attgcgtcga caagatggtg atctggtggg aggagggcaa gatgacggcc aaggtcgtgg    120
agtccgccaa ggccattctc ggcggcagca aggtgcgcgt ggaccaaaag tgcaagtcgt    180
```

ccgcccagat cgaccccacc cccgtgatcg tcacctccaa caccaacatg tgcgccgtga 240
ttgacgggaa cagcaccacc ttcgagcacc agcagcctct ccaggaccgg atgtttaagt 300
tcgaactcac ccgccgtctg gagcacgact ttggcaaggt gacaaagcag gaagtcaaag 360
agttcttccg ctgggccagt gatcacgtga ccgaggtggc gcatgagttt tacgtcagaa 420
agggcggagc cagcaaaaga cccgcccccg atgacgcgga taaaagcgag cccaagcggg 480
cctgcccctc agtcgcggat ccatcgacgt cagacgcgga aggagctccg gtggactttg 540
ccgacaggta ccaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct 600
gcaaaacgtg cgagagaatg aatcggaatt tcaacatttg cttcacacac ggggtcagag 660
actgctcaga gtgtttcccc ggcgtgtcag aatctcaacc ggtcgtcaga aagaggacgt 720
atcggaaact ccgtgcgatt catcatctgc tggggcgggc tcccgagatt gcttgctcgg 780
cctgcgatct ggtcaacgtg gacctggatg actgtgtttc tgagcaataa atgacttaaa 840
ccaggtatgg ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc 900
attcgcgagt ggtgggcgct gaaacctgga gccccgaagc ccaaagccaa ccagcaaaag 960
caggacgacg gccggggtct ggtgcttcct ggctacaagt acctcggacc cttcaacgga 1020
ctcgacaagg gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggct 1080
tacgaccagc agctgcaggc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc 1140
gagtttcagg agcgtctgca agaagatacg tcttttgggg gcaacctcgg gcgagcagtc 1200
ttccaggcca agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg 1260
gctcctggaa agaagagacc ggtagagcca tcaccccagc gttctccaga ctcctctacg 1320
ggcatcggca agaaaggcca acagcccgcc agaaaaagac tcaattttgg tcagactggc 1380
gactcagagt cagttccaga ccctcaacct ctcggagaac ctccagcagc gccctctggt 1440
gtgggaccta atacaatggc tgcaggcggt ggcgcaccaa tggcagacaa taacgaaggc 1500
gccgacggag tgggtagttc ctcgggaaat tggcattgcg attccacatg gctgggcgac 1560
agagtcatca ccaccagcac ccgaacctgg gccctgccca cctacaacaa ccacctctac 1620
aagcaaatct ccaacgggac atcgggagga gccaccaacg acaacaccta cttcggctac 1680
agcacccccct gggggtattt tgactttaac agattccact gccacctttc accacgtgac 1740
tggcagcgac tcatcaacaa caactgggga ttccgaccca agagactcag cttcaagctc 1800
ttcaacatcc aggtcaagga ggtcacgcag aatgaaggca ccaagaccat cgccaataac 1860
ctcaccagca ccatccaggt gtttacggac tcggagtacc agctgccgta cgttctcggc 1920
tctgtccacc agggctgcct gcctccgttc ccggcggacg tgttcatgat tccccagtac 1980
ggctacctaa cactcaacaa cggtagtcag gccgtgggac gctcctcctt ctactgcctg 2040
gaatactttc cttcgcagat gctgagaacc ggcaacaact tccagtttac ttacaccttc 2100

```
gaggacgtgc ctttccacag cagctacgcc cacagctaga gcttggaccg gctgatgaat   2160
cctctgattg accagtacct gtactacttg tctcggactc aaacaacagg aggcacggca   2220
aatacgcaga ctctgggctt cagccaaggt gggcctaata caatggccaa tcaggcaaag   2280
aactggctgc caggaccctg ttaccgccaa caacgcgtct caacgacaac cgggcaaaac   2340
aacaatagca actttgcctg gactgctggg accaaatacc atctgaatgg aagaaattca   2400
ttggctaatc ctggcatcgc tatggcaaca cacaaagacg acgaggagcg tttttttccc   2460
agtaacggga tcctgatttt tggcaaacaa aatgctgcca gagacaatgc ggattacagc   2520
gatgtcatgc tcaccagcga ggaagaaatc aaaaccacta accctgtggc tacagaggaa   2580
tacggtatcg tggcagataa cttgcagcag caaaacacgg ctcctcaaat tggaactgtc   2640
aacagccagg gggccttacc cggtatggtc tggcagaacc gggacgtgta cctgcagggt   2700
cccatctggg ccaagattcc tcacacggac ggcaacttcc acccgtctcc gctgatgggc   2760
ggctttggcc tgaaacatcc tccgcctcag atcctgatca agaacacgcc tgtacctgcg   2820
gatcctccga ccaccttcaa ccagtcaaag ctgaactctt tcatcacgca atacagcacc   2880
ggacaggtca gcgtggaaat tgaatgggag ctgcagaagg aaaacagcaa gcgctggaac   2940
cccgagatcc agtacacctc caactactac aaatctataa gtgtggactt tgctgttaat   3000
acagaaggcg tgtactctga accccgcccc attggcaccc gttacctcac ccgtaatctg   3060
taattgcctg ttaatcaata aaccggttga ttcgtttcag ttgaactttg gtctctgcga   3120
agggcgaatt c                                                        3131
```

<210> 15
<211> 3127
<212> DNA
<213> new AAV serotype, clone 13-3b

<400> 15

```
gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt    60
attgattaac atgcaattac agattacggg tgaggtaacg agtgccaata gggcgaggct   120
cagagtaaac accctggctg tcaacggcaa agtccacacc agtctgcttt tcaaagttgg   180
aggtgtactg aatctccggg tcccagcgct tgctgttttc cttctgcagc tcccactcga   240
tttccacgct gacttgtccg gtgctgtact gtgtgatgaa cgaagcaaac ttggcaggag   300
taaacacctc cggaggatta gcgggaacgg gagtgttctt gatcaggatc tgaggaggcg   360
gatgtttaag tccaaagccg cccatcaaag gagacgggtg aaagttgcca tccgtgtgag   420
gaatcttggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccag   480
gtaaggctcc ctggttgttg acaacttgtg tctgggctgc agtattagcc gcttgtaagt   540
tgctgctgac tatcccgtat tcttccgtgg ctacaggatt agtaggacga atttcttctt   600
catttgtcat taacacattt tccaatgtag ttttgttagt tgctccagtt tttccaaaaa   660
```

```
tcaggactcc gctggatggg aaaaagcggt cctcgtcgtc cttgtgagtt gccatggcga     720
cgccgggatt aaccaacgag tttctgccgt tcaggtgata tttggtggca ccagtccaag     780
caaagttgct gttgttgttt tgatccagcg ttttggagac cctttgttgc cggaagcagg     840
gtccaggtaa ccaattcttg gcttgttcgg ccatagttga aggcccgccc tggtaaaact     900
gcagttcccg attgccagct gtgcctcctg ggtcactctg tgttctggcc aggtagtaca     960
agtactggtc gatgagggga ttcatcagcc ggtccaggct ctggctgtgt gcgtagctgc    1020
tgtggaaagg cacgtcctcg aagctgtagc tgaactcaaa gttgttgccc gttctcagca    1080
tctgagaggg gaagtactcc aggcagtaga aggaggaacg tcccacagac tgactgccat    1140
tgttgagagt caggtagccg tactgaggaa tcatgaagac gtccgccggg aacggaggca    1200
ggcagccctg gtgcgcagag ccgaggacgt acggcagctg gtattccgag tccgagaata    1260
cctgaatcgt gctggtaagg ttattagcga tggtcgtaac gccgtcattc gtcgtgacct    1320
ccttgacctg gatgttgaag agcttgaacc gcagcttctt gggccggaat ccccagttgt    1380
tgttgatgag tcgctgccag tcacgtggtg agaagtggca gtggaatctg ttaaagtcaa    1440
aatacccccca gggggtgctg tagccgaagt aggtgttgtc gttggtacta cctgcagttt    1500
cactggagat ttgctcgtag aggtggttgt tgtaggtggg cagggcccag gttcgggtgc    1560
tggtggtaat gactctgtcg cccagccatg tggaatcgca atgccaattt cctgaggcat    1620
tacccactcc gtcggcacct tcgttattgt ctgccattgg tgcgccaccg cctgcagcca    1680
ctgtaccaga tcccacacta gagggcgctg ctggaggttc tccgagaggt tgagggtcgg    1740
ggactgactc tgagtcgcca gtctgaccga aattgagtct ctttctggcg ggctgctggc    1800
ccttcttgcc gatgcccgtg gaggagtcgg gggaacgctg aggtgacggc tctaccggtc    1860
tcttctttgc aggagccgtc ttagcgcctt cctcaaccag accgagaggt tcgagaaccc    1920
gcttcttggc ctggaagact gctcgcccga ggttgccccc aaatgacgta tcttcttgca    1980
gacgctcctg aaactcggcg tcggcgtggt tataccgcag gtacgggttg tcacccgcat    2040
tgagctgctg gtcgtaggcc ttgtcgtgct cgagggccgc tgcgtccgcc gcgttgacgg    2100
gctccccctt gtcgagtccg ttgaagggtc cgaggtactt gtagccagga agcaccagac    2160
cccggccgtt gtcctgcttt tgctggttgg ctttgggttt cggggctcca ggtttcaggt    2220
cccaccactc gcgaatgccc tcagagaggt tgtcctcgag ccaatctgga agataaccat    2280
cggcagccat acctgattta aatcatttat tgttcaaaga tgcagtcatc caaatccaca    2340
ttgaccagat cgcaggcagt gcaagcgtct ggcacctttc ccatgatatg atgaatgtag    2400
cacagtttct gatacgcctt tttgacgaca gaaacgggtt tagattctga cacgggaaag    2460
cactctaaac agtctttctg tccgtgagtg aagcagatat ttgaattctg attcattctc    2520
tcgcattgtc tgcagggaaa cagcatcaga ttcatgccca cgtgacgaga acatttgttt    2580
```

tggtacctgt ctgcgtagtt gatcgaagct tccgcgtctg acgtcgatgg ctgcgcaact 2640
gactcgcgca cccgtttggg ctcacttata tctgcgtcac tgggggcggg tcttttcttg 2700
gctccacccct ttttgacgta gaattcatgc tccacctcaa ccacgtaatc ctttgcccac 2760
cggaaaaagt ctttgacttc ctgcttggtg accttcccaa agtcatgatc cagacggcgg 2820
gtgagttcaa atttgaacat ccggtcttgc aacggctgct ggtgttcgaa ggtcgttgag 2880
ttcccgtcga tcacggcgca catgttggtg ttggagatga cgatcgcggg agtcgggtct 2940
atctgggccg aggacttgca tttctggtcc acgcgcacct tgcttcctcc gagaatggct 3000
ttggccgact ccacgacctt ggcggtcatc ttcccctcct cccaccagat caccatcttg 3060
tcgacacagt cgttgaaggg aaagttctca ttggtccagt tgacgcagcc gtagaaaggg 3120
cgaattc 3127

<210> 16
<211> 3106
<212> DNA
<213> new AAV serotype, clone 24-1

<400> 16

```
gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt      60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct     120
cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg     180
aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tcccactcga     240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag     300
taaacacctc tggaggatta gcaggtaccg gggtgttttt gatgagaatt tgaggaggcg     360
ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag     420
gaattttggc ccagatggga ccctgcaggc acacgtcccg gttctgccag accatgccgg     480
gcagagcccc ctggctgttg acagtctgtg tctggggtcc ggccgtagac gattgcaggt     540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct     600
cgctggtcat tagcacgttt tccagcgttg tcttgttggc agcccccgtt ttgccaaaaa     660
ccagcactcc gttgatggga aagaactggt cctcgtcgtc cttgttggtg gccatggcta     720
cgcccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg     780
caaagttact gttgttgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg     840
gtccgggcag ccagttcttt gattgctcgg ccatggtgtt gggcccagcc tgatggaact     900
gcagctccct tgtggacccc gtagtgctct gggtccgggc caggtagtac aggtactggt     960
cgatgagggg attcatcagc cggtctaggc tctggctgtg cacatagctg ctgtggaaag    1020
gcacttcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag    1080
```

gaaagtactc caggcagtag aaggaggaac gtcccacaga ctgactgccg ttgtttagag 1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
tgctggtaag gttattagcg atggtcgtaa cgccgtcgtt cgtcgtgacc tccttgacct 1320
ggatgttgaa caacttgaac cgcagctttc tgggccggaa tccccagttg ttgttgatga 1380
gtcgctgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc 1440
aggggggtgct gtagctgaag aagtggttgt cgttggtagc cccgctctga cttgatatct 1500
gcttgtagag gtggttgttg taggtgggca gggcccaggt gcgggtgctg gtggtgatga 1560
ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt 1620
cggcgccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
ccagacctga gggcgcggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
agtcgccagt ctgcccaaag ttgagcttct ttttagcggg ctgctggcct ttcttgccga 1800
tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcga 1860
cttcctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc 1920
cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
ggttgtactt gaggtacggg ttgtcccccct gctcgagctg cttgtcgtag gccttgtcgt 2040
gctcgagggc cgcggcgtct gcctcgttga ccggctctcc cttgtcgagt ccgttgaagg 2100
gtctgaggta cttgtagcca ggaagcacca gaccccggcc gtcgtcctgc ttttgctggt 2160
tggctttggg tttcggggct ccaggtttca agtcccacca ctcgcgaatg ccctcagaga 2220
ggttgtcctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
tattgctcag aaacacagtc atccaggtcc acgttgacca gatcgcaggc cgagcaagca 2340
atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
tgcgtgaagc aaatgttgaa attctgattc actctctcgc atgtcttgca gggaaacagc 2520
atctgaagca tgcccgcgtg acgagaacat ttgttttggt acctgtcggc aaagtccacc 2580
ggagctcctt ccgcgtctga cgtcgatgga ttcgcgactg aggggcaggc ccgcttgggc 2640
tcgcttttat ccgcgtcatc gggggcgggt ctcttgttgg ccccaccctt tctgacgtag 2700
aacccatgcg ccacctcggt cacgtgatcc tgcgcccagc ggaagaacct tttgacttcc 2760
tgctttgtca ccttgccaaa gttatgctcc agacggcggg tgggttcaaa tttgaacatc 2820
cggtcctgca acggctgctg gtgctcgaag gtggcgctgt tcccgtcaat cacggcgcac 2880
atgttggtgt tggaggtgac ggtcacgggg gtggggtcga tctgggcgga cgacttgcac 2940
ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgaccttg 3000

```
gccgtcatct tgccctcctc ccaccagatc accatcttgt cggcgcaatc gttgaaggga    3060
aagttctcat tggtccagtt gacgcagccg tagaaagggc gaattc                   3106
```

<210> 17
<211> 3102
<212> DNA
<213> new AAV serotype, clone 27-3

<400> 17

```
gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat caaccggttt     60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg gggcgaggct    120
cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg    180
aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tcccactcga    240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag    300
taaacacctc tggaggatta gcaggtaccg ggtgttttt gatgagaatt tgaggaggcg    360
ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag    420
gaatttcggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccgg    480
gcagagcccc ctggctgttg acagtctgtg tccggggtcc ggccgtagac gattgcaggt    540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct    600
cgctggtcat tagcacgttt tccagcgttg tcttgttggc agcccccgtt ttgccaaaaa    660
ccagcactcc gttgatggga aggaactggt cctcgtcgtc cttgttggtg gccatggcta    720
cgcccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg    780
caaagttact gttgttgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg    840
gtccgggcag ccagttcttt gattgctcgg ccacggtgtt gggcccagcc tgatggaact    900
gcagctccct tgtggacccc gtagtgctct gggtccgggc caggtagtac aggtactggt    960
cgatgagggg attcatcagc cggtccaggc tctggctgtg cgcatagctg ctgtggaaag   1020
gcacttcctc aaaggtgtag ctgaattcaa agttattgcc cgttctcagc atctgagaag   1080
gaaagtactc caggcagcag aaggaggaac gtcccacaga ctgactgccg ttgtttagag   1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct   1200
ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg   1260
tgctggtaag gttattagcg atggtcgtaa cgccgtcgtt cgtcgtgacc tccttgacct   1320
ggatgttgaa caacttgaac cgcagctttc tgggccggaa tccccagttg ttgttgatga   1380
gtcgctgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc   1440
agggggtgct gtagccgaag aagtggttgt cgttggtagc cccgctctga cttgatatct   1500
gcttgtagag gtggttgttg taggtgggca gggcccaggt gcgggtgctg gtggtgatga   1560
ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt   1620
```

cggcgccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
ccagacctga gggcgcggcg ggaggttctc cgagaggttg ggggtcgggc actgactctg 1740
agtcgccagt ctgcccaaag ttgagcttct ttttagcggg ctgctggcct ttcttgccga 1800
tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccggaagcc gtcttagcgc 1860
cttcctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc 1920
cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
ggttgtactt gaggtacggg ttgtcccccct gctcgagctg cttgtcgtag gccttgtcgt 2040
gctcgagggc cgcggcgtct gcctcgttga ccggctctcc cttgtcgagt ccgttgaagg 2100
gtccgaggta cttgtagcca ggaagcacca gaccccggcc gtcgtcctgc ttttgctggt 2160
tggctttggg tttcggggct ccaggtttca agtcccacca ctcgcgaatg ccctcagaga 2220
ggttgtcctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
tattgctcag aaacacagtc atccaggtcc acgttgacca gatcgcaggc cgagcaagca 2340
atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
tgcgtgaagc aaatgttgaa attctgattc attctctcgc atgtcttgca gggaaacagc 2520
atctgaagca tgcccgcgtg acgagaacat ttgttttggt acctgtcggc aaagtccacc 2580
ggagctcctt ccgcgtctga cgtcgatgga tccgcgactg aggggcaagc ccgcttgggc 2640
tcgcttttat ccgcgtcatc gggggcgggt ctcttgttgg ctccaccctt tctgacgtag 2700
aactcatgcg ccacctcggt cacgtgatcc tgcgcccagc ggaagaactc tttgacttcc 2760
tgctttgtca ccttgccaaa gtcatgctcc agacggcggg tgagttcaaa tttgaacatc 2820
cggtcttgta acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac 2880
atgttggtgt tggaagtgac gatcacgggg gtgggatcga tctgggcgga cgacttgcac 2940
ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgaccttg 3000
gccgtcatct tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
aagttctcat tggtccagtt gacgcagccg aagggcgaat tc 3102

<210> 18
<211> 3106
<212> DNA
<213> new AAV serotype, clone 7-2

<400> 18

gcggccgcga attcgccctt cgcagagacc aaagttcaac tgaaacgaat cagccggttt 60
attgattaac aagtaattac aggttacggg tgaggtaacg ggtgccaatg ggcgaggct 120
cagtataaac cccttcgttg ttgacagcaa attccacatt attagacttg gcataatttg 180

aggtgtactg aatctctgga ttccagcgtt tgctgttttc tttctgcagt tcccactcga 240
tctccacgct gacctggccg gtgctgtact gcgtgataaa tgaggcaaac ttggcaggag 300
taaacacctc tggaggatta gcaggtaccg gggtgttttt gatgagaatt tgaggaggcg 360
ggtgtttgag tccaaatccg cccatcaggg gagacgggtg aaagttgccg tccgtgtgag 420
gaattttggc ccagatggga ccctgcaggt acacgtcccg gttctgccag accatgccgg 480
gcagagcccc ctggctgttg acagtctgtg tctggggtcc ggccgtagac gattgcaggt 540
tgctggagac cacaccgtat tcttctgtag ccacgggatt ggtggttttg atctcctcct 600
cgctggtcat tagcacgttt tccagcgttg tcttgttggc agcccccgtt ttgccaaaaa 660
ccagcactcc gttgatggga aagaactggt cctcgtcgtc cttgttggtg gccatggcta 720
cgcccgggtt ggttaatgaa tttctaccat tcagatggta tttagtggcc ccggtccagg 780
caaagttact gttgttgttg ctgtctatgt tttttgacag tctctgctgc cgataacagg 840
gtccgggcag ccagttcttt gattgctcgg ccatggtgtt gggcccagcc tgatggaact 900
gcagctccct tgtggacccc gtagtgctct gggtccgggc caggtagtac aggtactggt 960
cgatgagggg attcatcagc cggtccaggc tctggctgtg cgcatagctg ctgtggaaag 1020
gcacttcctc aaaggtgtag ctgaattcaa agttatcgcc cgttctcagc atctgagaag 1080
gaaagtactc caggcagtag aaggaggaac gtcccacaga ctgactgccg ttgtttagag 1140
tcagatatcc gtactgagga atcatgaaca cgtccgcagg gaacggaggg aggcagccct 1200
ggtgcgcaga gccgaggacg tacggcagtt ggtactccga gtccgagaag acctgaatcg 1260
tgctggtaag gttattagcg atggtcgtaa cgccgtcgtt cgtcgtgacc tccttgacct 1320
ggatgttgaa caacttgaac cgcagctttc tgggccggaa tccccagttg ttgttgatga 1380
gtcgctgcca gtcacgtggt gagaagtggc agtggaatct gttgaagtca aaatagcccc 1440
agggggtgct gtagccgaag aagtggttgt cgttggtagc cccgctctga cttgatatct 1500
gcttgtagag gtggttgttg taggtgggca gggcccaggt gcgggtgctg gtggtgatga 1560
ctctgtcgcc cagccatgtg gaatcgcaat gccaatttcc ggaggcatta cccactccgt 1620
cggcgccttc gttattgtct gccattggtg cgccaccgcc tgcagccatt gtaccagatc 1680
ccagacctga gggcgcggcg ggaggttctc cgagaggttg gggtcgggc actgactctg 1740
agtcgccagt ctgcccaaag ttgagcttct ttttagcggg cggctggccg ttcttgccga 1800
tgcccgtgga ggagtcgggg gattctatgg gtctcttctt tccaggagcc gtcttagcgc 1860
cttcctcaac cagaccgaga ggttcgagaa cccgcttctt ggcctggaag actgctcgcc 1920
cgaggttgcc cccaaaagac gtatcttctt gaagacgctc ctgaaactcg gcgtcggcgt 1980
ggttgtactt gaggtacggg ttgtccccct gctcgagctg cttgtcgtag gccttgtcgt 2040
gctcgagggc cgcggcgtct gcctcgttga ccggctctcc cttgtcgagt ccgttgaagg 2100

gtccgaggta cctgtagcca ggaagcacca gaccccggcc gtcgtcctgc ttttgctggt 2160
tggctttggg tttcggggct ccaggtttca agtcccacca ctcgcgaatg ccctcagaga 2220
ggttgccctc gagccaatct ggaagataac catcggcagc catacctggt ttaagtcatt 2280
tattgctcag aaacacagtc atccaggtcc acgttggcca gatcgcaggc cgagcaagca 2340
atctcgggag cccgccccag cagatgatga atggcacaga gtttccgata cgtcctcttt 2400
ctgacgaccg gttgagattc tgacacgccg gggaaacatt ctgaacagtc tctggtcccg 2460
tgcgtgaagc aaatgttgaa attctgattc attctctcgc atgtcttgca ggggaacagc 2520
atctgaagca tgcccgcgtg acgagaacat ttgttttggt acctgtcggc aaagtccacc 2580
ggagctcctt ccgcgtctga cgtcgatgga tccgcgactg aggggcaggc ccgcttgggc 2640
tcgcttttat ccgcgtcatc gggggcgggt ctcttgttgg ctccaccctt tctgacgtag 2700
aactcatacg ccacctcggt cacgtgatcc tgcgcccagc ggaagaactc tttgacttcc 2760
tgctttgtca ccttgccaaa gtcatgctcc agacggcggg tgagttcaaa tttgaacatc 2820
cggtcttgta acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac 2880
atgttggtgt tggaagtgac gatcacgggg gtgggatcga tctgggcgga cgacttgcac 2940
ttttggtcca cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgaccttg 3000
gccgtcatcc tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga 3060
aagttctcat tggtccagtt gacgcagccg tagaaagggc gaattc 3106

<210> 19
<211> 3105
<212> DNA
<213> new AAV serotype, clone C1

<400> 19

```
gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg      60
acaagatggt gatctggtgg gaggagggca agatgaccgc caaggtcgtg gagtccgcca     120
aggccattct gggcggaagc aaggtgcgcg tggaccaaaa gtgcaagtca tcggcccaga     180
tcgaccccac gcccgtgatc gtcacctcca acaccaacat gtgcgccgtg atcgacggga     240
acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca     300
cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gagttcttcc     360
gctgggctca ggatcacgtg actgaggtgg cgcatgagtt ctacgtcaga aagggcggag     420
ccaccaaaag acccgccccc agtgacgcgg atataagcga gcccaagcgg gcctgcccct     480
cagttgcgga gccatcgacg tcagacgcgg aagcaccggt ggactttgcg gacaggtacc     540
aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg     600
agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt     660
gcttccccgg cgcgtcagaa tctcaacccg tcgtcagaaa aaagacgtat cagaaactgt     720
```

gcgcgattca tcatctgctg gggcgggcac ccgagattgc gtgttcggcc cgcgatctcg 780
tcaacgtgga cttggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct 840
gctgacggtt atcttccaga ttggctcgag gacaacctct ctgagggcat tcgcgagtgg 900
tgggacctga aacctggagc ccccaagccc aaggccaacc agcagaagca ggacgacggc 960
cggggtctgg tgcttcctgg ctacaagtac ctcggaccct tcaacggact cgacaagggg 1020
gagcccgtca acgcggcgga cgcagcggcc ctcgagcacg acaaggccta cgaccagcag 1080
ctcaaagcgg gtgacaatcc gtacctgcgg tataaccacg ccgacgccga gtttcaggag 1140
cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt ccaggccaag 1200
aagagggtac tcgaacctct gggcctggtt gaagaaggtg ctaagacggc tcctggaaag 1260
aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc 1320
aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc 1380
cctgaaggat cagataccag cgccatgtct tcagacattg aaatgcgtgc agcaccgggc 1440
ggaaatgctg tcgatgcggg acaaggttcc gatggagtgg gtaatgcctc gggtgattgg 1500
cattgcgatt ccacctggtc tgagggcaag gtcacaacaa cctcgaccag aacctgggtc 1560
ttgcccacct acaacaacca cttgtacctg cggctcggaa caacatcaaa cagcaacacc 1620
tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcacttc 1680
tcaccacgtg actggcaaag actcatcaac aacaactggg gactacgacc aaaagccatg 1740
cgcgttaaaa tcttcaatat ccaagttaag gaggtcacaa cgtcgaacgg cgagactacg 1800
gtcgctaata accttaccag cacggttcag atatttgcgg actcgtcgta tgagctcccg 1860
tacgtgatgg acgctggaca agagggaagt ctgtctcctt tccccaatga cgtcttcatg 1920
gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga 1980
aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt 2040
gaaatggctt acaactttgg gaaggtgccg ttccactcaa tgtatgctta cagccagagc 2100
ccggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc 2160
tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtgga 2220
gactttgcct tttacagaaa gaactggctg cctgggcctt gtgttaaaca gcagagactc 2280
tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg gggcaacgc tctgttaaag 2340
tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgcctgg acctccaatg 2400
gcaacagctg gaccttcaga tggggacttc agcaacgccc agctcatctt ccctggacca 2460
tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaagaagaa 2520
attgctgcca ccaacccaag agacacggac atgtttggtc agattgctga caataatcag 2580
aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgct tcctggcatg 2640

```
gtgtggcaaa acagagacat ttactaccaa gggccaattt gggccaagat cccacacgcg   2700
gacggacatt ttcatccttc accgctaatt ggcggttttg gactgaaaca tccgcctccc   2760
cagatattta tcaaaaacac ccccgtacct gccaatcctg cgacaacctt cactgcagcc   2820
agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg   2880
gaaatcgaaa aggaacgctc caaacgctgg aatcctgaag tgcagtttac ttcaaactat   2940
gggaaccagt cttctatgtt gtgggctccc gatacaactg ggaagtatac agagccgcgg   3000
gttattggct ctcgttattt gactaatcat ttgtaactgc ctagttaatc aataaaccgt   3060
gtgattcgtt tcagttgaac tttggtctct gcgaagggcg aattc                   3105
```

<210> 20
<211> 3105
<212> DNA
<213> new AAV serotype, clone C3

<400> 20

gaattcgccc ttgctgcgtc aactggacca atgagaactt tcccttcaac gattgcgtcg 60
acaagatggt gatctggtgg gaggagggca agatgaccgc caaggtcgtg gagtccgcca 120
aggccattct gggcggaagc aaggtgcgcg tggaccaaaa gtgcaagtca tcggcccaga 180
tcgaccccac gcccgtgatc gtcacctcca acaccaacat gtgcgccgtg atcgacggga 240
acagcaccac cttcgagcac cagcagccgc tgcaggaccg catgttcaag ttcgagctca 300
cccgccgtct ggagcacgac tttggcaagg tgaccaagca ggaagtcaaa gagttcttcc 360
gctgggctca ggatcacgtg actgaggtgg cgcatgagtt ctacgtcaga aagggcggag 420
ccaccaaaag acccgccccc agtgacgcgg atataagcga gcccaagcgg gcctgcccct 480
cagttgcgga gccatcgacg tcagacgcgg aagcaccggt ggactttgcg gacaggtacc 540
aaaacaaatg ttctcgtcac gcgggcatgc ttcagatgct gtttccctgc aagacatgcg 600
agagaatgaa tcagaatttc aacgtctgct tcacgcacgg ggtcagagac tgctcagagt 660
gcttccccgg cgcgtcagaa tctcaacccg tcgtcagaaa aaagacgtat cagaaactgt 720
gcgcgattca tcatctgctg gggcgggcac ccgagattgc gtgttcggcc tgcgatctcg 780
tcaacgtgga cttggatgac tgtgtttctg agcaataaat gacttaaacc aggtatggct 840
gctgacggtt atcttccaga ttggctcgag gacaacctct ctgagggcat tcgcgagtgg 900
tgggacctga aacctggagc ccccaagctc aaggccaacc agcagaagca ggacgacggc 960
cggggtctgg tgcttcctgg ctacaagtac ctcggaccct tccacggact cgacaagggg 1020
gagcccgtca acgcggcgga cgcagcggcc ctcgagcacg acaaggccta cgaccagcag 1080
ctcaaagcgg gtgacaatcc gtacctgcgg tataaccacg ccgacgccga gtttcaggag 1140
cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt ccaggccaag 1200

```
aagagggtac tcgaaccact gggcctggtt gaagaaggtg ctaagacggc tcctggaaag 1260
aagagaccgt tagagtcacc acaagagccc gactcctcct caggaatcgg caaaaaaggc 1320
aaacaaccag ccaaaaagag actcaacttt gaagaggaca ctggagccgg agacggaccc 1380
cctgaaggat cagataccag cgccatgtct tcagacattg aaatgcgtgc agcaccgggc 1440
ggaaatgctg tcgatgcggg acaaggttcc gatggagtgg gtaatgcctc gggtgattgg 1500
cattgcgatt ccacctggtc tgagggcaag gtcacaacaa cctcgaccag aacctgggtc 1560
ttgcccacct acaacaacca cttgtacctg cggctcggaa caacatcaaa cagcaacacc 1620
tacaacggat tctccacccc ctggggatac tttgacttta acagattcca ctgtcacttc 1680
tcaccacgtg actggcaaag actcatcaac aacaactggg gactacgacc aaaagccatg 1740
cgcgttaaaa tcttcaatat ccaagttaag gaggtcacaa cgtcgaacgg cgagactacg 1800
gtcgctaata accttaccag cacggttcag atatttgcgg actcgtcgta tgagctcccg 1860
tacgtgatgg acgctggaca agagggaagt ctgcctcctt tccccaatga cgtcttcatg 1920
gtgcctcaat atggctactg tggcattgtg actggcgaaa atcagaacca gacggacaga 1980
aatgctttct actgcctgga gtattttcct tcacaaatgc tgagaactgg caataacttt 2040
gaaatggctt acaactttga gaaggtgccg ttccactcaa tgtatgctca cagccagagc 2100
ctggacagac tgatgaatcc cctcctggac cagtacctgt ggcacttaca gtcgaccacc 2160
tctggagaga ctctgaatca aggcaatgca gcaaccacat ttggaaaaat caggagtgga 2220
gactttgcct tttacagaaa gaactggctg cctgggcctt gtgttaaaca gcagagattc 2280
tcaaaaactg ccagtcaaaa ttacaagatt cctgccagcg ggggcaacgc tctgttaaag 2340
tatgacaccc actatacctt aaacaaccgc tggagcaaca tagcgcctgg acctccaatg 2400
gcaacagctg gaccttcaga tggggacttc agcaacgccc agctcatctt ccctggacca 2460
tcagtcaccg gaaacacaac aacctcagca aacaatctgt tgtttacatc agaaggagaa 2520
attgctgcca ccaacccaag agacacggac atgtttggtc agattgctga caataatcag 2580
aatgctacaa ctgctcccat aaccggcaac gtgactgcta tgggagtgct tcctggcatg 2640
gtgtggcaaa acagagacat ttactaccaa gggccaattt gggccaagat cccacacgcg 2700
gacggacatt ttcatccttc accgctaatt ggcggttttg gactgaaaca tccgcctccc 2760
cagatattta tcaaaaacac cccgtacct gccaatcctg cgacaacctt cactgcagcc 2820
agagtggact ctttcatcac acaatacagc accggccagg tcgctgttca gattgaatgg 2880
gaaatcgaaa aggaacgctc caaacgccgg aatcctgaag tgcagtttac ttcaaactat 2940
gggaaccagt cttctatgtt gtgggctccc gatacaactg ggaagtatac agagccgcgg 3000
gttattggct ctcgttattt gactaatcat ttgtaactgc ctagttaatc aataaaccgt 3060
gtgattcgtt tcagttgaac tttggtctct gcgaagggcg aattc 3105
```

<210> 21

<211> 3105
<212> DNA
<213> new AAV serotype, clone C5

<400> 21

```
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcacacggt ttattgatta    60
actaggcagt tacaaatgat tagtcaaata acgagagcca ataacccgcg gctctgtata   120
cttcccagtt gtatcgggag cccacaacat agaagactgg ttcccacagt ttgaagtaaa   180
ctgcacttca ggattccagc gtttggagcg ttccttttcg atttcccatt caatctgaac   240
agcgacctgg ccggtgctgt attgtgtgat gaaagagtcc actctggctg cagtgaaggt   300
tgtcgcagga taggcaggta cggggtgtt tttgataaat atctggggag gcggatgttt   360
cagtccaaaa ccgccaatta gcggtgaagg atgaaaatgt ccgtccgcgt gtgggatctt   420
ggcccaaatt ggcccttggt agtaaatgtc tctgttttgc cacaccatgc caggaagcac   480
tcccatagca gtcacgttgc cggttatggg agcagttgta gcattctgat tattgtcagc   540
aatctgacca aacatgtccg tgtctcttgg gttggtggca gcaatttctt cttctgatgt   600
aaacaacaga ttgtttgctg aggttgttgt gtttccggtg actgatggtc cagggaagat   660
gagctgggcg ttgctgaagt ccccatctga aggtccagct gttgccattg gaggtccagg   720
cgctatgttg ctccagcggt tgtttaaggt atagtgggtg tcatacttta acagagcgtt   780
gcccccgctg gcaggaatct tgtaattttg actggcagtt tttgagaatc tctgctgttt   840
aacacaaggc ccaggcagcc agttctttct gtaaaaggca aagtctccac tcctgatttt   900
tccaaatgtg gttgctgcat tgccttgatt cagagtctct ccagaggtgg tcgactgtaa   960
gtgccacagg tactggtcca ggaggggatt catcagtccg tccaggctct ggctgtgagc  1020
atacattgag tggaacggca ccttctcaaa gttgtaagcc gtttcaaagt tattgccagt  1080
tctcagcatt tgtgaaggaa aatactccag gcagtagaaa gcatttctgt ccgtctggtt  1140
ctgattttcg ccagtcacaa tgccacagta gccatattga ggcaccatga agacgtcatt  1200
ggggaaagga ggcagacttc cctcttgtcc agcgtccatc acgtacggga gctcatacga  1260
cgagtccgca aatatctgaa ccgtgctggt aaggttatta gcgaccgtag tctcgccgtt  1320
cgacgttgtg acctccttaa cttggatatt gaagatttta acgcgcatgg cttttggtcg  1380
tagtccccag ttgttgttga tgagtctttg ccagtcacgt ggtgagaagt gacagtggaa  1440
tctgttaaag tcaaagtatc cccagggggt ggagaatccg ttgtaggtgt tgctgtttga  1500
tgttgttccg agccgcaggt acaagtggtt gttgtaggtg ggcaagaccc aggttctggt  1560
cgaggttgtt gtgaccttgc cctcagacca ggtggaatcg caatgccaat cacccgaggc  1620
attacccact ccatcggaac cttgtcccgc atcgacagca tttccgcccg gtgctgcacg  1680
catttcaatg tctgaagaca tggcgctggt atctgatcct tcaggggtc cgtctccggc  1740
```

tccagtgtcc tcttcaaagt tgagtctctt tttggctggt tgtttgcctt ttttgccgat 1800
tcctgaggag gagtcgggct cttgtggtga ctctaacggt ctcttctttc caggagccgt 1860
cttagcacct tcttcaacca ggcccagagg ttcgagtacc ctcttcttgg cctggaagac 1920
tgctcgcccg aggttgcccc caaaagacgt atcttcttgc agacgctcct gaaactcggc 1980
gtcggcgtgg ttataccgca ggtacggatt gtcacccgct ttgagctgct ggtcgtaggc 2040
cttgtcgtgc tcgagggccg ctgcgtccgc cgcgttgacg ggctccccct tgtcgagtcc 2100
gttgaagggt ccgaggtact cgtagccagg aagcaccaga ccccggccgt cgtcctgctt 2160
ctgctggttg gccttgggct tgggggctcc aggtttcagg tcccaccact cgcgaatgcc 2220
ctcagagagg ttgtcctcga gccaatctgg aagataaccg tcagcagcca tacctggttt 2280
aagtcattta ttgctcagaa acacagtcat ccaagtccac gttgacgaga tcgcaggccg 2340
aacacgcaat ctcgggtgcc cgccccagca gatgatgaat cgcgcacagt ttctgatacg 2400
tctttttct gacgacgggt tgagattctg acgcgccggg gaagcactct gagcagtctc 2460
tgaccccgtg cgtgaagcag acgttgaaat tctgattcat tctctcgcat gtcttgcagg 2520
gaaacagcat ctgaagcatg cccgcgtgac gagaacattt gttttggtac ctgtccgcaa 2580
ggtccaccgg tgcttccgcg tctgacgtcg atggctccgc aactgagggg caggcccgct 2640
tgggctcgct tatatccgcg tcactggggg cgggtctttt ggtggctccg ccctttctga 2700
cgtagaactc atgcgccacc tcagtcacgt gatcctgagc ccagcggaag aactctttga 2760
cttcctgctt ggtcaccttg ccaaagtcgt gctccagacg gcgggtgagc tcgaacttga 2820
acatgcggtc ctgcagcggc tgctggtgct cgaaggtggt gctgttcccg tcgatcacgg 2880
cgcacatgtt ggtgttggag gtgacgatca cgggcgtggg gtcgatctgg gccgatgact 2940
tgcacttttg gtccacgcgc accttgcttc cgcccagaat ggccttggcg gactccacga 3000
ccttggcggt catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcgttga 3060
agggaaagtt ctcattggtc cagttgacgc agcaagggcg aattc 3105

<210> 22
<211> 3094
<212> DNA
<213> new AAV serotype, clone F1

<400> 22

gaattcgccc ttgctgcgtc aactggacca agagaacttt cccttcaacg attgcgtcga 60
caagatggtg atctggtggg aggagggcaa gatgacggcc aaggtcgtgg agtccgccaa 120
agccattctg ggcggaagca aggtgcgcgt cgaccaaaag tgcaagtcct cggcccagat 180
cgatcccacc cccgtgatcg tcacctccaa caccaacatg tgcgccgtga tcgacgggaa 240
cagcaccacc ttcgagcacc agcagccgtt gcaggaccgg atgttcaaat ttgaactcac 300

ccgccgtctg gaacacgact ttggcaaggt gaccaagcag gaagtcaaag agttcttccg 360
ctgggctagt gatcacgtga ctgaggtgac gcatgagttc tacgtcagaa agggcggagc 420
cagcaaaaga cccgcccccg atgacgcgga tataagcgag cccaagcggg cctgtccctc 480
agtcacggac ccatcgacgt cagacgcgga aggagctccg gtggactttg ccgacaggta 540
ccaaaacaaa tgttctcgtc acgcgggcat gcttcagatg ctgtttccct gcaaaacgtg 600
cgagagaatg aatcagaatt tcaacatttg cttcacgcac ggggtcagag actgtttaga 660
atgtttcccc ggcgtgtcag aatctcaacc ggtcgtcaga aaaaagacgt atcggaagct 720
gtgtgcgatt catcatctgc tggggcgggc acccgagatt gcttgctcgg cctgcgacct 780
ggtcaacgtg gacctggacg actgtgtttc tgagcaataa atgacttaaa ccgggtatgg 840
ctgccgatgg ttatcttcca gattggctcg aggacaacct ctctgagggc attcgcgagt 900
ggtgggacct gaaacctgga gccccgaaac ccaaagccaa ccagcaaaag caggacgacg 960
gccggggtct ggtgcttcct ggctacaagt acctcggacc cttcaacgga ctcgacaagg 1020
gggagcccgt caacgcggcg gacgcagcgg ccctcgagca cgacaaggcc tacgaccagc 1080
agctcaaagc gggtgacaat ccgtacctgc ggtataacca cgccgacgcc gagtttcagg 1140
agcgtctgca agaagatacg tcatttgggg gcaacctcgg gcgagcagtc ttccaggcca 1200
agaagcgggt tctcgaacct ctcggtctgg ttgaggaagg cgctaagacg gctcctggaa 1260
agaagagacc catagactct ccagactcct ccacgggcat cggcaaaaaa ggccagcagc 1320
ccgctaaaaa gaagctcaat tttggtcaga ctggcgactc agagtcagtc cccgaccctc 1380
aacctcttgg agaacctcca gcagcgccct ctagtgtggg atctggtaca atggctgcag 1440
gcggtggcgc accaatggca gacaataacg aaggtgccga cggagtgggt aatgcctcag 1500
gaaattggca ttgcgattcc acatggctgg gcgacagagt catcaccacc agcaccagaa 1560
cctgggccct ccccacctac aacaaccacc tctacaagca aatctccagc agcagctcag 1620
gagccaccaa tgacaaccac tacttcggct acagcacccc ctggggggtat tttgacttta 1680
acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac aacaactggg 1740
gattccggcc caagaagctg cggttcaagc tcttcaacat ccaggtcaag gaggtcacaa 1800
cgaatgacgg cgtcacgacc atcgctaata accttaccag cacggttcag gtcttctcgg 1860
actcggaata ccagctgccg tacgtcctcg gctctgcgca ccagggctgc ctgcctccgt 1920
tcccggcgga cgtcttcatg attcctcagt acggctacct gactctgaac aacggcagcc 1980
aatcggtggg ccgttcctcc ttctactgcc tggaatattt cccctctcaa atgctgagaa 2040
cgggcaacaa ctttgagttc agttacagct tcgaggacgt gcctttccac agcagctacg 2100
cgcacagcca gagcctagac cggctgatga accctctcat cgaccagtac ctgtactacc 2160
tggcccggac ccagagcacc acgggttcca ccagggaact gcaatttcat caagctgggc 2220

ccaatactat ggccgagcag tcaaagaact ggctgcctgg accctgctat aggcaacagg 2280
gactgtcaaa gaacttggac tttaacaaca acagcaattt tgcctggact gctgccacta 2340
aatatcatct gaatggcaga aactctttga ccaatcctgg cattcccatg gcaaccaaca 2400
aggatgatga ggaccagttc tttcccatca acggggtact ggtttttggc aagacgggag 2460
ctgccaacaa aactacgctg gaaaacgttc tgatgaccag cgaggaggag atcaagacca 2520
ctaaccctgt ggctacagaa gaatacggtg tggtctccag caacctgcag ccgtctacag 2580
ccgggcctca atcacagact atcaacagcc agggagcact gcctggcatg gtctggcaga 2640
accgggacgt gtatctgcag ggtcccatct gggccaaaat tcctcacacg gatggcaact 2700
ttcacccgtc tcctctgatg ggcggttttg gactcaaaca cccgcctcca cagatcctga 2760
tcaaaaacac acctgtacct gctaatcctc cggaggtgtt tactcctgcc aagtttgcct 2820
ccttcatcac gcagtacagc accggacaag tcagcgtgga aatcgagtgg gagctgcaga 2880
aagaaaacag caagcgctgg aacccagaaa ttcagtatac ttccaattat gccaagtcta 2940
ataatgttga atttgctgtg aaccctgatg gtgtttatac tgagcctcgc cccattggca 3000
ctcgttacct cccccgtaat ctgtaattgc ttgttaatca ataaaccggt tgattcgttt 3060
cagttgaact ttggtctctg cgaagggcga attc 3094

<210> 23
<211> 3095
<212> DNA
<213> new AAV serotype, clone F3

<400> 23

```
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta      60
acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg ctcagtataa     120
acaccatcag ggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac     180
tgaatttctg ggttccagcg cttgctgttt tctttctgca gctcccactc gatttccacg     240
ctgacttgtc cggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc     300
tccggaggat tagcaggtac aggtgtgttt ttgatcagga tctgtggagg cgggtgtttg     360
agtccaaaac cgcccatcag aggagacggg tgaaagttgc catccgtgtg aggaattttg     420
gcccagatgg gaccctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgct     480
ccctggctgt tgatagtctg tgattgaggc ccggctgtag acgactgcag gttgctggag     540
accacaccgt attcttctgt agccacaggg ttagtggtct tgatctcctc ctcgctggtc     600
atcagaacgt tttccagcgt agttttgttg gcagctcccg tcttgccaaa aaccagtacc     660
ccgttgatgg gaaagaactg gtcctcatca tccttgttgg ttgccatggg aatgccagga     720
ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtcca ggcaaaattg     780
```

ctgttgttgt taaagtccaa gttctttgac agtctctgtt gcctatagca gggtccaggc 840
agccagttct ttgactgctc ggccatagta ttgggcccag cttgatgaaa ttgcagttcc 900
ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtactg gtcgatgaga 960
gggttcatca gccggtctag gctctggctg tgcgcgtagc tgctgtggaa aggcacgtcc 1020
tcgaagctgt aactgaactc aaagttgttg cccgttctca gcatttgaga ggggaaatat 1080
tccaggcagt agaaggagga acggcccacc gattggctgc cgttgtccag agtcaggtag 1140
ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca 1200
gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta 1260
aggttattag cgatggtcgt gacgccgtca ttcgttgtga cctccttgac ctggatgttg 1320
aggagcttga accgcagctt cttgggccgg aatccccagt tgttgttgat gagtcgctgc 1380
cagtcacgtg gtgagaagtg gcagtggaat ctgttaaagt caaaataccc ccaggggtg 1440
ctgtagccga agtagtggtt gtcattggtg gctcctgagc tgctgctgga gatttgcttg 1500
tagaggtggt tgttgtaggt ggggagggcc caggttctgg tgctggtggt gatgactctg 1560
tcgcccagcc atgtggaatc gcaatgccaa tttcctgagg cattacccac tccgtcggca 1620
ccttcgttat tgtctgccat tggtgcgcca ccgcctgcag ccattgtacc agatcccaca 1680
ctagagggcg ctgctggagg ttctccaaga ggttgagggt cggggactga ctctgagtcg 1740
ccagtctgac caaaattgag cttcttttta gcgggctgct ggcctttttt gccgatgccc 1800
gtggaggagt ctggagagcc tatgggtctc ttctttccag gagccgtctt agcgccttcc 1860
tcaaccagac cgagaggttc gagaacccgc ttcttggcct ggaagactgc tcgccccgagg 1920
ttgcccccaa atgacgtatc ttcttgcaga cgctcctgaa actcggcgtc ggcgtggtta 1980
taccgcaggt acggattgtc acccgctttg agctgctggt cgtaggcctt gtcgtgctcg 2040
agggccgctg cgtccgccgc gttgacgggc tccccttgt cgagtccgtt gaagggtccg 2100
aggtacttgt agccaggaag caccagaccc cggccgtcgt cctgcttttg ctggttggct 2160
ttgggtttcg gggctccagg tttcaggtcc caccactcgc gaatgccctc agagaggttg 2220
tcctcgagcc aatctggaag ataaccatcg gcagccatac ctggtttaag tcatttattg 2280
ctcagaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aagcaatctc 2340
gggtgcccgc cccagcagat gatgaatcgc acacagcttc cgatacgtct tttttctgac 2400
gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgtgcgt 2460
gaagcaaatg ttgaaattct gattcattct ctcgcacgtt ttgcagggaa acagcacctg 2520
aagcatgccc gcgtgacgag aacatttgtt ttggtacctg tcggcaaagt ccaccggagc 2580
tccttccgcg tctgacgtcg atgggtccgt gactgaggga cgggcccgct tgggctcgct 2640
tatatccgcg tcatcggggg cgggtctttt gctggctccg ccctttctga cgtagaactc 2700

atgcgtcacc tcagtcacgt gatcactagc ccagcggaag aactctttga cttcctgctt 2760
tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc 2820
ctgcaacggt tgctggtgct cgaaggtggt gctgttcccg tcgatcacgg cgcacatgtt 2880
ggtgttggag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg 2940
gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt 3000
catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcgttga agggaaagtt 3060
ctcattggtc cagttgacgc agcaagggcg aattc 3095

<210> 24
<211> 3095
<212> DNA
<213> new AAV serotype, clone F5

<400> 24

```
gaattcgccc ttcgcagaga ccaaagttca actgaaacga atcaaccggt ttattgatta     60
acaagcaatt acagattacg ggtgaggtaa cgagtgccaa tggggcgagg ctcagtataa    120
acaccatcag ggttcacagc aaattcaaca ttattagact tggcataatt ggaagtatac    180
tgaatttctg ggttccagcg cttgctgttt tctttctgca gctcccactc gatttccacg    240
ctgacttgtc cggtgctgta ctgcgtgatg aaggaggcaa acttggcagg agtaaacacc    300
tccggaggat tagcaggtac aggtgtgttt ttgatcagga tctgtggagg cgggtgttcg    360
agtccaaaac cgcccatcag aggagacggg tgaaagttgc catccgtgtg aggaattttg    420
gcccagatgg gaccctgcag atacacgtcc cggttctgcc agaccatgcc aggcagtgct    480
ccctggctgt tgatagtctg tgattgaggc ccggctgtag acgactgcag gttgctggag    540
accacaccgt attcttctgt agccacaggg ttagtggtct tgatctcctc ctcgctggtc    600
atcagaacgt tttccagcgt agttttgttg gcagctcccg tcttgccaaa aaccagtacc    660
ccgttgatgg gaaagaactg gtcctcatca tccttgttgg ttgccatggg aatgccagga    720
ttggtcaaag agtttctgcc attcagatga tatttagtgg cagcagtcca ggcaaaattg    780
ctgttgttgt taaagtccaa gttctttgac agtctctgtt gcctatagca gggtccaggc    840
agccagttct ttgactgctc ggccatagta ttgggcccag cttgatgaaa ttgcagttcc    900
ctggtggaac ccgtggtgct ctgggtccgg gccaggtagt acaggtactg gtcgatgaga    960
gggttcatca gccggtctag gctctggctg tgcgcgtagc tgctgtggaa aggcacgtcc   1020
tcgaagctgt aactgaactc aaagttgttg cccgttctca gcatttgaga ggggaaatat   1080
tccaggcagt agaaggagga acggcccacc gattggctgc cgttgttcag agtcaggtag   1140
ccgtactgag gaatcatgaa gacgtccgcc gggaacggag gcaggcagcc ctggtgcgca   1200
gagccgagga cgtacggcag ctggtattcc gagtccgaga agacctgaac cgtgctggta   1260
aggttattag cgatggtcgt gacgccgtca ttcgttgtga cctccttgac ctggatgttg   1320
```

```
aagagcttga accgcagctt cttgggccgg aatccccagt tgttgttgat gagtcgctgc    1380
cagtcacgtg gtgagaagtg gcagtggaat ctgttaaagt caaaataccc ccaggggggtg    1440
ctgtagccga agtagtggtt gtcattggtg gctcctgagc tgctgctgga gatttgcttg    1500
tagaggtggt tgttgtaggt ggggagggcc caggttctgg tgctggtggt gatgactctg    1560
tcgcccagcc atgtggaatc gcaatgccaa tttcctgagg cattacccac tccgtcggca    1620
ccttcgttat tgtctgccgt tggtgcgcca ccgcctgcag ccattgtacc agatcccaca    1680
ctagagggcg ctgctggagg ttctccaaga ggttgagggt cggggactga ctctgagtcg    1740
ccagtctgac caaaattgag cttcttttta gcgggctgct ggcctttttt gccgatgccc    1800
gtggaggagt ctggagagtc tatgggtctc ttctttccag gagccgtctt agcgccttcc    1860
tcaaccagac cgagaggttc gagaacccgc ttcttggcct ggaagactgc tcgcccgagg    1920
ttgcccccaa atgacgtatc ttcttgcagg cgctcctgaa actcggcgtc ggcgtggtta    1980
taccgcaggt acggattgtc acccgctttg agctgctggt cgtaggcctt gtcgtgctcg    2040
agggccgctg cgtccgccgc gttgacgggc tccccttgt cgagtccgtt gaagggtccg     2100
aggtacttgt agccaggaag caccagaccc cggccgtcgt cctgcttttg ctggttggct    2160
ttgggtttcg gggctccagg tttcaggtcc caccactcgc gaatgccctc agagaggttg    2220
tcctcgagcc aatctggaag ataaccatcg gcagccatac ctggtttaag ccatttattg    2280
ctcagaaaca cagtcgtcca ggtccacgtt gaccaggtcg caggccgagc aggcaatctc    2340
gggtgcccgc cccagcagat gatgaatcgc acacagcttc cgatacgtct tttttctgac    2400
gaccggttga gattctgaca cgccggggaa acattctaaa cagtctctga ccccgtgcgt    2460
gaagcaaatg ttgaaattct gattcattct ctcgcacgtt ttgcagggaa acagcatctg    2520
aagcatgccc gcgtggcgag aacatttgtt ttggtacctg tcggcaaagt ccaccggagc    2580
tccttccgcg tctgacgtcg atgggtccgt gactgaggga caggcccgct tgggctcgct    2640
tatatccgcg tcatcggggg cgggtctttt gctggctccg ccctttctga cgtagaactc    2700
atgcgtcacc tcagtcacgt gatcactagc ccagcggaag aactctttga cttcctgctt    2760
tgtcaccttg ccaaagtcgt gttccagacg gcgggtgagt tcaaatttga acatccggtc    2820
ctgcaacggc tgctggtgct cgaaggtggt gctgttcccg tcgatcacgg cgcgcatgtt    2880
ggtgttggag gtgacgatca cgggggtggg atcgatctgg gcggacgact tgcacttttg    2940
gtccacgcgc accttgctgc cgccgagaat ggccttggcg gactccacga ccttggccgt    3000
catcttgccc tcctcccacc agatcaccat cttgtcgacg caatcgttga agggaaagtt    3060
ctcattggtc cagttgacgc agcaagggcg aattc                                3095
```

<210> 25
<211> 3142
<212> DNA
<213> new AAV serotype, clone H6

<400> 25

```
aaaacgacgg gccagtgatt gtaatacgac tcactatagg gcgaaattga aattagcggc      60
cgcgaattcg cctttcgcag agaccaaagt tcaactgaaa cgaattaaac ggtttattga     120
ttaacaagca attacagatt acgagtcagg tatctggtgc caatggggcg aggctctgaa     180
tacacaccat tagtgtccac agtaaagtcc acattaacag acttgttgta gttggaagtg     240
tactgaattt cgggattcca gcgtttgctg ttctccttct gcagctccca ctcgatctcc     300
acgctgacct gtcccgtgga atactgtgtg atgaaagaag caaacttggc agaactgaag     360
tttgtgggag gattggctgg aacgggagtg tttttgatca tgatctgagg aggcgggtgt     420
ttgagtccaa aacctcccat cagtggagaa ggatgaaagt gtccatcggt gtgaggaatc     480
ttggcccaaa tgggtccctg caggtacacg tctcgatcct gccacaccat accaggtaac     540
gctccttggt gattgacagt tccagtagtt ggaccagtgt ttgagttttg caaattattt     600
gacacagtcc cgtactgctc cgtagccacg ggattggtgg ccctgatttc ttcttcatct     660
gtaatcatga cattttccaa atccgcgtcg ttggcatttg ttccttgttt accaaatatc     720
agggttccat gcatggggaa aaacttttct tcgtcatcct tgtgactggc catagctggt     780
cctggattaa ccaacgagtc ccggccattt agatgatact ttgtagctgc agtccaggga     840
aagttgctgt tgttgttgtc gtttgcctgt tttgacagac gctgctgtct gtagcaaggt     900
ccaggcagcc agtttttagc ttgaagagac atgttggttg gtccagcttg gctaaacagt     960
agccgagact gctgaagagt tccactattt gtttgtgtct tgttcagata atacaggtac    1020
tggtcgatca gaggattcat cagccgatcc agactctggc tgtgagcgta gctgctgtgg    1080
aaaggcacgt cttcaaaagt gtagctgaac tgaaagttgt ttccagtacg cagcatctga    1140
gaaggaaagt actccaggca gtaaaaggaa gagcgtccta ccgcctgact cccgttgttc    1200
agggtgaggt atccatactg tgggaccatg aagacgtccg ctggaaacgg cgggaggcat    1260
ccttgatgcg ccgagcccag gacgtacggg agctggtact ccgagtcagt aaacacctga    1320
accgtgctgg taaggttatt ggcaatcgtc gtcgtaccgt cattctgcgt gacctctttg    1380
acttgaatat taaagagctt gaagttgagt cttttgggcc ggaatccccg gttgttgttg    1440
acgagtcttt gccagtcacg tggtgaaaag tggcagtgga atctgttgaa gtcaaaatac    1500
ccccaggggg tgctgtagcc aaagtagtgg ttgtcgttgc tggctcctga ttggctggag    1560
atttgcttgt agaggtggtt gttgtatgtg ggcagggccc aggttcgggt gctggtggtg    1620
atgactctgt cgcccagcca ttgggaatcg caatgccaat ttcctgagga attacccact    1680
ccatcggcac cctcgttatt gtctgccatt ggtgcgccac tgcctgtagc cattgtagta    1740
```

gatcccagac cagaggggc tgctggtggc tgtccgagag gctgggggtc aggtacggag 1800
tctgcgtctc cagtctgacc aaaatttaat ctttttcttg caggctgctg gcccgctttt 1860
ccggttcccg aggaggagtc tggctccaca ggagagtgct ctaccggcct ctttttttccc 1920
ggagccgtct taacaggctc ctcaaccagg cccagaggtt caagaaccct ctttttcgcc 1980
tggaagactg ctcgtccgag gttgccccca aaagacgtat cttctttaag gcgctcctga 2040
aactctgcgt cggcgtggtt gtacttgagg tacgggttgt ctccgctgtc gagctgccgg 2100
tcgtaggcct tgtcgtgctc gagggccgcg gcgtctgcct cgttgaccgg ctcccccttg 2160
tcgagtccgt tgaagggtcc gaggtacttg tacccaggaa gcacaagacc cctgctgtcg 2220
tccttatgcc gctctgcggg ctttggtggt ggtgggccag gtttgagctt ccaccactgt 2280
cttattcctt cagagagagt gtcctcgagc caatctggaa gataaccatc ggcagccata 2340
cctgatttaa atcatttatt gttcagagat gcagtcatcc aaatccacat tgaccagatc 2400
gcaggcagtg caagcgtctg gcacctttcc catgatatga tgaatgtagc acagtttctg 2460
atacgccttt ttgacgacag aaacgggttg agattctgac acgggaaagc actctaaaca 2520
gtctttctgt ccgtgagtga agcagatatt tgaattctga ttcattctct cgcattgtct 2580
gcagggaaac agcatcagat tcatgcccac gtgacgagaa catttgtttt ggtacctgtc 2640
cgcgtagttg atcgaagctt ccgcgtctga cgtcgatggc tgcgcaactg actcgcgcgc 2700
ccgtttgggc tcacttatat ctgcgtcact gggggcgggt cttttcttag ctccaccctt 2760
tttgacgtag aattcatgct ccacctcaac cacgtgatcc tttgcccacc ggaaaaagtc 2820
tttcacttcc tgcttggtga cctttccaaa gtcatgatcc agacggcggg taagttcaaa 2880
tttgaacatc cggtcttgca acggctgctg gtgctcgaag gtcgttgagt tcccgtcaat 2940
cacggcgcac atgttggtgt tggaggtgac gatcacggga gtcgggtcta tctgggccga 3000
ggacttgcat ttctggtcca cacgcacctt gcttcctcca agaatggctt tggccgactc 3060
cacgaccttg gcggtcatct tcccctcctc ccaccagatc accatcttgt cgacgcaatg 3120
gtaaaaggaa agttctcatt gg 3142

<210> 26
<211> 3075
<212> DNA
<213> new AAV serotype, clone H2

<400> 26

tgagaacttt cctttcaacg attgcgtcgg acaagatggt gatctggtgg gaggagggga 60
agatgaccgc caaggtcgtg gagtcggcca aagccattct tggaggaagc aaggtgcgtg 120
tggaccagaa atgcaagtcc tcggcccaga tagacccgac tcccgtgatc gtcacctcca 180
acaccaacat gtgcgccgtg attgacggga actcaacgac cttcgagcac cagcagccgt 240
tgcaagaccg gatgttcaaa tttgaactta cccgccgtct ggatcatgac tttggaaagg 300

```
tcaccaagca ggaagtgaaa gactttttcc ggtgggcaaa ggatcacgtg gttgaggtgg   360
agcatgaatt ctacgtcaaa aagggtggag ctaagaaaag acccgccccc agtgacgcag   420
atataagtga gcccaaacgg gcgcgcgagt cagttgcgca gccatcaacg tcagacgcgg   480
aagcttcgat caactacgcg gacaggtacc aaaaacaaat gttctcgtca cgtgggcatg   540
aatctgatgc tgtttccctg cagacaatgc gagagaatga atcagaattc aaatatctgc   600
ttcactcacg gacagaaaga ctgtttagag tgctttcccg tgtcagaatc tcaacccgtt   660
tctgtcgtca aaaaggcgta tcagaaactg tgctacattc atcatatcat gggaaaggtg   720
ccagacgctt gcactgcctg cgatctggtc aatgtggatt tggatgactg catctctgaa   780
caataaatga tttaaatcag gtatggctgc cgatggttat cctccagatt ggctcgagga   840
cactctctct gaagggataa gacagtggtg gaagctcaaa cctggcccac caccaccaaa   900
gcccgcagag cggcataagg acgacagcag ggtcttgtg cttcctgggt acaagtacct   960
cggacccttc aacggactcg acaaggggga gccggtcaac gaggcagacg ccgcggccct  1020
cgagcacgac aaggcctacg accggcagct cgacagcgga gacaacccgt acctcaagta  1080
caaccacgcc gacgcagagt ttcaggagcg ccttaaagaa gatacgtctt ttgggggcaa  1140
cctcggacga gcagtcttcc aggcgaaaaa gagggttctt gaacctctgg gcctggttga  1200
ggaacctgtt aagacggctc cgggaaaaaa gaggccggta gagcactctc ctgtggagcc  1260
agactcctcc tcgggaaccg gaaaagcggg ccagcggcct gcaagaaaaa gattaaattt  1320
tggtcagact ggagacgcag actccgtacc tgacccccag cctctcggac agccaccagc  1380
agccccctct ggtctgggat ctactacaat ggctacaggc agtggcgcac caatggcaga  1440
caataacgag ggtgccgatg gagtgggtaa ttcctcagga aattggcatt gcgattccca  1500
atggctgggc gacagagtca tcaccaccag cacccgaacc tgggccctgc ccacatacaa  1560
caaccacctc tacaagcaaa tctccagcca atcaggagcc agcaacgaca accactactt  1620
tggctacagc accccctggg ggtattttga cttcaacaga ttccactgcc acttttcacc  1680
acgtgactgg caaagactca tcaacaacaa ctggggattc cggcccaaaa gactcaactt  1740
caagctcttt aatattcaag tcaaagaggt cacgcagaat gacggtacga cgacgattgc  1800
caataacctt accagcacgg ttcaggtgtt tactgactcg gagtaccagc tcccgtacgt  1860
cctgggctcg gcgcatcaag gatgcctccc gccgtttcca gcggacgtct tcatggtccc  1920
acagtatgga tacctcaccc tgaacaacgg gagtcaggcg gtaggacgct cttcctttta  1980
ctgcctggag tactttcctt ctcagatgct gcgtactgga aacaactttc agttcagcta  2040
cacttttgaa gacgtgcctt tccacagcag ctacgctcac agccagagtc tggatcggct  2100
gatgaatcct ctgatcgacc agtacctgta ttatctgaac aagacacaaa caaatagtgg  2160
aactcttcag cagtctcggc tactgtttag ccaagctgga ccaaccaaca tgtctcttca  2220
```

agctaaaaac tggctgcctg gaccttgcta cagacagcag cgtctgtcaa aacaggcaaa 2280
cgacaacaac aacagcaact ttccctggac tgcagctaca aagtatcatc taaatggccg 2340
ggactcgttg gttaatccag gaccagctat ggccagtcac aaggatgacg aagaaaagtt 2400
tttccccatg catggaaccc tgatatttgg taaacaagga acaaatgcca acgacgcgga 2460
tttggaaaat gtcatgatta cagatgaaga agaaatcagg gccaccaatc ccgtggctac 2520
ggagcagtac gggactgtgt caaataattt gcaaaactca aacactggtc caactactgg 2580
aactgtcaat cgccaaggag cgttacctgg tatggtgtgg caggatcgag acgtgtacct 2640
gcagggaccc atttgggcca agattcctca caccgatgga cactttcatc cttctccact 2700
gatgggaggt tttggactca aacacccgcc tcctcagatc atgatcaaaa acactcccgt 2760
tccagccaat cctcccacaa acttcagttc tgccaagttt gcttctttca tcacacagta 2820
ttccacggga caggtcagcg tggagatcga gtgggagctg cagaaggaga acagcaaacg 2880
ctggaatccc gaaattcagt acacttccaa ctacaacaag tctgttaatg tggactttac 2940
tgtggacact aatggtgtgt attcagagcc tcgccccatt ggcaccagat acctgactcg 3000
taatctgtaa ttgcttgtta atcaataaac cgtttaattc gtttcagttg aactttggtc 3060
tctgcgaagg gcgaa 3075

<210> 27
<211> 3128
<212> DNA
<213> new AAV serotype, clone 42.8

<400> 27

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt     60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt    120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg    180
cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg    240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg    300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcaaagagt    360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg    420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct    480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg    540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca    600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact    660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc    720
ggaaactctg tgccattcat catctgctag ggcgggctcc cgagattgct tgctcggcct    780
```

gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggt agagccatca ccccagcgtt ctccagactc ctctacgggc 1320
atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
gtcatcacca ccagcacccg aacctgggcc ctccccacct acaacaacca cctctacaag 1620
caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920
gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040
tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340
aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg 2400
gtaaatcccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc 2460
agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
gttatgctaa ccagtgagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580
ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700

atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760

tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820

cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880

caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca 2940

gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000

gagggtactt attcagagcc tcgccccatt ggcacccgtt acctcacccg taacctgtaa 3060

ttgcctgtta atcaataaac cggctaattc gtttcagttg aactttggtc tctgcgaagg 3120

gcgaattc 3128

<210> 28
<211> 3128
<212> DNA
<213> new AAV serotype, clone 42.15

<400> 28

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt     60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt    120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg    180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg    240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg    300
aactcacccg ccgtctggag catgactttg gcaaggtgac aaagcaggaa gtcaaagagt    360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg    420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct    480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg    540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca    600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcgcggg accagagact    660
gttcagaatg tttcccgggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc    720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct    780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca    840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt    900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag    960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc   1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac   1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag   1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc   1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct   1260
```

cctggaaaga agagaccggt agagccatca ccccagcgtt ctccagactc ctctacgggc 1320
atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
gtcatcacca ccagcacccg aacctgggcc ctccccacct acaacaacca cctctacaag 1620
caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc 1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920
gcgcaccagg gctgcccgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040
tactttcctt ctcaaatgcg gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
gacgtgcctt ttcacagcag ctacgcgcat agccaaagcc tggaccggct gatgaacccc 2160
ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340
aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg 2400
gtaaatcccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc 2460
agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520
gttatgctaa ccagtgagga agaaatcaaa accaccaacc cagtggccac agaacagtac 2580
ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640
agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700
atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc 2760
tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820
cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga 2880
caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca 2940
gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact 3000
gagggtactt attcagagcc tcgccccatt ggcacccgtt acctcacccg taacctgtaa 3060
ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg 3120
gcgaattc 3128

<210> 29

<211> 3197
<212> DNA
<213> new AAV serotype. clone 42.5b

<400> 29

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt     60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt    120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg    180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg    240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg    300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcaaagagt    360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg    420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct    480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg    540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca    600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact    660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc    720
ggaaactctg tgccattcat catctgctgg ggcggctcc cgagattgct tgctcggcct    780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca    840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt    900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag    960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc   1020
gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac   1080
gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag   1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc   1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct   1260
cctggaaaga agagaccggt agagccatca ccccagcgtt ctccagactc ctctacgggc   1320
atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac   1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg   1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc   1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga   1560
gtcatcacca ccagcacccg aacctgggcc ctccccacct acaacaacca cctctacaag   1620
caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc   1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg   1740
```

```
cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc   1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt   1860
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct   1920
gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg   1980
tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag   2040
tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag   2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc   2160
ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga   2220
actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac   2280
tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac   2340
aacagcaact ttgcttggac cggtgccacc aagtatcatc tgaatggcag agactctctg   2400
gtaaatcccg gtgtcgctat ggcaacgcac aaggacgacg aagagcgatt ttttccatcc   2460
agcggagtct tgatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc   2520
gttatgctaa ccagtgagga agaaatcaaa accaccaacc cagtggccac agaacagtac   2580
ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac   2640
agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct   2700
atctgggcca agattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc   2760
tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat   2820
cctccaacta ccttcagtca agccaagctg gcgtcgttca tcacgcagta cagcaccgga   2880
caggtcagcg tggaaattga atgggagctg cagaaagaga acagcaagcg ctggaaccca   2940
gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact   3000
gagggtactt attcagagcc tcgccccatt ggcacccgtt acctcacccg taacctgtaa   3060
ttgcctgtta atcaataaac cggttaattc gtttcagttg aactttggtc tctgcgaagg   3120
gcgaattcgt ttaaacctgc aggactagtc cctttagtga gggttaattc tgagcttggc   3180
gtaatcatgg gtcatag                                                   3197
```

<210> 30
<211> 2501
<212> DNA
<213> new AAV serotype, clone 42.1b

<400> 30

```
gaattcgccc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc     60
gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggtcgt ggagtccgcc    120
aaggccattc atcatctgct ggggcgggct cccgagattg cttgctcggc ctgcgatctg    180
gtcaacgtgg acctggatga ctgtgtttct gagcaataaa tgacttaaac caggtatggc    240
```

tgccgatggt tatcttccag attggctcga ggacaacctc tctgagggca ttcgcgagtg 300
gtgggacttg agacctggag ccccgaaacc caaagccaac cagcaaaagc aggacgacgg 360
ccggggtctg gtgcttcctg gctacaagta cctcggaccc ttcaacggac tcgacaaggg 420
agagccggtc aacgaggcag acgccgcggc cctcgagcac gacaaggcct acgacaagca 480
gctcgagcag ggggacaacc cgtacctcaa gtacaaccac gccgacgccg agtttcagga 540
gcgtcttcaa gaagatacgt cttttggggg caacctcggg cgagcagtct tccaggccaa 600
gaagcgggtt ctcgaacctc tcggtctggt tgaggaaggc gctaagacgg ctcctggaaa 660
gaagagaccc atagaatccc ccgactcctc cacgggcatc ggcaagaaag gccagcagcc 720
cgctaaaaag agactcaact ttgggcagac tggcgactca gagtcagtgc ccgaccctca 780
accaatcgga gaacccccg caggcccctc tggtctggga tctggcacaa tggctgcagg 840
cggtggcgct ccaatggcag acaataacga aggcgccgac ggagtgggta gttcctcagg 900
aaattggcat tgcgattcca catggctggg cgacagagtc atcaccacca gcacccgaac 960
ctgggccctc cccacctaca acaaccacct ctacaagcaa atctccaacg ggacatcggg 1020
aggaagcacc aacgacaaca cctacttcgg ctacagcacc ccctgggggt attttgactt 1080
taacagattc cactgccact tctcaccacg tgactggcag cgactcatca acaacaactg 1140
gggattccgg cccaagagac tcaacttcaa gctcttcaac atccaggtca aggaggtcac 1200
gcagaatgaa ggcaccaaga ccatcgccaa taaccttacc agcacgattc aggtctttac 1260
ggactcggaa taccagctcc cgtacgtcct cggctctgcg caccagggct gcctgcctcc 1320
gttcccggcg gacgtcttca tgattcctca gtacgggtac ctgactctga acaacggcag 1380
tcaggccgtg ggccgttcct ccttctactg cctggagtac tttccttctc aaatgctgag 1440
aacgggcaac aactttgagt tcagctacca gtttgaggac gtgccttttc acagcagcta 1500
tgcgcacagc caaagcctgg accggctgat gaacccctc atcgaccagt acctgtacta 1560
cctgtctcgg actcagtcca cgggaggtac cgcaggaact cagcagttgc tattttctca 1620
ggccgggcct aataacatgt cggctcaggc caaaaactgg ctacccgggc cctgctaccg 1680
gcagcaacgc gtctccacga cagtgtcgca aaataacaac agcaactttg cttggaccgg 1740
tgccaccaag tatcatctga atggcagaga ctctctggta aatcccggtg tcgctatggc 1800
aacgcacaag ggcgacgaag agcgattttt tccatccagc ggagtcttga tgtttgggaa 1860
acagggagct ggaaaagaca acgtagacta tagcagcgtt atgctaacca gtgaggaaga 1920
aatcaaaacc accaacccag tggccacaga acagtacggc gtggtggccg ataacctgca 1980
acagcaaaac gccgctccta ttgtaggggc cgtcaacagt caaggagcct tacctggcat 2040
ggtctggcag aaccgggacg tgtacctgca gggtcctatc tgggccaaga ttcctcacac 2100
ggacggcaac tttcatcctt cgccgctgat gggaggcttt ggactgaaac acccgcctcc 2160

```
tcagatcctg attaagaata cacctgttcc cgcggatcct ccaactacct tcagtcaagc   2220
caagctggcg tcgttcatca cgcagtacag caccggacag gtcagcgtgg aaattgaatg   2280
ggagctgcag aaagagaaca gcaagcgctg gaacccagag attcagtata cttccaacta   2340
ctacaaatct acaaatgtgg actttgctgt caatactgag ggtacttatt cagagcctcg   2400
ccccattggc acccgttacc tcacccgtaa cctgtaattg cctgttaatc aataaaccgg   2460
ttgattcgtt tcagttgaac tttggtctca agggcgaatt c                        2501
```

<210> 31
<211> 3113
<212> DNA
<213> new AAV serotype, clone 42.13

<400> 31

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg 180
cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
aactcacccg ccgtctggag catgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagacccat agaatccccc gactcctcca cgggcatcgg caagaaaggc 1320
cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgccc 1380

gaccctcaac caatcggaga accccccgca ggcccctctg gtctgggatc tggtacaatg 1440

gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt 1500

tcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcat caccaccagc 1560

acccgaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg 1620

acatcgggag gaagcaccaa cgacaacacc tacttcggct acagcacccc ctggggggtat 1680

tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac 1740

aacaactggg gattccggcc caagagactc aacttcaagc tcttcaacat ccaggtcaag 1800

gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag cacgattcag 1860

gtctttacgg actcggaata ccagctcccg tacgtcctcg gctctgcgca ccagggctgc 1920

ctgcctccgt tcccggcgga cgtcttcatg attcctcagt acgggtacct gactctgaac 1980

aacggcagtc aggccgtggg ccgttcctcc ttctactgcc tggagtactt tccttctcaa 2040

atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac 2100

agcagctatg cgcacagcca aagcctggac cggctgatga accccctcat cgaccagtac 2160

ctgtactacc tgtctcggac tcagtccacg ggaggtaccg caggaactca gcagttgcta 2220

ttttctcagg ccgggcctaa taacatgtcg gctcaggcca aaaactggct acccgggccc 2280

tgctaccggc agcaacgcgt ctccacgaca gtgtcgcaaa ataacaacag caactttgct 2340

tggaccggtg ccaccaagta tcatctgaat ggcagagact ctctggtaaa tcccggtgtc 2400

gctatggcaa cgcacaaggg cgacgaagag cgatttttc catccagcgg agtcttgatg 2460

tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt 2520

gaggaagaaa tcaaaaccac caacccagtg gccacagaac agtacggcgt ggtggccgat 2580

aacctgcaac agcaaaacgc cgctcctatt gtaggggccg tcaacagtca aggagcctta 2640

cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt 2700

cctcacacgg acggcaactt tcatccttcg ccgctgatgg gaggctttgg actgaaacac 2760

ccgcctcctc agatcctgat taagaataca cctgttcccg cggatcctcc aactaccttc 2820

agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa 2880

attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact 2940

tccaactact acaaatctac aaatgtggac tttgctgtca atactgaggg tacttattca 3000

gagcctcgcc ccattggcac ccgttacctc acccgtagcc tgtaattgcc tgttaatcaa 3060

taaaccggtt gattcgtttc agttgaactt tggtctctgc gaagggcgaa ttc 3113

<210> 32
<211> 3113
<212> DNA
<213> new AAV serotype, clone 42.3a

<400> 32

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt     60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt    120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg    180
cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg    240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg    300
aactcacccg ccgtctggag catgactttg gcaaggtgac aaagcaggaa gtcaaagagt    360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg    420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct    480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg    540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg cttccctgca    600
agacatgcga gagaatgaat cagaatttca gcatttgctt cacgcacggg accagagact    660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc    720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct    780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca    840
ggtatggctg ccgatggtca tcttccagat tggctcgagg acaacctctc tgagggcatt    900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag    960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc   1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac   1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag   1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc   1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct   1260
cctggaaaga agagacccat agaatccccc gactcctcca cgggcatcgg caagaaaggc   1320
cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgccc   1380
gaccctcaac caatcggaga acccccggca ggcccctctg gtctgggatc tggtacaatg   1440
gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtagt   1500
tcctcaggaa attggcattg cgattccaca tagctgggcg acagagtcat caccaccagc   1560
acccgaacct gggccctccc cacctacaac aaccacctct acaagcaaat ctccaacggg   1620
acatcgggag gaagcaccaa cgacaacacc tacttcggct acagcacccc ctgggggtat   1680
tttgacttta acagattcca ctgccacttc tcaccacgtg actggcagcg actcatcaac   1740
aacagctggg gattccggcc caagagactc aacttcaagc tcttcaacat ccaggtcaag   1800
gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag cacgattcag   1860
gtctttacgg actcggaata ccagctcccg tacgtcctcg gctctgcgca ccagggctgc   1920
```

```
ctgcctccgt tcccggcgga cgtcttcatg attcctcagt acgggtacct gactctgaac    1980
aacggcagtc aggccgtggg ccgttcctcc ttctactgcc tggagtactt tccttctcaa    2040
atgctgagaa cgggcaacaa ctttgagttc agctaccagt ttgaggacgt gccttttcac    2100
agcagctacg cgcacagcca aagcctggac cggctgatga accccctcat cgaccagtac    2160
ctgtactacc tgtctcggac tcagtccacg ggaggtaccg caggaactca gcagttgcta    2220
ttttctcagg ccgggcctaa taacatgtcg gctcaggcca aaaactggct acccgggccc    2280
tgctaccggc agcaacgcgt ctccacgaca ctgtcgcaaa ataacaacag caactttgct    2340
tggaccggtg ccaccaagta tcatctgaat ggcagagact ctctggtaaa tcccggtgtc    2400
gctatggcaa cgcacaagga cgacgaagag cgattttttc catccagcgg agtcttgatg    2460
tttgggaaac agggagctgg aaaagacaac gtggactata gcagcgttat gctaaccagt    2520
gaggaagaaa tcaaaaccac caacccagtg gccacagaac agtacggcgt ggtggccgat    2580
aacctgcaac agcaaaacgc cgctcctatt gtaggggccg tcaacagtca aggagcctta    2640
cctggcatgg tctggcagaa ccgggacgtg tacctgcagg gtcctatctg ggccaagatt    2700
cctcacacgg acggcaactt tcatccttcg ccgctgatgg gaggctttgg actgaaacac    2760
ccgcctcctc agatcctgat taagaataca cctgttcccg cggatcctcc aactaccttc    2820
agtcaagcca agctggcgtc gttcatcacg cagtacagca ccggacaggt cagcgtggaa    2880
attgaatggg agctgcagaa agagaacagc aagcgctgga acccagagat tcagtatact    2940
tccaactact acaaatctac aaatgtggac tttgctgtca atactgaggg tacttattca    3000
gagcctcgcc ccattggcac ccgttacctc acccgtaacc tgtaattgcc tgttaatcaa    3060
taaaccggtt aattcgtttc agttgaactt tggtctctgc gaagggcgaa ttc           3113
```

<210> 33
<211> 2504
<212> DNA
<213> new AAV serotype, clone 42.4

<400> 33

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg 180
atctggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt 240
atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc 300
gagtggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 360
gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac 420
aagggagagc cggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac 480
aagcagctcg agcaggggga caacccgtac ctcaagtaca accacgccga cgccgagttt 540

caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 600
gccaagaagc gggttctcga acctctcggt ctggttgagg aaggcgctaa gacggctcct 660
ggaaagaaga gacccataga atccccogac tcctccacgg gcatcggcaa gaaaggccag 720
cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac 780
cctcaaccaa tcggagaacc ccccgcaggc ccctctggtc tgggatctgg tacaatggct 840
gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc 900
tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc 960
cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatatc aagtcagagc 1020
ggggctacca acgacaacca cttcttcggc tacagcaccc cctggggcta ttttgacttc 1080
aacagattcc actgccactt ctcatcacgt gactggcagc gactcatcaa caacaactgg 1140
ggattccggc ccaagagact caacttcaag ctcttcaaca tccaggtcaa ggaggtcacg 1200
cagaatgaag gcaccaagac catcgccaat aaccttacca gcacgattca ggtctttacg 1260
gactcggaat accggctccc gtacgtcctc ggctctgcgc accagggctg cctgcctccg 1320
ttcccggcgg acgtcttcat gattcctcag tacgggtacc tgactctgaa caacggcagt 1380
caggccgtgg gccgttcctc cttctactgc ctggagtact ttccttctca aatgctgaga 1440
acgggcaaca actttgagtt cagctaccag tttgaggacg tgccttttca cagcagctac 1500
gcgcacagcc aaagcctgga ccggctgatg aacccctca tcgaccagta cctgtactac 1560
ctgtctcgga ctcagtccac gggaggtacc gcaggaactc agcagttgct attttctcag 1620
gccgggccta ataacatgtc ggctcaggcc aaaaactggc tacccgggcc ctgctaccgg 1680
cagcaacgcg tctccacgac actgtcgcaa aataacaaca gcaactttgc ttggaccggt 1740
gccaccaagt atcatctgaa tggcagagac tctctggtaa atcccggtgt cgctatggca 1800
acgcacaagg acgacgaaga gcgatttttt ccatccagcg gagtcttgat gtttgggaaa 1860
cagggagctg gaaaagacaa cgtggactat agcagcgtta tgctaaccag tgaggaagaa 1920
atcaaaacca ccaacccagt ggccacagaa cagtacggcg tggtggccga taacctgcaa 1980
cagcaaaacg ccgctcctat tgtaggggcc gtcaacagtc aaggagcctt acctggcatg 2040
gtctggcaga accgggacgt gtacctgcag ggtcctatct gggccaagat tcctcacacg 2100
gacggcaact ttcatccttc gccgctgatg ggaggctttg gactgaaaca cccgcctcct 2160
cagatcctga ttaagaatac acctgttccc gcggatcctc caactacctt cagtcaagcc 2220
aagccggcgt cgttcatcac gcagtacagc accggacagg tcagcgtgga aattgaatgg 2280
gagctgcaga aagagaacag caagcgctgg aacccagaga ttcagtatac ttccaactac 2340
tacaaatcta caaatgtgga ctttgctgtc aatactgagg gtacttattc agagcctcgc 2400
cccattggca cccgttacct cacccgtaac ctgtaattgc ctgttaatca ataaaccggt 2460

taattcgttt cagttgaact ttggtctctg cgaagggcga attc 2504

<210> 34
<211> 3106
<212> DNA
<213> new AAV serotype, clone 42.5a

<400> 34

```
gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgattg     60
cgtcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc    120
cgccaaggcc attctcggcg gcagcaaggt gcgcgtggac caaaagtgca agtcgtccgc    180
ccagatcgac cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga    240
cgggaacagc accaccttcg agcaccagca gccgttgcag gaccggatgt tcaaatttga    300
actcacccgc cgtctggagc atgactttgg caaggcgaca aagcaggaag tcaaagagtt    360
cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagttctacg tcagaaaggg    420
tggagccaac aagagacccg cccccgatga cgcggataaa agcgagccca agcgggcccg    480
cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga    540
caggtaccaa aacaaatgtt ctcgtcacgc gggcatgctt cagatgctgt ttccctgcaa    600
aacatgcgag agaatgaatc agaatttcaa catttgcttc acgcacggga ccagagactg    660
ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg    720
gaaactctgt gccattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg    780
cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag    840
gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc    900
gcgagtggtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg    960
acgacggccg gggtctggtg cttcctggct acaagtacct cggacccttc aacggactcg   1020
acaagggaga gccggtcaac gaggcagacg ccgcggccct cgagcacgac aaggcctacg   1080
acaagcagct cgagcagggg gacaacccgt acctcaagta caaccacgcc gacgccgagt   1140
ttcaggagcg tcttcaagaa gatacgtctt ttgggggcaa cctcgggcga gcagtcttcc   1200
gggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc   1260
ctggaaagaa gagacccata gaatcccccg actcctccac gggcatcggc aagaaaggcc   1320
agcagcccgc taaaaagaag ctcaactttg ggcagactgg cgactcagag tcagtgcccg   1380
acccccaacc tctcggagaa cctcccgccg cgccctcagg tctgggatct ggtacaatgg   1440
ctgcaggcgg tggcgcacca atggcagaca ataacgaagg cgccgacgga gtgggtaatg   1500
cctccggaaa ttggcattgc gattccacat ggctgggcga cagagtcatc accaccagca   1560
cccgcacctg ggccctgccc acctacaaca accacctcta caagcagata tcaagtcaga   1620
gcggggctac caacgacaac cacttcttcg gctacagcac cccctggggc tattttgact   1680
```

```
tcaacagatt ccactgccac ttctcaccac gtgactggca gcgactcatc aacaacaacc   1740
ggggattccg gcccagaaag ctgcggttca agttgttcaa catccaggtc aaggaggtca   1800
cgacgaacga cggcgttacg accatcgcta ataaccttac cagcacgatt caggtcttct   1860
cggactcgga gtaccaactg ccgtacgtcc tcggctctgc gcaccagggc tgcctccctc   1920
cgttccctgc ggacgtgttc atgattcctc agtacggata tctgactcta aacaacggca   1980
gtcagtctgt gggacgttcc tccttctact gcctggagta ctttccttct cagatgctga   2040
gaacgggcaa taactttgaa ttcagctacc agtttgagga cgtgcccttt cacagcagct   2100
acgcgcacag ccaaagcctg gaccggctga tgaacccccct catcgaccag tacctgtact   2160
acctgtctcg gactcagtcc acgggaggta ccgcaggaac tcagcagttg ctattttctc   2220
aggccgggcc taataacatg tcggctcagg ccaaaaactg gctacccggg ccctgctacc   2280
ggcagcaacg cgtctccacg acactgtcgc aaaataacaa cagcaacttt gcttggaccg   2340
gtgccaccaa gtatcatctg aatggcagag actctctggt aaatcccggt gtcgctatgg   2400
caacgcacaa ggacgacgaa gagcgatttt ttccatccag cggagtcttg atgtttggga   2460
aacagggagc tggaaaagac aacgtggact atagcagcgt tatgctaacc agtgaggaag   2520
aaatcaaaac caccaaccca gtggccacag aacagtacgg cgtggtggcc gataacctgc   2580
aacagcaaaa cgccgctcct attgtagggg ccgtcaacag tcaaggagcc ttacctggca   2640
tggcctggca gaaccgggac gtgtacctgc agggtcctat ctgggccaag attcctcaca   2700
cggacggcaa ctttcatcct tcgccgctga tgggaggctt tggactgaaa cacccgcctc   2760
ctcagatcct gattaagaat acacctgttc ccgcggatcc tccaactacc ttcagtcaag   2820
ccaagctggc gtcgttcatc acgcagtaca gcaccggaca ggtcagcgtg gaaattgaat   2880
gggagctgca gaaagagaac agcaagcgct ggaacccaga gattcagtat acttccaact   2940
actacaaatc tacaaatgtg gactttgctg tcaatactga gggtacttat tcagagcctc   3000
gccccattgg cacccgttac ctcacccgta acctgtaatt gcctgttaat caataaaccg   3060
gttaattcgt ttcagttgaa ctttggtctc tgcgaagggc gaattc                  3106
```

<210> 35
<211> 2489
<212> DNA
<213> new AAV serotype, clone 42.10

<400> 35

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt      60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtgaagt     120
ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg     180
atctggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt     240
atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc     300
```

gagtggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac 360
gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac 420
aagggagagc cggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac 480
aagcagctcg agcaggggga caacccgtac ctcaagtaca accacgccga cgccgagttt 540
caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag 600
gccaagaagc gggttctcga acctctcggt ctggttgagg aaggcgctaa gacggctcct 660
ggaaagaaga gacccataga atcccccgac tcctccacgg gcatcggcag gaaaggccag 720
cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac 780
cctcaaccaa tcggagaacc ccccgcaggc ccctctggtc tgggatctgg tacaatggct 840
gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc 900
tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc 960
cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatatc aagtcagagc 1020
ggggctacca acgacaacca cttcttcggc tacagcaccc cctggggcta ttttgacttc 1080
aacagattcc actgccactt ctcaccacgt gactggcagc gactcatcaa caacaactgg 1140
ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggtcaa ggaggtcacg 1200
acgaacgacg gcgttacgac catcgccaat aaccttacca gcacgattca ggtcttctcg 1260
gactcggagt accaactgcc gtacgtcctc ggctctgcgc accagggctg cctccctccg 1320
ttccctgcgg acgtgttcat gattcctcag tacggatatc tgactctaaa caacggcagt 1380
cagtctgtgg gacgttcctc cttctactgc ctggagtact ttccttctca gatgctgaga 1440
acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
gcgcacagcc agagcctgga ccggctgatg aatcccctca tcgaccagta cctgtactac 1560
ctggcccgga cccagagcac tacggggtcc acaagggagc tgcagttcca tcaggctggg 1620
cccaacacca tggccgagca atcaaagaac tggctgcccg gaccctgtta tcggcagcag 1680
agactgtcaa aaaacataga cagcaacaac aacagtaact ttgcctggac cggggccact 1740
aaataccatc tgaatggtag aaattcatta accaacccgg gcgtagccat ggccaccaac 1800
aaggacgacg aggaccagtt ctttcccatc aacggagtgc tggtttttgg caaaacgggg 1860
gctgccaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
accaatcccg tggctacaga agaatacggt gtggtctcca gcaacctgca atcgtctacg 1980
gccggacccc agacacagac tgtcaacagc caggggggctc tgcccggcat ggtctggcag 2040
aaccgggacg tgtacctgca gggtcccatc tgggccaaaa ttcctcacac ggacggcaac 2100
tttcacccgt ctcccctgat gggcggattt ggactcaaac acccgcctcc tcaaattctc 2160
atcaaaaaca ccccggtacc tgctaatcct ccagaggtgt ttactcctgc caagtttgcc 2220

tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280

aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340

aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg ccccattggc 2400

acccgttacc tcacccgtaa cctgtaattg cctgttaatc aataaaccgg ttaattcgtt 2460

tcagttgaac tttggtcaag ggcgaattc 2489

<210> 36
<211> 2495
<212> DNA
<213> new AAV serotype, clone 42.3b

<400> 36

```
gaattcgccc tttctacggc tgcgtcaact agaccaatga gaactttccc ttcaacgatt      60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt     120
ccgccaaggc cattcatcat ctgctggggc gggctcccga gattgcttgc tcggcctgcg     180
atctggtcaa cgtggacctg gatgactgtg tttctgagca ataaatgact taaaccaggt     240
atggctgccg atggttatct tccagattgg ctcgaggaca acctctctga gggcattcgc     300
gagtggtggg acttgaaacc tggagccccg aaacccaaag ccaaccagca aaagcaggac     360
gacggccggg gtctggtgct tcctggctac aagtacctcg gacccttcaa cggactcgac     420
aagggagagc cggtcaacga ggcagacgcc gcggccctcg agcacgacaa ggcctacgac     480
aagcagctcg agcaggggga caacccgtac ctcaagtaca accacgccga cgccgagttt     540
caggagcgtc ttcaagaaga tacgtctttt gggggcaacc tcgggcgagc agtcttccag     600
gccaagaagc gggttctcga acctctcggt ctggttgagg aaggcgctaa gacggctcct     660
ggaaagaaga gacccataga atcccccgac tcctccacgg gcatcggcaa gaaaggccag     720
cagcccgcta aaaagaagct caactttggg cagactggcg actcagagtc agtgcccgac     780
cctcaaccaa tcggagaacc ccccgcaggc ccctctggtc tgggatctgg tacaatggct     840
gcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt gggtaatgcc     900
tccggaaatt ggcattgcga ttccacatgg ctgggcgaca gagtcatcac caccagcacc     960
cgcacctggg ccctgcccac ctacaacaac cacctctaca agcagatatc aagtcagagc    1020
ggggctacca acgacaacca cttcttcggc tacagcaccc cctggggcta ttttgacttc    1080
aacagattcc actgccactt ctcaccacgt gactggcagc gactcatcaa caacaactgg    1140
ggattccggc ccagaaagct gcggttcaag ttgttcaaca tccaggtcaa ggaggtcacg    1200
acgaacgacg gcgttacgac catcgctaat aaccttacca gcacgattca ggtcttctcg    1260
gactcggagt accaactgcc gtacgtcctc ggctctgcgc accagggctg cctccctccg    1320
ttccctgcgg acgtgttcat gattcctcag tacggatatc tgactctaaa caacggcagt    1380
cagtctgtgg gacgttcctc cttctactgc ctggagtact ttccttctca gatgctgaga    1440
```

acgggcaata actttgaatt cagctacacc tttgaggaag tgcctttcca cagcagctat 1500
gcgcacagcc agagcctgga ccggctgatg aatcccctca tcgaccagta cctgtactac 1560
ctggcccgga cccagagcac tacggggtcc acaagggagc tgcagttcca tcaggctggg 1620
cccaacacca tggccgagca atcaaagaac tggctgcccg gaccctgtta tcggcagcag 1680
agactgtcaa aaaacataga cagcaacaac accagtaact ttgcctggac cggggccact 1740
aaataccatc tgaatggtag aaattcatta accaacccgg gcgtagccat ggccaccaac 1800
aaggacgacg aggaccagtt ctttcccatc aacggagtgc tggtttttgg caaaacgggg 1860
gctgccaaca agacaacgct ggaaaacgtg ctaatgacca gcgaggagga gatcaaaacc 1920
accaatcccg tggctacaga acagtacggt gtggtctcca gcaacctgca atcgtctacg 1980
gccggacccc agacacagac tgtcaacagc caggggggctc tgcccggcat ggtctggcag 2040
aaccgggacg tgtacctgca gggtcccatc tgggccaaaa ttcctcacac ggacggcaac 2100
tttcacccgt ctcccctgat gggcggattt ggactcaaac acccgcctcc tcaaattctc 2160
atcaaaaaca ccccggtacc tgctaatcct ccagaggtgt ttactcctgc caagtttgcc 2220
tcatttatca cgcagtacag caccggccag gtcagcgtgg agatcgagtg ggaactgcag 2280
aaagaaaaca gcaaacgctg gaatccagag attcagtaca cctcaaatta tgccaagtct 2340
aataatgtgg aatttgctgt caacaacgaa ggggtttata ctgagcctcg ccccattggc 2400
acccgttacc tcacccgtaa cctgtaattg cctgttaatc aataaaccgg ttaattcgtt 2460
tcagttgaac tttggtctct gcgaagggcg aattc 2495

<210> 37
<211> 3098
<212> DNA
<213> new AAV serotype, clone 42.11

<400> 37

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcttccg 180
cccagatcga tcccaccccc gtgatcgtca cttccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg 300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accggagact 660

gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaagggag agccggtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagacccat agaatccccc gactcctcca cgggcatcgg caagaaaggc 1320
cagcagcccg ctaaaaagaa gctcaacttt gggcagactg gcgactcaga gtcagtgccc 1380
gaccctcaac caatcggaga acccccgca ggcccctctg gtctgggatc tggtacaatg 1440
gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg agtgggtaat 1500
gcctccggaa attggcattg cgattccaca tggctgggcg acagagtcat caccaccagc 1560
acccgcacct gggccctgcc cacctacaac aaccacctct acaagcagat atcaagtcag 1620
agcggggcta ccaacgacaa ccacttcttc ggctacagca ccccctgggg ctattttgac 1680
ttcaacagat tccactgcca cttctcacca cgtgactggc agcgactcat caacaacaac 1740
tggggattcc ggcccagaaa gctgcggttc aagttgttca acatccaggt caaggaggtc 1800
acgacgaacg acggcgttac gaccatcgct aataacctta ccagcacgat tcaggtcttc 1860
tcggactcgg agtaccaact gccgtacgtc ctcggctctg cgcaccaggg ctgcctccct 1920
ccgttccctg cggacgtgtt catgattcct cagtacggat atctgactct aaacaacggc 1980
agtcagtctg tgggacgttc ctccttctac tgcctggagt actttccttc tcagatgctg 2040
agaacgggca ataactttga attcagctac acctttgagg aagtgccttt ccacagcagc 2100
tatgcgcaca gccagagcct ggaccggctg atgaatcccc tcatcgacca gtacctgtac 2160
tacctggccc ggacccagag cactacgggg tccacaaggg agctgcagtt ccatcaggct 2220
gggcccaaca ccatggccga gcaatcaaag aactggctgc ccggaccctg ttatcggcgg 2280
cagagactgt caaaagacat agacagcaac aacaacagta actttgcctg gaccggggcc 2340
actaaatacc atctgaatgg tagaaattca ttaaccaacc cgggcgtagc catggccacc 2400
aacaaggacg acgaggacca gttctttccc atcaacggag tgctggtttt tggcaaaacg 2460
gggggctgcca acaagacaac gctggaaaac gtgctaatga ccagcgagga ggagatcaaa 2520
accaccaatc ccgtggctac agaagaatac ggtgtggtct ccagcaacct gcaatcgtct 2580

```
acggccggac cccagacaca gactgtcaac agccaggggg ctctgcccgg catggtctgg    2640
cagaaccggg acgtgtacct gcagggtccc atctgggcca aaattcctca cacggacggc    2700
aactttcacc cgtctcccct gatgggcgga tttggactca aacacccgcc tcctcaaatt    2760
ctcatcaaaa acaccccggt acctgctaat cctccagagg tgtttactcc tgccaagttt    2820
gcctcattta tcacgcagta cagcaccggc caggtcagcg tggagatcga gtgggaactg    2880
cagaaagaga acagcaaacg ctggaatcca gagattcagt acacctcaaa ttatgccaag    2940
tctaataatg tggaatttgc tgtcaacaac gaaggggttt atactgagcc tcgccccatt    3000
ggcacccgtt acctcacccg taacctgtaa ttacttgtta atcaataaac cggttgattc    3060
gtttcagttg aactttggtc tctgcgaagg gcgaattc                            3098
```

<210> 38
<211> 3276
<212> DNA
<213> new AAV serotype, clone 42.6a

<400> 38

gaattcgccc ttcgcagaga ccaaagttca actgaaacga attaaccggt ttattgatta 60
acaggcaatt acaggttacg ggtgaggtaa cgggtgccaa tggggcgagg ctcagtataa 120
acccccttcgt tgttgacagc aaattccaca ttattagact tggcataatt tgaggtgtac 180
tgaatctctg gattccagcg tttgctgttt tctttctgca gttcccactc gatctccacg 240
ctgacctggc cggtgctgta ctgcgtgata aatgaggcaa acttggcagg agtaaacacc 300
tctggaggat tagcaggtac cggggtgttt ttgatgagaa tttgaggagg cgggtgtttg 360
agtccaaatc cgtccatcag gggagacggg tgaaagttgc cgtccgtgtg aggaattttg 420
gcccagatgg gaccctgcag gtacacgtcc cggttctgcc agaccatgcc gggcagagcc 480
ccctggctgt tgacagtctg tgtctggggt ccggccgtag acgattgcag gttgctggag 540
accacaccgt attcttctgt agccacggga ttggtggttt tgatctcctc ctcgctggtc 600
attagcacgt tttccagcgt tgtcttgttg gcagcccccg ttttgccaaa aaccagcact 660
ccgttgatgg gaaagaactg gtcctcgtcg tccttgttgg tggccatggc tacgcccggg 720
ttggttaatg aatttctacc attcagatgg tatttagtgg ccccggtcca ggcaaagtta 780
ctgttgttgt tgctgtctat gtttttgac agtctctgct gccgataaca gggtccgggc 840
agccagttct ttgattgctc ggccatggtg ttgggcccag cctgatggaa ctgcagctcc 900
cttgtggacc ccgtagtgct ctgggtccgg gccaggtagt acaggtactg gtcgatgagg 960
ggattcatca gccggtccag gctctggcta tgcgcatagc tgctgtggaa aggcacttcc 1020
tcaaaggtgt agctgaattc aaagttattg cccgttctca gcatctgaga aggaaagtac 1080
tccaggcagt agaaggagga acgtcccaca gactgactgc cgttgtttag agtcagatat 1140
ccgtactgag gaatcatgaa cacgtccgca gggaacggag ggaggcagcc ctggtgcgca 1200

gagccgagga cgtacggcag ttggtactcc gagtccgaga agacctgaat cgtgctggta 1260
aggttattag cgatggtcgt aacgccgtcg tccgtcgtga cctccttgac ctggatgttg 1320
aacaacttga accgcagctt tctgggccgg aatccccagt tgttgttgat gagtcgctgc 1380
cagtcacgtg gtgagaagtg gcagtggaat ctgttaaagt caaaataccc ccaggggtg 1440
ctgtagccga agtaggtgtt gtcgttggtg cttcctcccg atgtcccgtt ggagatttgc 1500
ttgtagaggt ggttgttgta ggtggggagg gcccaggttc gggtgctggt ggtgatgact 1560
ctgtcgccca gccatgtgga atcgcaatgc caatttcctg aggaactacc cactccgtcg 1620
gcgccttcgt tattgtctgc cattggagcg ccaccgcctg cagccattgt accagatccc 1680
agaccagagg ggcctgcggg gggttctccg attggttgag ggtcgggcac tgactctgag 1740
tcgccagtct gcccaaagtt gagtctcttt ttcgcgggct gctggcctgt cttgccgatg 1800
cccgtagagg agtctggaga acgctggggt gatggctcta ccggtctctt ctttccagga 1860
gccgtcttag cgccttcctc aaccagaccg agaggttcga gaacccgctt cttggcctgg 1920
aagactgctc gcccgaggtt gcccccaaaa gacgtatctt cttgaagacg ctcctgaaac 1980
tcggcgtcgg cgtggttgta cttgaggtac gggttgtccc cctgctcgag ctgcttgtcg 2040
taggccttgt cgtgctcgag ggccgcggcg tctgcctcgt tgaccggctc tcccttgtcg 2100
agtccgttga agggtccgag gtacttgtag ccaggaagca ccagaccccg gccgtcgtcc 2160
tgcttttgct ggttggcttt gggtttcggg gctccaggtt tcaagtccca ccactcgcga 2220
atgccctcag agaggttgtc ctcgagccaa tctggaagat aaccatcggc agccatacct 2280
ggtttaagtc atttattgct cagaaacaca gtcatccagg tccacgttga ccagatcgca 2340
ggccgagcaa gcaatctcgg gagcccgccc cagcagatga tgaatggcac agagtttccg 2400
atacgtcctc tttctgacga ccggttgaga ttctgacacg ccggggaaac attctgaaca 2460
gtctctggtc ccgtgcgtga agcaaatgtt gaaattctga ttcattctct cgcatgtctt 2520
gcagggaaac agcatctgaa gcatgcccgc gtgacgagaa cacttgtttt ggtacctgtc 2580
ggcaaagtcc accggagctc cttccgcgtc tgacgtcgat ggatgcaaaa tgtcgcaaaa 2640
gcactcacgt gacagctaat acaggaccac tcccctatga cgtgatttac gtcagcgcta 2700
tgcccgcgtg acgagaacat ttgttttggt acctgtcggc aaagtccacc ggagctcctt 2760
ccgcgtctga cgtcgatgga tccgcgactg aggggcaggc ccgcttgggc tcgcttttat 2820
ccgcgtcatc gggggcgggt ctcttgttgg ctccaccctt tctgacgtag aactcatgcg 2880
ccacctcggt cacgtgatcc tgcgcccagc ggaagaactc tttgacttcc tgctttgtca 2940
ccttgccaaa gtcatgctcc agacggcggg tgagttcaaa tttgaacatc cggtcctgca 3000
acggctgctg gtgctcgaag gtggtgctgt tcccgtcaat cacggcgcac atgttggtgt 3060
tggaagtgac gatcacgggg gtgggatcga tctgggcgga agacttgcac ttttggtcca 3120

```
cgcgcacctt gctgccgccg agaatggcct tggcggactc cacgaccttg gccgtcatct   3180
tgccctcctc ccaccagatc accatcttgt cgacgcaatc gttgaaggga aagttctcat   3240
tggtccagtt gacgcagccg tagaaagggc gaattc                             3276
```

<210> 39
<211> 3084
<212> DNA
<213> new AAV serotype, clone 43.1

<400> 39

```
gaattcgccc tttctacggc tgcatcaact ggaccaatga gaactttccc ttcaacgatt      60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt     120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg     180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg     240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg     300
aactcacccg ccgtctggag cacgactttg gcaaggtgac caagcaggaa gtcaaagagt     360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg     420
gcggagccag caaaagaccc gcccccgatg acgcggatat aagcgagccc aagcgggcct     480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg     540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca     600
aaacgtgcga gaaaatgaat cagaatttca acatttgctt cacgcacggg gtcagagact     660
gctcagaatg tttccccggt gcatcagaat ctcaaccggt cgtcagaaaa aaaacgtatc     720
agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct     780
gcgatctggt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca     840
ggtatggctg ccgatggtta tcttccagat tggcttgagg acaacctctc tgagggcatt     900
cgcgagtggt gggacctgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag     960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc    1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac    1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag    1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc    1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct    1260
cctggaaaga agagaccggt agagccatca cctcagcgtt cccccgactc ctccacgggc    1320
atcggcaaga aaggccacca gcccgcgaga aagagactga actttgggca gactggcgac    1380
tcggagtcag tccccgaccc tcaaccaatc ggagaaccac cagcaggccc ctctggtctg    1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc    1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga    1560
```

```
gtcatcacca ccagcacccg aacctgggcc ctgcccacct acaacaacca tctctacaag   1620
caaatctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc   1680
accccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg   1740
cagcgactca tcaacaataa ctggggattc cggcccaaga gactcaactt caagctcttc   1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt   1860
accagcacga ttcaggtgtt tacggactcg gaataccagc tcccgtacgt ccccggctct   1920
gcgcaccagg gctgcctccc tccgttcccg gcggacgtct tcatgattcc tcagtacggg   1980
tatctgaccc taaacaatgg cagtcaggct gtgggccgtt cctccttcta ctgcctggaa   2040
tacttcccttt ctcaaatgct gaggacgggc aacaactttg aattcagcta caccttcgag   2100
gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaacccct   2160
ctcatcgacc agtacctgta ttacttatcc agaactcagt ccacaggagg aactcaaggt   2220
actcagcaat tgttattttc tcaagccggg cccgcaaaca tgtcggctca ggccaagaac   2280
tggctacctg gaccgtgtta ccgtcagcaa cgagtttcca cgacactgtc gcaaaacaac   2340
aacagcaatt ttgcttggac cggtgccacc aagtatcacc tgaatggcag agactccctg   2400
gttaatcccg gcgttgccat ggctacccac aaggacgacg aggagcgctt cttcccgtca   2460
agcggagttc taatgtttgg caagcagggg gctggaaaag acaatgtgga ctacagcagc   2520
gtgatgctca ccagcgaaga agaaattaaa actactaacc cagtggctac agagcagtat   2580
ggtgtggtgg cagacaacct gcagcagacc aacggagctc ccattgtggg aactgtcaac   2640
agccaggggg ccttacctgg tatggtctgg caaaaccggg acgtgtacct gcagggcccc   2700
atctgggcca aaattcctca cacggacggc aactttcatc cttcgccgct gatgggaggc   2760
tttggactga aacacccgcc tcctcagatc ctggtgaaaa acactcctgt tcctgcggat   2820
cctccgacca ccttcagcca ggccaagctg gcttctttta tcacgcagta cagcaccgga   2880
caggtcagcg tggaaatcga atgggagctg cagaaagaaa acagcaagcg ctggaaccca   2940
gagattcagt atacttccaa ctactacaaa tctacaaatg tggactttgc tgtcaatact   3000
gagggtactt attcagagcc tcgccccatt ggcactcgtt atctcacccg taatctgtaa   3060
ttgcttgtta atcaataaac cggt                                           3084
```

<210> 40
<211> 2370
<212> DNA
<213> new AAV serotype, clone 43.5

<400> 40

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt    60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt   120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg   180
```

cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagttcg 300
aactcacccg ccgtctggag cacgactttg gcaaggtgac caagcaggaa gtcaaagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg 420
gcggagccag caaaagaccc gcccccgatg acgcggatat aagcgagccc aagcgggcct 480
gccccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagacgctg tttccctgca 600
aaacgtgcga gagaatgaat cagaatttca acatttgctt cacgcacggg gtcagagact 660
gctcagaatg tttccccggt gcatcagaat ctcaaccggt cgtcagaaaa aaaacgtatc 720
agaaactgtg tgccattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggacgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggcttgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacctgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggt agagccatca cctcagcgtt cccccgactc ctccacgggc 1320
atcggcaaga aaggccacca gcccgcgaga aagagactga actttgggca gactggcgac 1380
tcggagtcag tccccgaccc tcaaccaatc ggagaaccac cagcaggccc ctctggtctg 1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
gtcatcacca ccagcacccg aacctgggcc ctgcccacct acaacaacca tctctacaag 1620
caaatctcca acgggacatc gggaggaagc actaacgaca acacctactt tggctacagc 1680
accccctggg ggtattttga cttcaacaga ttccactgcc acttctcacc acgtgactgg 1740
cagcgactca tcaacaataa ctggggattc cggcccaaga gactcaactt caagctcttc 1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttcaggtgtt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920
gcgcaccagg gctgcctccc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
tatctgaccc taaacaatgg cagtcaggct gtgggccgtt cctccttcta ctgcctggaa 2040
tacttccctt ctcaaatgct gaggacgggc aacaactttg aattcagcta caccttcgag 2100

gacgtgcctt tccacagcag ctacgcgcac agccagagcc tggaccggct gatgaaccct 2160
ctcatcgacc agtacctgta ttacttatcc agaactcagt ccacaggagg aactcaaggt 2220
actcagcaat tgttattttc tcaagccggg cccgcaaaca tgtyggctca ggccaagaac 2280
tggctacctg gaccgtgtta ccgtcagcaa cgagtttcca cgacactgtc gcaaaacaac 2340
aacagcaatt ttgctggacc ggtgccacca 2370

<210> 41
<211> 3123
<212> DNA
<213> new AAV serotype, clone 43.12

<400> 41

```
gaattcgccc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc      60
gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggtcgt ggagtccgcc     120
aaggccattc tcggcggcag caaggtgcgc gtggaccaaa agtgcaagtc gtccgcccag     180
atcgacccca cccccgtgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg     240
aacagcacca ccttcgagca ccagcagccg ttgcaggacc ggatgttcaa gttcgaactc     300
acccgccgtc tggagcacga ctttggcaag gtgaccaagc aggaagtcaa agagttcttc     360
cgctgggcgc aggatcacgt gaccgaggtg gcgcatgagt tctacgtcag aaagggcgga     420
gccagcaaaa gacccgcccc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc     480
tcagtcgcgg atccatcgac gtcagacgcg gaaggagctc cggtggactt tgccgacagg     540
taccaaaaca aatgttctcg tcacgcgggc atgctccaga tgctgtttcc ctgcaaaacg     600
tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acggggtcag agactgctca     660
gaatgtttcc ccggtgcatc agaatctcaa ccggtcgtca gaaaaaaaac gtatcagaaa     720
ctgtgtgcca ttcatcatct gctggggcgg gcacccgaga ttgcttgctc ggcctgcgat     780
ctggtcaacg tggacctgga cgactgtgtt tctgagcaat aaatgactta aaccaggtat     840
ggctgccgat ggttatcttc cagattggct tgaggacaac ctctctgagg gcattcgcga     900
gtggtgggac ctgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga     960
cggccggggt ctggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa    1020
gggggagccc gtcaacgcgg cggacgcagc ggccctcgag cacgacaagg cctacgacca    1080
gcagctcaaa gcgggtgaca atccgtacct gcggtataac cacgccgacg ccgagtttca    1140
ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttccaggc    1200
caagaagcgg gttctcgaac ctctcggtct ggttgaggaa ggcgctaaga cggctcctgg    1260
aaagaagaga ccggtagagc catcacctca gcgttccccc gactcctcca cgggcatcgg    1320
caagaaaggc caccagcccg cgagaaagag actgaacttt gggcagactg gcgactcgga    1380
gtcagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc    1440
```

tggtacaatg gctgcaggcg gtggcgctcc aatggcagac aataacgaag gcgccgacgg 1500
agtgggtagt tcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcat 1560
caccaccagc acccgaacct gggccctgcc cacctacaac aaccatctct acaagcaaat 1620
ctccaacggg acatcgggag gaagcactaa cgacaacacc tactttggct acagcacccc 1680
ctgggggtat tttgacttca acagattcca ctgccacttc tcaccacgtg actggcagcg 1740
actcatcaac aataactggg gattccggcc caagagactc aacttcaagc tcttcaacat 1800
ccaggtcaag gaggtcacgc agaatgaagg caccaagacc atcgccaata accttaccag 1860
cacgattcag gtgtttacgg actcggaata ccagctcccg tacgtcctcg gctctgcgca 1920
ccagggctgc ctccctccgt tcccggcgga cgtcttcatg attcctcagt acgggtatct 1980
gaccctaaac aatggcagtc aggctgtggg ccgttcctcc ttctactgcc tggaatactt 2040
cccttctcaa atgctgagga cgggcaacaa ctttgaattc agctacacct tcgaggacgt 2100
gcctttccac agcagctacg cgcacagcca gagcctggac cggctgatga accctctcat 2160
cgaccagtac ctgtattact tatccagaac tcagtccaca ggaggaactc aaggtactca 2220
gcaattgtta ttttctcaag ccgggcccgc aaacatgtcg gctcaggcca agaactggct 2280
acctggaccg tgttaccgtc agcaacgagt ttccacgaca ctgtcgcaaa acaacaacag 2340
caattttgct tggaccggtg ccaccaagta tcacctgaat ggcagagact ccctggttaa 2400
tcccggcgtt gccatggcta cccacaagga cgacgaggag cgcttcttcc cgtcaagcgg 2460
agttctaatg tttggcaagc agggggctgg aaaagacaat gtggactaca gcagcgtgat 2520
gctcaccagc gaagaagaaa ttaaaactac taacccagtg gctacagagc agtatggtgt 2580
ggtggcagac aacctgcagc agaccaacgg agctcccatt gtgggaactg tcaacagcca 2640
gggggcctta cctggtatgg tctggcaaaa ccgggacgtg tacctgcagg gccccatctg 2700
ggccaaaatt cctcacacgg acggcaactt tcatccttcg ccgctgatgg gaggctttgg 2760
actgaaacac ccgcctcctc agatcctggt gaaaaacact cctgttcctg cggatcctcc 2820
gaccaccttc agccaggcca agctggcttc ttttatcacg cagtacagca ccggacaggt 2880
cagcgtggaa atcgaatggg agctgcagaa agaaaacagc aagcgctgga acccagagat 2940
tcagtatact tccaactact acaaatctac aaatgtggac tttgctgtca atactgaggg 3000
tacttattca gagcctcgcc ccattggcac tcgttatctc acccgtaatc tgtaattgct 3060
tgttaatcaa taaaccggtt aattcgtttc agttgaactt tggtctctgc gaagggcgaa 3120
ttc 3123

<210> 42
<211> 3122
<212> DNA
<213> new AAV serotype, clone 43.20

<400> 42

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt      60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt     120
ccgccaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg     180
cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg     240
acgggaacag cgccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg     300
aactcacccg ccgtctggag catgactttg gcaaggtgac gaagcaggaa gtcaaagagt     360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttccac gtcagaaagg     420
gtggagccaa caagagaccc gcccccgatg acgcggatat aagcgagccc aagcgggcct     480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg     540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca     600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact     660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc     720
ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct     780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca     840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt     900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag     960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc    1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaagcctac    1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataatcacgc cgacgccgag    1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc    1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct    1260
cctggaaaga agagactggt agagcagtcg ccacaagagc cagactcctc ctcgggcatc    1320
ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca    1380
gagtcagtcc ccgacccaca acctctcgga gaacctccag cagccccctc aggtctggga    1440
cctaatacaa tggcttcagg cggtggcgct ccaatggcag acaataacga aggcgccgac    1500
ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc    1560
atcaccacca gcacccgaac ctgggccctg cccacctaca acaaccacct ctacaagcaa    1620
atctccaacg gcacctcggg aggaagcacc aacgacaaca cctattttgg ctacagcacc    1680
ccctgggggt attttgactt caacagattc cactgtcact tttcaccacg tgactggcaa    1740
cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac    1800
atccaggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc    1860
agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct    1920
```

caccagggat gtctgcctcc gttcccggcg gacgtcttca cggttcctca gtacggctat 1980
ttaactttaa acaatggaag ccaagccctg ggacgttcct ccttctactg tctggagtat 2040
ttcccatcgc agatgctgag aaccggcaac aactttcagt tcagctacac cttcgaggac 2100
gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatcccctc 2160
atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag 2220
actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg 2280
cccggacctt gctaccggca gcagcgcgtc tccacgacaa ccaaccagaa caacaacagc 2340
aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaatgaat 2400
ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg 2460
gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgctg 2520
attacagatg aggaagaaat caaggctacc aaccccgtgg ccacagaaga atatggagca 2580
gtggccatca acaaccaggc cgccaatacg caggcgcaga ccggactcgt gcacaaccag 2640
ggggtgattc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg 2700
gccaaaattc ctcacacgga cggcaacttt cacccgtctc ccctgatggg cggctttgga 2760
ctgaagcacc cgcctcctca aattctcatc aagaacacac cggttccagc ggacccgccg 2820
cttaccttca accaggccaa gctgaactct ttcatcacgc agtacagcac cggacaggtc 2880
agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt 2940
caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggaagga 3000
gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat 3060
gttaatcaat aaaccggtta attcgtttca gttgaacttt ggtctctgcg aagggcgaat 3120
tc 3122

<210> 43
<211> 3117
<212> DNA
<213> new AAV serotype, clone 43.21

<400> 43

gaattcgccc ttggctgcgt caactggacc aatgagaact ttcccttcaa cgattgcgtc 60
gacaagatgg tgatctggtg ggaggagggc aagatgacgg ccaaggtcgt ggagtccgcc 120
aaggccattc tcggcggcag caaggtgcgt gtggaccaaa agtgcaagtc ttccgcccag 180
atcgatccca cccccgtgat cgtcacctcc aacaccaaca tgtgcgccgt gattgacggg 240
aacagcacca ccttcgagca ccagcagccg ttgcaggacc ggatgttcaa atttgaactc 300
acccgccgtc tggagcatga ctttggcaag gtgacgaagc aggaagtcaa agagttcttc 360
cgctgggcgc aggatcacgt gaccgaggtg gcgcatgagt tccacgtcag aaagggtgga 420

gccaacaaga gacccgcccc cgatgacgcg gatataagcg agcccaagcg ggcctgcccc 480
tcagtcgcgg atccatcgac gtcagacgcg gaaggagctc cggtggactt tgccgacagg 540
taccaaaaca aatgttctcg tcacgcgggc atgcttcaga tgctgtttcc ctgcaagaca 600
tgcgagagaa tgaatcagaa tttcaacatt tgcttcacgc acgggaccag agactgttca 660
gaatgtttcc ccggcgtgtc agaatctcaa ccggtcgtca gaaagaggac gtatcggaaa 720
ctctgtgcga ttcatcatct gctggggcgg gctcccgaga ttgcttgctc ggcctgcgat 780
ctggtcaacg tggacctgga tgactgtgtt tctgagcaat aaatgactta aaccaggtat 840
ggctgccgat ggttatcttc cagattggct cgaggacaac ctctctgagg gcattcgcga 900
gtggtgggac ttgaaacctg gagccccgaa acccaaagcc aaccagcaaa agcaggacga 960
cggccggggt ctggtgcttc ctggctacaa gtacctcgga cccttcaacg gactcgacaa 1020
gggggagccc gtcaacgcgg cggacgcagc ggccctcgag cacgacaaag cctacgacca 1080
gcagctcaaa gcgggtgaca atccgtacct gcggtataat cacgccgacg ccgagtttca 1140
ggagcgtctg caagaagata cgtcttttgg gggcaacctc gggcgagcag tcttccaggc 1200
caagaagcgg gttctcgaac ctctcggtct ggttgaggaa ggcgctaaga cggctcctgg 1260
aaagaagaga ccggtagagc agtcgccaca agagccagac tcctcctcgg gcatcggcaa 1320
gacaggccag cagcccgcta aaaagagact caattttggt cagactggcg actcagagtc 1380
agtccccgac ccacaacctc tcggagaacc tccagcagcc ccctcaggtc tgggacctaa 1440
tacaatggct tcaggcggtg gcgctccaat ggcagacaat aacgaaggcg ccgacggagt 1500
gggtaattcc tcgggaaatt ggcattgcga ttccacatgg ctgggggaca gagtcatcac 1560
caccagcacc cgaacctggg ccctgcccac ctacaacaac cacctctaca agcaaatctc 1620
caacggcacc tcgggaggaa gcaccaacga caacacctat tttggctaca gcaccccctg 1680
ggggtatttt gacttcaaca gattccactg tcacttttca ccacgtgact ggcaacgact 1740
catcaacaac aattggggat tccggcccaa aagactcaac ttcaagctgt tcaacatcca 1800
ggtcaaggaa gtcacgacga acgaaggcac caagaccatc gccaataatc tcaccagcac 1860
cgtgcgggtc tttacggact cggagtacca gttaccgtac gtgctaggat ccgctcacca 1920
gggatgtctg cctccgttcc cggcggacgt cttcatggtt cctcagtacg gctatttaac 1980
tttaaacaat ggaagccaag ccctgggacg ttcctccttc tactgtctgg agtatttccc 2040
atcgcagatg ctgagaaccg gcaacaactt tcagttcagc tacaccttcg aggacgtgcc 2100
tttccacagc agctacgcgc acagccagag cctggacagg ctgatgaatc ccctcatcga 2160
ccagtacctg tactacctgg tcagaacgca aacgactgga actggaggga cgcagactct 2220
ggcattcagc caagcgggtc ctagctcaat ggccaaccag gctagaaatt gggtgcccgg 2280
accttgctac cggcagcagc gcgtctccac gacaaccaac cagagcaaca acagcaactt 2340

```
tgcctggacg ggagctgcca agtttaagct gaacggccga gactctctaa tgaatccggg   2400
cgtggcaatg gcttcccaca aggatgacga cgaccgcttc ttcccttcga gcggggtcct   2460
gatttttggc aagcaaggag ccgggaacga tggagtggat tacagccaag tgctgattac   2520
agatgaggaa gaaatcaagg ctaccaaccc cgtggccaca gaagaatatg gagcagtggc   2580
catcaacaac caggccgcca atacgcaggc gcagaccgga ctcgtgcaca accagggggt   2640
gattcccggc atggtgtggc agaatagaga cgtgtacctg cagggtccca tctgggccaa   2700
aattcctcac acggacggca actttcaccc gtctcccctg atgggcggct ttggactgaa   2760
gcacccgcct cctcaaattc tcatcaagaa cacaccggtt ccagcggacc cgccgcttac   2820
cttcaaccag gccaagctga actctttcat cacgcagtac agcaccggac aggtcagcgt   2880
ggaaatcgag tgggagctgc agaaagaaaa cagcaaacgc tggaatccag agattcaata   2940
cacttccaac tactacaaat ctacaaatgt ggactttgct gtcaacacgg aaggagttta   3000
tagcgagcct cgccccattg gcacccgtta cctcacccgc aacctgtaat tacatgttaa   3060
tcaataaacc ggttaattcg tttcagttga actttggtct ctgcgaaggg cgaattc      3117
```

<210> 44
<211> 3121
<212> DNA
<213> new AAV serotype, clone 43.23

<400> 44

```
gaattcgccc ttctacggct gcgtcaactg gaccaatgag aactttccct tcaacgattg      60
cgtcgacaag atggtgatct ggtgggagga gggcaagatg acggccaagg tcgtggagtc     120
cgccaaggcc attctcggcg gcagcaaggt gcgtgtggac caaaagtgca agtcttccgc     180
ccagatcgat cccacccccg tgatcgtcac ctccaacacc aacatgtgcg ccgtgattga     240
cgggaacagc accaccttcg agcaccagca gccgttgcag gaccggatgt tcaaatttga     300
actcacccgc cgtctggagc atgactttgg caaggtgacg aagcaggaag tcaaagagtt     360
cttccgctgg gcgcaggatc acgtgaccga ggtggcgcat gagttccacg tcagaaaggg     420
tggcgccaac aagagacccg cccccgatga cgcggatata agcgagccca agcgggcctg     480
cccctcagtc gcggatccat cgacgtcaga cgcggaagga gctccggtgg actttgccga     540
caggtaccaa aacaaatgtt ctcgtcacgc gggcatgctt cagatgctgt ttccctgcaa     600
gacatgcgag agaatgaatc agaatttcaa catttgcttc acgcacggga ccagagactg     660
ttcagaatgt ttccccggcg tgtcagaatc tcaaccggtc gtcagaaaga ggacgtatcg     720
gaaactctgt gcgattcatc atctgctggg gcgggctccc gagattgctt gctcggcctg     780
cgatctggtc aacgtggacc tggatgactg tgtttctgag caataaatga cttaaaccag     840
gtatggctgc cgatggttat cttccagatt ggctcgagga caacctctct gagggcattc     900
gcgagtggtg ggacttgaaa cctggagccc cgaaacccaa agccaaccag caaaagcagg     960
```

acgacggccg gggtctggtg cttcctggct acaagtacct cggacccttc aacggactcg 1020
acaaggggga gcccgtcaac gcggcggacg cagcggccct cgagcacgac aaagcctacg 1080
accagcagct caaagcgggt gacaatccgt acctgcggta taatcacgcc gacgccgagt 1140
ttcaggagcg tctgcaagaa gatacgtcct ttgggggcaa cctcgggcga gcagtcttcc 1200
aggccaagaa gcgggttctc gaacctctcg gtctggttga ggaaggcgct aagacggctc 1260
ctggaaagaa gagaccggta gagcagtcgc cacaagagcc agactcctcc tcgggcatcg 1320
gcaagacagg ccagcagccc gctaaaaaga gactcaattt tggtcagact ggcgactcag 1380
agtcagtccc cgacccacaa cctctcggag aacctccagc agccccctca ggtctgggac 1440
ctaatacaat ggcttcaggc ggtggcgctc caatggcaga caataacgaa ggcgccgacg 1500
gagtgggtaa ttcctcggga aattggcatt gcgattccac atggctgggg gacagagtca 1560
tcaccaccag cacccgaacc tgggccctgc ccacctacaa caaccacctc tacaagcaaa 1620
tctccaacgg cacctcggga ggaagcacca acgacaacac ctattttggc tacagcaccc 1680
cctgggggta ttttgacttc aacagattcc actgtcactt ttcaccacgt gactggcaac 1740
gactcatcaa caacaattgg ggattccggc ccaaaagact caacttcaag ctgttcaaca 1800
tccaggtcaa ggaagtcacg acgaacgaag gcaccaagac catcgccaat aatctcacca 1860
gcaccgtgca ggtctttacg gacttggagt accagttacc gtacgtgcta ggatccgctc 1920
accagggatg tctgcctccg ttcccggcgg acgtcttcat ggttcctcag tacggctatt 1980
taactttaaa caatggaagc caagccctgg gacgttcctc cttctactgt ctggagtatt 2040
tcccatcgca gatgccgaga accggcaaca actttcagtt cagctacacc ttcgaggacg 2100
tgcctttcca cagcagctac gcgcacagcc agagcctgga caggctgatg aatcccctca 2160
tcgaccagta cctgtactac ctggtcagaa cgcaaacgac tggaactgga gggacgcaga 2220
ctctggcatt cagccaagcg ggtcctagct caatggccaa ccaggctaga aattgggtgc 2280
ccggaccttg ctaccggcag cagcgcgtct ccacgacaac caaccagaac aacaacagca 2340
actttgcctg gacgggagct gccaagttta agctgaacgg ccgagactct ctaatgaatc 2400
cgggcgtggc aatggcttcc cacaaggatg acgacgaccg cttcttccct tcgagcgggg 2460
tcctgatttt tggcaagcaa ggagccggga acgatggagt ggattacagc caagtgctga 2520
ttacagatga ggaagaaatc aaggctacca accccgtggc cacagaagaa tatggagcag 2580
tggccatcaa caaccaggcc gccaatacgc aggcgcagac cggactcgtg cacaaccagg 2640
gggtgattcc cggcatggtg tggcagaata gagacgtgta cctgcagggt cccatctggg 2700
ccaaaattcc tcacacggac ggcaactttc acccgtctcc cctgatgggc ggctttggac 2760
tgaagcaccc gcctcctcaa attctcatca agaacacacc ggttccagcg gacccgccgc 2820
ttaccttcaa ccaggccaag ctgaactctt tcatcacgca gtacagcacc ggacaggtca 2880

gcgtggaaat cgagtgggag ctgcagaaag aaaacagcaa acgctggaat ccagagattc 2940
aatacacttc caactactac aaatctacaa atgtggactt tgctgtcaac acggaaggag 3000
tttatagcga gcctcgcccc attggcaccc gttacctcac ccgcaacctg taattacatg 3060
ttaatcaata aaccggttaa ttcgtttcag ttgaactttg gtctctgcga agggcgaatt 3120
c 3121

<210> 45
<211> 3122
<212> DNA
<213> new AAV serotype, clone 43.25

<400> 45

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaagg tgcgtgtgga ccaaaagtgc aagtcttccg 180
cccagatcga tcccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaaatttg 300
aactcacccg ccgtctggag catgactttg gcaaggtgac gaagcaggaa gtcaaagggt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttccac gtgcgagccc 420
aagcgggcct gcccctcagt cgcggatcca tcgacgtcag accagaaagg gtggagccaa 480
caagagaccc gcccccgatg acgcggatat aagcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc 720
ggaaactctg tgcgattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaagcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataatcacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggt agagcagtcg ccacaagagc cagactcctc ctcgggcatc 1320
ggcaagacag gccagcagcc cgctaaaaag agactcaatt ttggtcagac tggcgactca 1380
gagtcagtcc ccgacccaca acctctcgga gaacctccag cagccccctc aggtctggga 1440

```
cctaatacaa tggcttcagg cggtggcgct ccaatggcag acaataacga aggcgccgac    1500
ggagtgggta attcctcggg aaattggcat tgcgattcca catggctggg ggacagagtc    1560
atcaccacca gcacccgaac ctgggccctg cccacctaca acaaccacct ctacaagcaa    1620
atctccaacg gcacctcggg aggaagcacc aacgacaaca cctattttgg ctacagcacc    1680
ccctgggggt attttgactt caacagattc cactgtcact tttcaccacg tgactggcaa    1740
cgactcatca acaacaattg gggattccgg cccaaaagac tcaacttcaa gctgttcaac    1800
atccaggtca aggaagtcac gacgaacgaa ggcaccaaga ccatcgccaa taatctcacc    1860
agcaccgtgc aggtctttac ggactcggag taccagttac cgtacgtgct aggatccgct    1920
caccagggat gtctgcctcc gttcccggcg gacgtcttca tggttcctca gtacggctat    1980
ttaactttaa acaatggaag ccaagccctg ggacgttcct ccttctactg tctggagtat    2040
ttcccatcgc agatgctgag aaccggcaac aactttcagt tcagctacac cttcgaggac    2100
gtgcctttcc acagcagcta cgcgcacagc cagagcctgg acaggctgat gaatcccctc    2160
atcgaccagt acctgtacta cctggtcaga acgcaaacga ctggaactgg agggacgcag    2220
actctggcat tcagccaagc gggtcctagc tcaatggcca accaggctag aaattgggtg    2280
cccggacctt gctaccggca gcagcgcgtc tccacgacaa ccaaccagaa caacaacagc    2340
aactttgcct ggacgggagc tgccaagttt aagctgaacg gccgagactc tctaatgaat    2400
ccgggcgtgg caatggcttc ccacaaggat gacgacgacc gcttcttccc ttcgagcggg    2460
gtcctgattt ttggcaagca aggagccggg aacgatggag tggattacag ccaagtgctg    2520
attacagatg aggaagaaat caaggctacc aaccccgtgg ccacagaaga atatggagca    2580
gtggccatca acaaccaggc cgccaatacg caggcgcaga ccggactcgt gcacaaccag    2640
ggggtgattc ccggcatggt gtggcagaat agagacgtgt acctgcaggg tcccatctgg    2700
gccaaaattc ctcacacgga cggcaacttt cacccgtctc ccctgatggg cggctttgga    2760
ctgaagcacc cgcctcctca aattctcatc aagaacacac cggttccagc ggacccgccg    2820
cttaccttca accaggccaa gctgaactct ttcatcacgc agtacagcac cggacaggtc    2880
agcgtggaaa tcgagtggga gctgcagaaa gaaaacagca aacgctggaa tccagagatt    2940
caatacactt ccaactacta caaatctaca aatgtggact ttgctgtcaa cacggagggg    3000
gtttatagcg agcctcgccc cattggcacc cgttacctca cccgcaacct gtaattacat    3060
gttaatcaat aaaccggtta attcgtttca gttgaacttt ggtctctgcg aagggcgaat    3120
tc                                                                   3122
```

<210> 46
<211> 3128
<212> DNA
<213> new AAV serotype, clone 44.1

<400> 46

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt     60
gcgtcgacaa gatgttgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt    120
ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagccgtccg    180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg    240
acgggaacag caccaccttc gagcaccagc agccgttgcg ggaccggatg ttcaagtttg    300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcagagagt    360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg    420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct    480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg    540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca    600
aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact    660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaaa aagacgtatc    720
ggaaactctg tgcgattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct    780
gcgatctggt caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca    840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt    900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag    960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc   1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac   1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag   1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc   1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct   1260
cctggaaaga agagaccggt agagccatca ccccagcgtt ctccagactc ctctacgggc   1320
atcggcaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac   1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg   1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc   1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga   1560
gtcatcacca ccagcacccg aacctgggcc ctccccacct acaacaacca cctctacaag   1620
caaatctcca acgggacttc gggaggaagc accaacgaca acacctactt cggctacagc   1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg   1740
cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc   1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt   1860
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct   1920
```

```
gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg   1980
tacctgactc tgaacaatgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag   2040
tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag   2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc   2160
ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga   2220
actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac   2280
tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac   2340
aacagcaact gtaaatcccg gtgtcgctat ggcaacccac aaggacgacg aagagcgatt   2400
ttgcctggac cggtgccacc aagtatcatc tgaatggcag agactctctg ttttccgtcc   2460
agcggagtct taatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc   2520
gttatgctaa ccagtgagga agaaattaaa accaccaacc cagtggccac ggaacagtac   2580
ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac   2640
agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct   2700
atctgggcca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggc   2760
tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat   2820
cctccaacta ccttcagtca agctaagctg gcgtcgttca tcacgcagta cagcaccgga   2880
caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccca   2940
gagattcaat acacttccaa ctactacaaa tctacaaatg tggacttcgc tgttaacaca   3000
gatggcactt attctgagcc tcgccccatt ggcacccgtt acctcacccg taatctgtaa   3060
ttgctcgtta atcaataaac cggttgattc gtttcagttg aactttggtc tctgcgaagg   3120
gcgaattc                                                            3128
```

<210> 47
<211> 3128
<212> DNA
<213> new AAV serotype, clone 44.5

<400> 47

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt     60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt    120
ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagtcgtccg    180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg    240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg    300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcagagagt    360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg    420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct    480
```

gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt tgtcagaaaa aagacgtatc 720
ggaaactctg tgcgattcat catctgctgg ggcgggcacc cgagattgct tgctcggcct 780
gcgatctggt caacgtggac ctagatgact gtgtttctga gcaataaatg acttaaacca 840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatt 900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag 960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc 1020
gacaaggggg agcccgtcaa cgcggcggac gcagcggccc tcgagcacga caaggcctac 1080
gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc cgacgccgag 1140
tttcaggagc gtctgcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc 1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct 1260
cctggaaaga agagaccggt agagccatca ccccagcgtt ctccagactc ctctacgggc 1320
atcggcaaga aaggccagca gcccgcgaaa aagagactca actttgggca gactggcgac 1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg 1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc 1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga 1560
gtcatcacca ccagcacccg aacctgggcc ctccccacct acaacaacca cctctacaag 1620
caaatctcca acgggacttc gggaggaagc accaacgaca acacctactt cggctacagc 1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg 1740
cagcgactca tcaacaacaa ctggggattc cggcccaaga gacccaactt caagctcttc 1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt 1860
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct 1920
gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg 1980
tacctgactc tgaacaatgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag 2040
tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag 2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gatgaacccc 2160
ctcatcgacc agtacctgta ctacctgtct cggactcagt ccacgggagg taccgcagga 2220
actcagcagt tgctattttc tcaggccggg cctaataaca tgtcggctca ggccaaaaac 2280
tggctacccg ggccctgcta ccggcagcaa cgcgtctcca cgacactgtc gcaaaataac 2340
aacagcaact ttgcctggac cggtgccacc aagtatcatc tgaatggcag agactctctg 2400

gtaaatcccg gtgtcgctat ggcaacccac aaggacgacg aagagcgatt ttttccgtcc 2460

agcggagtct taatgtttgg gaaacaggga gctggaaaag acaacgtgga ctatagcagc 2520

gttatgctaa ccagtgagga agaaattaaa accaccaacc cagtggccac agaacagtac 2580

ggcgtggtgg ccgataacct gcaacagcaa aacgccgctc ctattgtagg ggccgtcaac 2640

agtcaaggag ccttacctgg catggtctgg cagaaccggg acgtgtacct gcagggtcct 2700

atctgggcca agattcctca cacggacgga aactttcatc cctcgccgct gatgggaggc 2760

tttggactga aacacccgcc tcctcagatc ctgattaaga atacacctgt tcccgcggat 2820

cctccaacta ccttcagtca agctaagctg gcgtcgttca tcacgcagta cagcaccgga 2880

caggtcagcg tggaaattga atgggagctg cagaaagaaa acagcaaacg ctggaaccca 2940

gagattcaat acacttccaa ctactacaaa tctacaaatg tggactttgc tgttaacaca 3000

gatggcactt attctgagcc tcgccccatt ggcacccgtt acctcacccg taatctgtaa 3060

ttgcttgtta atcaataaac cggttgattc gtttcagttg aactttggtc tctgcgaagg 3120

gcgaattc 3128

<210> 48
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.10

<220>
<221> misc_feature
<222> (1302)..(1302)
<223> can be a, c, g or t

<400> 48

```
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc    60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg   120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc   180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg   240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga   300
gtcagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc   360
tggtacaatg gctgcaggcg gtggcgcacc aatggctgac aataacgagg gcgccgacgg   420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcat   480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat   540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccccctg  600
ggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact   660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca   720
ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac   780
```

```
ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca     840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac     900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc     960
ttctcagatg ctgagaacgg gcaacaactt cacctttagc tacaccttcg aggacgtgcc    1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga    1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg    1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct    1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag    1260
caactttgcc tggactggtg ccacaaaata ccatttaaat gnaagaaatt cattggttaa    1320
tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg    1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat    1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt    1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg    1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc    1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact    1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga    1740
agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag    1800
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca    1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt    1920
ttactctgag cct                                                       1933
```

<210> 49
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.2

<400> 49

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60
cgacgccgag tttcaggagt gtcttcaaga agatacgtct tttgggggca acctcgggcg 120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga 300
gtcagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc 360
tggtacaatg gttgcaggcg gtggcgcacc aatggctgac aataacgagg gcgccgacgg 420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcat 480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat 540

ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcaccccctg 600
ggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact 660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac 780
ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
ttctcagatg ctgagaacgg gcaacaactt cacctttagc tacaccttcg aggacgtgcc 1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga 1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattggttaa 1320
tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttctccc cttcgagcgg 1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
gaaacacccg cctccccaga tcctgatcaa aaacacgccg gtacctgcta atcctccaga 1740
agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
ttactctgag cct 1933

<210> 50
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.4

<400> 50

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg 120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga 300

gccagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc 360
tggtacaatg gctgcaggcg gtggcgcacc aatggctgac aataacgagg gcgccgacgg 420
agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcat 480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat 540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcaccccctg 600
ggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact 660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
ttctcagatg ctgagaacgg gcaacaactt cacctttagc tacaccttcg aggacgtgcc 1020
tttccacagc agctacgcgc acagccagag tctgggccgg ctgatgaatc ccctcatcga 1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattggttaa 1320
tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
ttactctgag cct 1933

<210> 51
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.5

<400> 51

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60

```
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg     120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc     180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg     240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga     300
gccagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc     360
tggtacaatg gctgcaggcg gtggcgcacc aatggctgac aataacgagg gcgccgacgg     420
agtgggtaat gcctcaggaa attggcattg cgattccaca cggctgggcg acagagtcat     480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat     540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcaccccctg     600
ggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact     660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca     720
ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac     780
ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca     840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac     900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc     960
ttctcagatg ctgagaacgg gcaacaactt cacctttagc tacaccttcg aggacgtgcc    1020
tttccacagc agctacgcgc acagccagag tctgggccgg ctgatgaatc ccctcatcga    1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg    1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct    1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag    1260
caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattggttaa    1320
tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg    1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat    1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt    1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg    1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc    1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact    1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga    1740
agtgtttact cctgccaagt ttgcttcctt catcacgcag tacagcaccg ggcaagtcag    1800
cgttgagatc gaatgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca    1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt    1920
ttactctgag cct                                                      1933
```

<210> 52

<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.6

<400> 52

```
caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc     60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg    120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc    180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg    240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga    300
gtcagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc    360
tggtacaatg gctgcaggcg gtggcgcacc aatggctgac aatagcgagg gcgccgacgg    420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcat    480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat    540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcaccccctg    600
ggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact    660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca    720
ggtcaaggag gtcacgacga atgacggtgt cacaaccatc gctaataacc ttaccagcac    780
ggttcaggtc ttttcggact cggaatatca actgccgtac gtcctcggct ccgcgcacca    840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac    900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc    960
ttctcagatg ctgagaacgg gcaacaactt cacctttagc tacaccttcg aggacgtgcc   1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga   1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg   1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct   1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag   1260
caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattggttaa   1320
tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg   1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat   1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt   1500
aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg   1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc   1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact   1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga   1740
```

agtgtttact cctgccaagc ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
gtaçacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
ttactctgag cct 1933

<210> 53
<211> 1933
<212> DNA
<213> new AAV serotype, clone 223.7

<400> 53

caaggcctac gaccagcagc tcaaagcggg tgacaatccg tacctgcggt ataaccacgc 60
cgacgccgag tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg 120
agcagtcttc caggccaaaa agcgggttct cgaacctctt ggtctggttg agacgccagc 180
taagacggca cctggaaaga agcgaccggt agactcgcca gactccacct cgggcatcgg 240
caagaaaggc cagcagcccg cgaaaaagag actcaacttt gggcagactg gcgactcaga 300
gtcagtcccc gaccctcaac caatcggaga accaccagca ggcccctctg gtctgggatc 360
tggtacaatg gctgcaggcg gtggcgcacc aatggctgac aataacgagg gcgccgacgg 420
agtgggtaat gcctcaggaa attggcattg cgattccaca tggctgggcg acagagtcat 480
caccaccagc acccgaacct gggccctgcc cacctacaac aaccacctct acaagcaaat 540
ctccagtcag tcagcaggga gcaccaacga taacgtctat ttcggctaca gcacccccctg 600
gggggtatttt gacttcaaca gattccattg ccacttctca ccacgtgact ggcagcgact 660
tatcaacaac aactggggat tccggcccaa gaagctcaac ttcaagctct tcaacatcca 720
ggtcaaggag gtcacgacga atgacggcgt cacaaccatc gctaataacc ttaccagcac 780
ggttcaggtc ttttcggacc cggaatatca actgccgtac gtcctcggct ccgcgcacca 840
gggctgcctg cctccgttcc cggcagacgt gttcatgatt ccgcagtacg gatacctgac 900
tctgaacaat ggcagccaat cggtaggccg ttcctccttc tactgcctgg agtactttcc 960
ttctcagatg ctgagaacgg gcaacaactt caccctttagc tacaccttcg aggacgtgcc 1020
tttccacagc agctacgcgc acagccagag tctggaccgg ctgatgaatc ccctcatcga 1080
ccagtacctg tactacttgg ccagaacaca gagcaacgca ggaggtactg ctggcaatcg 1140
ggaactgcag ttttatcagg gcggacctac caccatggcc gaacaagcaa agaactggct 1200
gcccggacct tgcttccggc aacagagagt atccaagacg ctggatcaaa ataacaacag 1260
caactttgcc tggactggtg ccacaaaata ccatttaaat ggaagaaatt cattggttaa 1320
tcccggtgtc gccatggcaa cccacaagga cgacgaggaa cgcttcttcc cttcgagcgg 1380
agttctaatt tttggcaaaa ctggagcagc taataaaact acattagaaa acgtgctcat 1440
gacaaatgaa gaagaaattc gtcctaccaa cccggtagct accgaggaat acgggattgt 1500

aagcagcaac ttgcaggcgg ctagcaccgc agcccagaca caagttgtta acaaccaggg 1560
agccttacct ggcatggtct ggcagaaccg ggacgtgtac ctgcaaggtc ccatttgggc 1620
caagattcct cacacggacg gcaactttca cccgtctcct ctaatgggtg gctttggact 1680
gaaacacccg cctccccaga tcctgatcaa aaacacaccg gtacctgcta atcctccaga 1740
agtgtttact cctgccaaga ttgcttcctt catcacgcag tacagcaccg ggcaagtcag 1800
cgttgagatc gagtgggagc tgcagaaaga gaacagcaag cgctggaacc cagagattca 1860
gtacacctcc aactttgaca aacagactgg agtggacttt gctgttgaca gccagggtgt 1920
ttactctgag cct 1933

<210> 54
<211> 3123
<212> DNA
<213> new AAV serotype, clone A3.4

<400> 54

gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt 60
gcgtcgacaa gatggtgatc tggtgggagg agggaaagat gaccgccaag gtcgtggaat 120
ctgccaaagc cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg 180
cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg 240
acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg 300
aacttacccg ccgtttggat catgactttg ggaaggtcac caagcaggaa gtcaaagact 360
ttttccggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg 420
gtggagccaa gaaaaggccc gcccccgatg atgtatatat aaatgagccc aagcgggcgc 480
gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcgggca 540
ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac 600
aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt 660
tggaatgctt tcccgtgtca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga 720
aactttgtta cattcatcat atcatgggaa aagaaccaga cgcctgcact gcctgcgacc 780
tggtaaatgt ggacttggat gactgtattt ctgagcaata aatgacttaa atcaggtatg 840
gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900
tggtggaagc tcaaacctgg cccaccaccg ccgaaaccta accaacaaca ccgggacgac 960
agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa 1020
ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac 1080
cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggacgc tgaatttcag 1140
gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc 1200
aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga 1260

aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcgaa 1320
tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca 1380
gtcccagacc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatctaat 1440
acaatggctt caggcggtgg ggcaccaatg gcagacgata acgaaggcgc cgacggagtg 1500
ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc 1560
accagcacaa gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc 1620
agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat 1680
tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac 1740
aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
gaggtcacgc agaatgatgg aaccacgacc atcgccaata accttaccag cacggtgcag 1860
gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggctca ccagggctgc 1920
cttccgccgt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac 1980
aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
ctgtattacc tgagcaaaac tcagggtaca agtggaacaa cgcagcaatc gagactgcag 2220
ttcagccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
agctaccgac agcagcgaat gtctaagacg gctaatgaca acaacaacag tgaatttgct 2340
tggactgcag ccaccaaata ttacctgaat ggaagaaatt ctctggtcaa tcccgggccc 2400
ccaatggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgct tattacagac 2520
gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
aaccatcaga gtcaggacac cacagcttcc tatggaagtg tggacagcca gggaatctta 2640
cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact 2700
cctcacacgg acggacactt tcatccttct ccgctcatgg gaggctttgg actgaaacac 2760
cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatcccgc gaccactttc 2820
actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa 2880
atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc 2940
tccaactaca acaagtcggt gaatgtggag tttaccgtgg acgcaaacgg tgtttattct 3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgttaatgaa 3060
taaaccgatt tatgcgtttc agttgaactt tggtctctgc gaagggcgaa ttcgcggccg 3120
cta 3123

<210> 55
<211> 3113

<212> DNA
<213> new AAV serotype, clone A3.5

<400> 55

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt      60
gcgtcgacaa gatggtgatc tggtgggagg agggaaagat gaccgccaag gtcgtggaat     120
ctgccaaagc cattctgggt ggaagcaagg ttcgtgtgga ccagaaatgc aagtcttcgg     180
cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg     240
acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg     300
aacttacccg ccgtttggat catgactttg ggaaggtcac caagcaggaa gtcaaagact     360
ttttccggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg     420
gtggagccaa gaaaaggccc gcccccgatg atgtatatat aaatgagccc aagcgggcgc     480
gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca     540
ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac     600
aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt     660
tggaatgctt tcccgtgtca gaatctcaac ccgttcctgt cgtcagaaaa acgtatcaga     720
aactttgtta cattcatcat atcatgggaa aagtaccaga cgcctgcact gcctgcgacc     780
tggtaaatgt ggacttggat gactgtattt ctgagcaata aatgacttaa atcaggtatg     840
gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag     900
tggtggaagc tcaaacctgg cccaccaccg ccgaaaccta accaacaaca ccgggacgac     960
agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa    1020
ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac    1080
cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggacgc tgaatttcag    1140
gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc    1200
aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga    1260
aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcaaa    1320
tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca    1380
gtcccagacc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatctaat    1440
acaatggctt caggcggtgg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg    1500
ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc    1560
accagcacaa gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc    1620
agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat    1680
tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaat    1740
```

aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
gaggtcacgc agaatgatgg aaccacgacc atcgccaata accttaccag cacggtgcag 1860
gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggctca ccagggctgc 1920
cttccgccgt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac 1980
aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
ctgtattacc tgagcaaaac tcagggtaca agtggaacaa cgcagcaatc gagactgcag 2220
ttcaaccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
agctaccgac agcagcgaat gtctaagacg gctaatgaca acaacaacag tgaatttgct 2340
tggactgcag ccaccaaata ttacccgaat ggaagaaatt ctctggtcaa tcccgggccc 2400
ccaatggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgct tattacagac 2520
gaagaagaaa tcagaacgac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
aaccgtcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaatctta 2640
cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact 2700
cctcacacgg acggacactt tcatccttct ccgctcatgg gaggctttgg actgaaacac 2760
cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatcccgc gaccactttc 2820
actcctggaa agtttgcttc gttcattacc cagtattcca ccggacaggt cagcgtggaa 2880
atagagtggg agctgcagaa agaaaacagc aaacgctgga acccggaaat tcagtacacc 2940
tccaactaca acaagtcggt gaatgtggag tttaccgtgg acgcaaacgg tgtttattct 3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgttaatgaa 3060
taaaccgatt tatgcgtttc agttgaactt tggtctctgc gaagggcgaa ttc 3113

<210> 56
<211> 3122
<212> DNA
<213> new AAV serotype, clone A3.7

<400> 56

```
agcggccgcg aattcgccct ttctacggct gcgtcaactg gaccaatgaa aactttccct    60
tcaacgattg cgtcgacaag atggtgatct ggtgggagga gggaaagatg accgccaagg   120
tcgtggaatc tgccaaagcc attctgggtg gaagcaaggt tcgtgtggac cagaaatgca   180
ggtcttcggc ccagatcgac ccgactccgg tgattgtcac ctctaacacc aacatgtgcg   240
ccgtgattga cggaaactcg accaccttcg agcaccagca gccgttgcaa gaccggatgt   300
tcaaatttga acttacccgc cgtttggatc atgactttgg gaaggtcacc aagcaggaag   360
```

tcaaagactt tttccggtgg gctcaagatc acgtgactga ggtggagcat gagttctacg 420

tcaaaaaggg tggagccaag aaaaggcccg cccccgatga tgtatatata aatgagccca 480

agcgggcgcg cgagtcagtt gcgcagccat cgacgtcaga cgcggaagct tcgataaact 540

acgcggacag gtaccaaaac aaatgttctc gtcacgtggg catgaatctg atgctgtttc 600

cctgtcgaca atgcgaaaga atgaatcaga attcaaatat ctgcttcaca cacgggcaaa 660

aagactgttt ggaatgcttt cccgtgtcag aatctcaacc cgtttctgtc gtcagaaaaa 720

cgtatcagaa actttgttac attcatcata tcatgggaaa agtaccagac gcctgcactg 780

cctgcgacct ggtaaatgtg gacttggatg actgtatttc tgagcaataa atgacttaaa 840

tcaggtatgg ctgctgacgg ttatcttcca gattggctcg aggacactct ctctgaagga 900

atcagacagt ggtggaagct caaacctggc ccaccaccgc cgaaacctaa ccaacaacac 960

cgggacgaca gtaggggtct tgtgcttcct gggtacaagt acctcggacc cttcaacgga 1020

ctcgacaaag gagagccggt caacgaggca gacgccgcgg ccctcgagca cgacaaagcc 1080

tacgaccacc agctcaagca aggggacaac ccgtacctca aatacaacca cgcggacgct 1140

gaatttcagg agcgtcttca agaagatacg tctttcgggg gcaacctcgg gcgagcagtc 1200

ttccaggcca aaaagagggt actcgagcct cttggtctgg ttgaggaagc tgttaagacg 1260

gctcctggaa aaaagagacc tatagagcag tctcctgcag aaccggactc ttcctcgggc 1320

atcggcaaat caggccagca gcccgctaag aaaagactca attttggtca gactggcgac 1380

acagagtcag tcccagaccc tcaaccaatc ggagaacccc ccgcagcccc ctctggtgtg 1440

ggatctaata caatggcttc aggcggtggg gcaccaatgg cagacaataa cgaaggcgcc 1500

gacggagtgg gtaattcctc gggaaattgg cattgcgatt ccacatggat gggcgacaga 1560

gttatcacca ccagcacaag aacctgggcc ctccccacct acaataatcg cctctacaag 1620

caaatctcca gcgaatcggg agccaccaac gacaaccact acttcggcta cagcaccccc 1680

tgggggtatt ttgactttaa cagattccac tgtcacttct caccacgtga ctggcagcga 1740

ctcatcaaca acaactgggg atttagaccc aagaaactca atttcaagct cttcaacatc 1800

caagtcaagg aggtcacgca gaatgatgga accacgacca tcgccaataa ccttaccagc 1860

acggtgcagg tcttcacaga ctctgagtac cagctgccct acgtcctcgg ttcggctcac 1920

cagggctgcc ttccgccgtt cccagcagac gtcttcatga ttcctcagta cggctacttg 1980

actctgaaca atggcagcca agcggtagga cgttcttcat tctactgtct agagtatttt 2040

ccctctcaga tgctgaggac gggaaacaac ttcaccttca gctacacttt tgaagacgtg 2100

cctttccaca gcagctacgc gcacagccag agtctggatc ggctgatgaa tcctctcatt 2160

gaccagtacc tgtattacct gagcaaaact cagggtacaa gtggaacaac gcagcaatcg 2220

agactgcagt tcagccaagc tgggcctagc tccatggctc agcaggccaa aaactggcta 2280

```
ccgggaccca gctaccgaca gcagcgaatg tctaagacgg ctaatgacaa caacaacagt   2340
gaatttgctt ggactgcagc caccaaatat tacctgaatg gaagaaattc tctggtcaat   2400
cccgggcccc caatggccag tcacaaggac gatgaggaaa agtatttccc catgcacgga   2460
aatctcatct ttggaaaaca aggcacagga actaccaatg tggacattga atcagtgctt   2520
attacagacg aagaagaaat cagaacaact aatcctgtgg ctacagaaca atacggacag   2580
gttgccacca accatcagag tcagaacacc acagcttcct atggaagtgt ggacagccag   2640
ggaatcttac ctggaatggt gtggcaggac cgcgatgtct atcttcaagg tcccatttgg   2700
gccaaaactc ctcacacgga cggacacttt catccttctc cgctcatggg aggctttgga   2760
ctgaaacacc ctcctcccca gatcctgatc aaaaacacac ctgtgccagc gaatcccgcg   2820
accactttca ctcctggaaa gtttgcttcg ttcattaccc agtattccac cggacaggtc   2880
agcgtggaaa tagagtggga gctgcagaaa gaaaacagca aacgctggaa cccagaaatt   2940
cagtacacct ccaactacaa caagtcggtg aatgtggagt ttaccgtgga cgcaaacggt   3000
gtttattctg aaccccgccc tattggcact cgttacctta cccggaactt gtaatttcct   3060
gttaatgaat aaaccgattt atgcgtttca gttgaacttt ggtctctgcg aagggcgaat   3120
tc                                                                  3122
```

<210> 57
<211> 3123
<212> DNA
<213> new AAV serotype, clone A3.3

<400> 57

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga aaactttccc ttcaacgatt    60
gcgtcgacaa gatggtgatc tggtgggagg agggaaagat gaccgccaag gtcgtggaat   120
ctgccaaagc cattctgggt ggaggcaagg ttcgtgtgga ccagaaatgc aagtcttcgg   180
cccagatcga cccgactccg gtgattgtca cctctaacac caacatgtgc gccgtgattg   240
acggaaactc gaccaccttc gagcaccagc agccgttgca agaccggatg ttcaaatttg   300
aacttacccg ccgtttggat catgactttg ggaaggtcac caagcaggaa gtcaaagact   360
ttttccggtg ggctcaagat cacgtgactg aggtggagca tgagttctac gtcaaaaagg   420
gtggagccaa gaaaaggccc gcccccgatg atgtatatat aaatgagccc aagcgggcgc   480
gcgagtcagt tgcgcagcca tcgacgtcag acgcggaagc ttcgataaac tacgcggaca   540
ggtaccaaaa caaatgttct cgtcacgtgg gcatgaatct gatgctgttt ccctgtcgac   600
aatgcgaaag aatgaatcag aattcaaata tctgcttcac acacgggcaa aaagactgtt   660
tggaatgctt tcccgtgtca gaatctcaac ccgtttctgt cgtcagaaaa acgtatcaga   720
aactttgtta cattcatcat atcatgggaa aagtaccaga cgcctgcact gcctgcgacc   780
tggtaaatgt ggacttggat gactgtattt ctgagcaata aatgacttaa atcaggtatg   840
```

gctgctgacg gttatcttcc agattggctc gaggacactc tctctgaagg aatcagacag 900
tggtggaagc tcaaacctgg cccaccaccg ccgaaaccta accaacaaca ccgggacgac 960
agtaggggtc ttgtgcttcc tgggtacaag tacctcggac ccttcaacgg actcgacaaa 1020
ggagagccgg tcaacgaggc agacgccgcg gccctcgagc acgacaaagc ctacgaccac 1080
cagctcaagc aaggggacaa cccgtacctc aaatacaacc acgcggacgc tgaatttcag 1140
gagcgtcttc aagaagatac gtctttcggg ggcaacctcg ggcgagcagt cttccaggcc 1200
aaaaagaggg tactcgagcc tcttggtctg gttgaggaag ctgttaagac ggctcctgga 1260
aaaaagagac ctatagagca gtctcctgca gaaccggact cttcctcggg catcggcaaa 1320
tcaggccagc agcccgctaa gaaaagactc aattttggtc agactggcga cacagagtca 1380
gtcccaggcc ctcaaccaat cggagaaccc cccgcagccc cctctggtgt gggatctaat 1440
acaatggctt caggcggtgg ggcaccaatg gcagacaata acgaaggcgc cgacggagtg 1500
ggtaattcct cgggaaattg gcattgcgat tccacatgga tgggcgacag agttatcacc 1560
accagcacaa gaacctgggc cctccccacc tacaataatc acctctacaa gcaaatctcc 1620
agcgaatcgg gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat 1680
tttgacttta acagattcca ctgtcacttc tcaccacgtg actggcagcg actcatcaac 1740
aacaactggg gatttagacc caagaaactc aatttcaagc tcttcaacat ccaagtcaag 1800
gaggtcacgc agaatgatgg aaccacgacc atcgccaata accttaccag cgcggtgcag 1860
gtcttcacag actctgagta ccagctgccc tacgtcctcg gttcggctca ccagggctgc 1920
cttccgccgt tcccagcaga cgtcttcatg attcctcagt acggctactt gactctgaac 1980
aatggcagcc aagcggtagg acgttcttca ttctactgtc tagagtattt tccctctcag 2040
atgctgagga cgggaaacaa cttcaccttc agctacactt ttgaagacgt gcctttccac 2100
agcagctacg cgcacagcca gagtctggat cggctgatga atcctctcat tgaccagtac 2160
ctgtattacc tgagcaaaac tcagggtaca agtggaacaa cgcagcaatc gagactgcag 2220
ttcagccaag ctgggcctag ctccatggct cagcaggcca aaaactggct accgggaccc 2280
agctaccgac agcagcgaat gtctaagacg gctaatgaca acaacaacag tgaatttgct 2340
tggactgcag ccaccaaata ttacctgaat ggaagaaatt ctctggtcaa tcccgggccc 2400
ccagtggcca gtcacaagga cgatgaggaa aagtatttcc ccatgcacgg aaatctcatc 2460
tttggaaaac aaggcacagg aactaccaat gtggacattg aatcagtgct tattacagac 2520
gaagaagaaa tcagaacaac taatcctgtg gctacagaac aatacggaca ggttgccacc 2580
aaccatcaga gtcagaacac cacagcttcc tatggaagtg tggacagcca gggaatctta 2640
cctggaatgg tgtggcagga ccgcgatgtc tatcttcaag gtcccatttg ggccaaaact 2700
cctcacacgg acggacactt tcatccttct ccgctcatgg gaggctttgg actgaaacac 2760

```
cctcctcccc agatcctgat caaaaacaca cctgtgccag cgaatcccgc gaccactttc   2820
actcctggaa agtttgcttc gttcattacc cagtattcca cctgacaggt cagcgtggaa   2880
atagagtggg agctgcagaa agaaaacagc aaacgctgga acccagaaat tcagtacacc   2940
tccaactaca acaagtcggt gaatgtggag tttaccgtgg acgcaaacgg tgtttattct   3000
gaaccccgcc ctattggcac tcgttacctt acccggaact tgtaatttcc tgttaatgaa   3060
taagccgatt tatgcgtttc agttgaactt tggtctctgc gaagggcgaa ttcgtttaaa   3120
cct                                                                 3123
```

<210> 58
<211> 2969
<212> DNA
<213> new AAV serotype, clone 42.12

<400> 58

```
gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt      60
gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt     120
ccgccaaggc cattctcggc ggcagcaagg tgcgcgtgga ccaaaagtgc aagtcgtccg     180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg     240
acgggaacag caccaccttc gagcaccagc agccgttaca agaccggatg ttcaaatttg     300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcaaagagt     360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca tgagttctac gtcagaaagg     420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct     480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg     540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca     600
agacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact     660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaag aggacgtatc     720
ggaaactctg tgccattcat catctgctgg ggcgggctcc cgagattgct tgctcggcct     780
gcgatctggt caacgtggac ctggatgact gtgtttctga gcaataaatg acttaaacca     840
ggtatggctg ccgatggtta tcttccagat tggctcgagg acaacctctc tgagggcatc     900
cgcgagtggt gggacttgaa acctggagcc ccgaaaccca aagccaacca gcaaaagcag     960
gacgacggcc ggggtctggt gcttcctggc tacaagtacc tcggaccctt caacggactc    1020
gacaagggag agccggtcaa cgaggcagac gccgcggccc tcgagcacga caaggcctac    1080
gacaagcagc tcgagcaggg ggacaacccg tacctcaagt acaaccacgc cgacgccgag    1140
tttcaggagc gtcttcaaga agatacgtct tttgggggca acctcgggcg agcagtcttc    1200
caggccaaga agcgggttct cgaacctctc ggtctggttg aggaaggcgc taagacggct    1260
cctggaaaga agagaccggt agagccatca ccccagcgtt ctccagactc ctctacgggc    1320
```

```
atcggcaaga caggccagca gcccgcgaaa aagagactca actttgggca gactggcgac   1380
tcagagtcag tgcccgaccc tcaaccaatc ggagaacccc ccgcaggccc ctctggtctg   1440
ggatctggta caatggctgc aggcggtggc gctccaatgg cagacaataa cgaaggcgcc   1500
gacggagtgg gtagttcctc aggaaattgg cattgcgatt ccacatggct gggcgacaga   1560
gtcatcacca ccagcacccg aacctgggcc ctccccacct acaacaacca cctctacaag   1620
caaatctcca acgggacatc gggaggaagc accaacgaca acacctactt cggctacagc   1680
accccctggg ggtattttga ctttaacaga ttccactgcc acttctcacc acgtgactgg   1740
cagcgactca tcaacaacaa ctggggattc cggcccaaga gactcaactt caagctcttc   1800
aacatccagg tcaaggaggt cacgcagaat gaaggcacca agaccatcgc caataacctt   1860
accagcacga ttcaggtctt tacggactcg gaataccagc tcccgtacgt cctcggctct   1920
gcgcaccagg gctgcctgcc tccgttcccg gcggacgtct tcatgattcc tcagtacggg   1980
tacctgactc tgaacaacgg cagtcaggcc gtgggccgtt cctccttcta ctgcctggag   2040
tactttcctt ctcaaatgct gagaacgggc aacaactttg agttcagcta ccagtttgag   2100
gacgtgcctt ttcacagcag ctacgcgcac agccaaagcc tggaccggct gacgaacccc   2160
ctcatcgacc agtacctgta ctacctggcc cggacccaga gcactacggg gtccacaagg   2220
gggctgcagt tccatcaggc tgggcccaac accatggccg agcaatcaaa gaactggctg   2280
cccggaccct gttatcggca gcagagactg tcaaaaaaca tagacagcaa caacaacagt   2340
aactttgcct ggaccggggc cactaaatac catctgaatg gtagaaattc attaaccaac   2400
ccgggcgtag ccatggccac caacaaggac gacgaggacc agttctttcc catcaacgga   2460
gtgctggttt ttggcaaaac gggggctgcc aacaagacaa cgctggaaaa cgtgctaatg   2520
accagcgagg aggagatcaa aaccaccaat cccgtggcta cagaagaata cggtgtggtc   2580
tccagcaacc tgcaatcgtc tacggccgga ccccagacac agactgtcaa cagccagggg   2640
gctctgcccg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc catctgggcc   2700
aaaattcctc acacggacgg caactttcac ccgtctcccc tgatgggcgg atttggactc   2760
aaacacccgc ctcctcaaat tctcatcaag tatacttcca actactacaa atctacaaat   2820
gtggactttg ctgtcaatac tgagggtact tattcagagc ctcgccccat tggcacccgt   2880
tacctcaccc gtaacctgta attgcctgtt aatcaataaa ccggttaatt cgtttcagtt   2940
gaactttggt ctctgcgaag ggcgaattc                                     2969
```

<210> 59
<211> 3129
<212> DNA
<213> new AAV serotype, clone 44.2

<400> 59

gaattcgccc tttctacggc tgcgtcaact ggaccaatga gaactttccc ttcaacgatt 60

gcgtcgacaa gatggtgatc tggtgggagg agggcaagat gacggccaag gtcgtggagt 120
ccgccaaggc cattctcggc ggcagcaaag tgcgcgtgga ccaaaagtgc aagtcgtccg 180
cccagatcga ccccaccccc gtgatcgtca cctccaacac caacatgtgc gccgtgattg 240
acgggaacag caccaccttc gagcaccagc agccgttgca ggaccggatg ttcaagtttg 300
aactcacccg ccgtctggag cacgactttg gcaaggtgac aaagcaggaa gtcagagagt 360
tcttccgctg ggcgcaggat cacgtgaccg aggtggcgca cgagttctac gtcagaaagg 420
gtggagccaa caagagaccc gcccccgatg acgcggataa aagcgagccc aagcgggcct 480
gcccctcagt cgcggatcca tcgacgtcag acgcggaagg agctccggtg gactttgccg 540
acaggtacca aaacaaatgt tctcgtcacg cgggcatgct tcagatgctg tttccctgca 600
aaacatgcga gagaatgaat cagaatttca acatttgctt cacgcacggg accagagact 660
gttcagaatg tttccccggc gtgtcagaat ctcaaccggt cgtcagaaaa aagacgtatc 720
ggaaactctg tgcgattcat catctgctgg gggcgggcac ccgagattgc ttgctcggcc 780
tgcgatctgg tcaacgtgga cctagatgac tgtgtttctg agcaataaat gacttaaacc 840
aggtatggct gccgatggtt atcttccaga ttggctcgag gacaacctct ctgagggcat 900
tcgcgagtgg tgggacttga aacctggagc cccgaaaccc aaagccaacc agcaaaagca 960
ggacgacggc cggggtctgg tgcttcctgg ctacaagtac ctcggaccct tcaacggact 1020
cgacaagggg gagcccgtca acgcggcgga cgcagcggcc ctcgagcacg acaaggccta 1080
cgaccagcag ctcaaagcgg gtgacaatcc gtacctgcgg tataaccacg ccgacgccga 1140
gtttcaggag cgtctgcaag aagatacgtc ttttgggggc aacctcgggc gagcagtctt 1200
ccaggccaag aagcgggttc tcgaacctct cggtctggtt gaggaaggcg ctaagacggc 1260
tcctggaaag aagagaccgg tagagccatc accccagcgt tctccagact cctctacggg 1320
catcggcaag aaaggccagc agcccgcgaa aaagagactc aactttgggc agactggcga 1380
ctcagagtca gtgcccgacc ctcaaccaat cggagaaccc cccgcaggcc cctctggtct 1440
gggatctggt acaatggctg caggcggtgg cgctccaatg gcagacaata acgaaggcgc 1500
cgacggagtg ggtagttcct caggaaattg gcattgcgat tccacatggc tgggcgacag 1560
agtcatcacc accagcaccc gaacctgggc cctccccacc tacaacaacc acctctacaa 1620
gcaaatctcc aacgggactt cgggaggaag caccaacgac aacacctact tcggctacag 1680
cacccccctgg gggtattttg actttaacag attccactgc cacttctcac cacgtgactg 1740
gcagcgactc atcaacaaca actggggatt ccggcccaag agactcaact tcaagctctt 1800
caacatccag gtcaaggagg tcacgcagaa tgaaggcacc aagaccatcg ccaataacct 1860
taccagcacg attcaggtct ttacggactc ggaataccag ctcccgtacg tcctcggctc 1920
tgcgcaccag ggctgcctgc ctccgttccc ggcggacgtc ttcatgattc ctcagtacgg 1980

gtacctgact ctgaacaatg gcagtcaggc cgtgggccgt tcctccttct actgcctgga 2040
gtactttcct tctcaaatgc tgagaacggg caacaacttt gagttcagct accagtttga 2100
ggacgtgcct tttcacagca gctacgcgca cagccaaagc ctggaccggc tgatgaaccc 2160
cctcatcgac cagtacctgt actacctgtc tcggactcag tccacgggag gtaccgcagg 2220
aactcagcag ttgctatttt ctcaggccgg gcctaataac atgtcggctc aggccaaaaa 2280
ctggctaccc gggccctgct accggcagca acgcgtctcc acgacactgt cgcaaaataa 2340
caacagcaac tttgcctgga ccggtgccac caagtatcat ctgaatggca gagactctct 2400
ggtaaatccc ggtgtcgcta tggcaaccca caaggacgac gaagagcgat tttttccgtc 2460
cagcggagtc ttaatgtttg ggaaacaggg agctggaaaa gacaacgtgg actatagcag 2520
cgttatgcta accagtgagg aagaaattaa aaccaccaac ccagtggcca cagaacagta 2580
cggcgtggtg gccgataacc tgcaacagca aaacgccgct cctattgtag gggccgtcaa 2640
cagtcaagga gccttacctg gcatggtctg gcagaaccgg gacgtgtacc tgcagggtcc 2700
tatctgggcc aagattcctc acacggacgg aaactttcat ccctcgccgc tgatgggagg 2760
ctttggactg aaacacccgc ctcctcagat cctgattaag aatacacctg ttcccgcgga 2820
tcctccaact accttcagtc aagctaagct ggcgtcgttc atcacgcagt acagcaccgg 2880
acaggtcagc gtggaaattg aatgggagct gcagaaagaa aacagcaaac gctggaaccc 2940
agagattcaa tacacttcca actactacaa atctacaaat gtggactttg ctgttaacac 3000
agatggcact tattctgagc ctcgccccat cggcacccgt tacctcaccc gtaatctgta 3060
attgcttgtt aatcaataaa ccggttgatt cgtttcagtt gaactttggt ctctgcgaag 3120
ggcgaattc 3129

<210> 60
<211> 733
<212> PRT
<213> capsid protein of AAV serotype, clone C1VP1

<400> 60

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60
```

```
Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145                 150                 155                 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
                165                 170                 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
            180                 185                 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
        195                 200                 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
    210                 215                 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225                 230                 235                 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
                245                 250                 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
            260                 265                 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
        275                 280                 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
    290                 295                 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305                 310                 315                 320
```

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
340 345 350

Leu Ser Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Met Ala Tyr Asn Phe Gly Lys Val Pro Phe His Ser Met
405 410 415

Tyr Ala Tyr Ser Gln Ser Pro Asp Arg Leu Met Asn Pro Leu Leu Asp
420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
465 470 475 480

Arg Leu Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
675 680 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730

<210> 61
<211> 733
<212> PRT
<213> capsid protein of AAV serotype, clone C2VP1

<400> 61

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Leu
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe His Gly Leu Asp Lys Gly Glu Pro
    50   55   60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65   70   75   80

```
Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145                 150                 155                 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
                165                 170                 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
            180                 185                 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
        195                 200                 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
    210                 215                 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225                 230                 235                 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
                245                 250                 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
            260                 265                 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
        275                 280                 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
    290                 295                 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305                 310                 315                 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
                325                 330                 335
```

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Met Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Leu Asp
420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
545 550 555 560

Gly Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
610 615 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Ala
645 650 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
675 680 685

Ser Lys Arg Arg Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly Asn
690 695 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705 710 715 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
725 730

<210> 62
<211> 733
<212> PRT
<213> capsid protein of AAV serotype, clone C5VP1@2

<400> 62

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Glu Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Leu Glu Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Arg Leu Asn Phe Glu Glu Asp Thr
165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Asp Thr Ser Ala Met Ser
180 185 190

Ser Asp Ile Glu Met Arg Ala Ala Pro Gly Gly Asn Ala Val Asp Ala
195 200 205

Gly Gln Gly Ser Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

Asp Ser Thr Trp Ser Glu Gly Lys Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Leu Arg Leu Gly Thr
245 250 255

Thr Ser Asn Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Leu Arg Pro Lys Ala Met Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

Cys Gly Ile Val Thr Gly Glu Asn Gln Asn Gln Thr Asp Arg Asn Ala
370 375 380

Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Thr Ala Tyr Asn Phe Glu Lys Val Pro Phe His Ser Met
405 410 415

Tyr Ala His Ser Gln Ser Leu Asp Gly Leu Met Asn Pro Leu Leu Asp
420 425 430

Gln Tyr Leu Trp His Leu Gln Ser Thr Thr Ser Gly Glu Thr Leu Asn
435 440 445

Gln Gly Asn Ala Ala Thr Thr Phe Gly Lys Ile Arg Ser Gly Asp Phe
450 455 460

Ala Phe Tyr Arg Lys Asn Trp Leu Pro Gly Pro Cys Val Lys Gln Gln
465 470 475 480

Arg Phe Ser Lys Thr Ala Ser Gln Asn Tyr Lys Ile Pro Ala Ser Gly
485 490 495

Gly Asn Ala Leu Leu Lys Tyr Asp Thr His Tyr Thr Leu Asn Asn Arg
500 505 510

Trp Ser Asn Ile Ala Pro Gly Pro Pro Met Ala Thr Ala Gly Pro Ser
515 520 525

Asp Gly Asp Phe Ser Asn Ala Gln Leu Ile Phe Pro Gly Pro Ser Val
530 535 540

Thr Gly Asn Thr Thr Thr Ser Ala Asn Asn Leu Leu Phe Thr Ser Glu
545 550 555 560

Glu Glu Ile Ala Ala Thr Asn Pro Arg Asp Thr Asp Met Phe Gly Gln
565 570 575

Ile Ala Asp Asn Asn Gln Asn Ala Thr Thr Ala Pro Ile Thr Gly Asn
580 585 590

Val Thr Ala Met Gly Val Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

```
Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Ala Asp Gly
    610                 615                 620

His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His Pro
625                 630                 635                 640

Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Tyr Pro Ala
                645                 650                 655

Thr Thr Phe Thr Ala Ala Arg Val Asp Ser Phe Ile Thr Gln Tyr Ser
            660                 665                 670

Thr Gly Gln Val Ala Val Gln Ile Glu Trp Glu Ile Glu Lys Glu Arg
        675                 680                 685

Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Cys Gly Asn
    690                 695                 700

Gln Ser Ser Met Leu Trp Ala Pro Asp Thr Thr Gly Lys Tyr Thr Glu
705                 710                 715                 720

Pro Arg Val Ile Gly Ser Arg Tyr Leu Thr Asn His Leu
                725                 730
```

<210> 63
<211> 734
<212> PRT
<213> capsid protein of AAV serotype, clone AAV4VP1

<400> 63

```
Met Thr Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser Glu
1               5                   10                  15

Gly Val Arg Glu Trp Trp Ala Leu Gln Pro Gly Ala Pro Lys Pro Lys
            20                  25                  30

Ala Asn Gln Gln His Gln Asp Asn Ala Arg Gly Leu Val Leu Pro Gly
        35                  40                  45

Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro Val
    50                  55                  60

Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp Gln
65                  70                  75                  80

Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
                85                  90                  95

Ala Glu Phe Gln Gln Arg Leu Gln Gly Asp Thr Ser Phe Gly Gly Asn
            100                 105                 110
```

Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Leu
115 120 125

Gly Leu Val Glu Gln Ala Gly Glu Thr Ala Pro Gly Lys Lys Arg Pro
130 135 140

Leu Ile Glu Ser Pro Gln Gln Pro Asp Ser Ser Thr Gly Ile Gly Lys
145 150 155 160

Lys Gly Lys Gln Pro Ala Lys Lys Lys Leu Val Phe Glu Asp Glu Thr
165 170 175

Gly Ala Gly Asp Gly Pro Pro Glu Gly Ser Thr Ser Gly Ala Met Ser
180 185 190

Asp Asp Ser Glu Met Arg Ala Ala Ala Gly Gly Ala Ala Val Glu Gly
195 200 205

Gly Gln Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys
210 215 220

Asp Ser Thr Trp Ser Glu Gly His Val Thr Thr Thr Ser Thr Arg Thr
225 230 235 240

Trp Val Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Arg Leu Gly Glu
245 250 255

Ser Leu Gln Ser Asn Thr Tyr Asn Gly Phe Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Asn Trp Gly Met Arg Pro Lys Ala Met Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Thr Ser Asn Gly Glu
305 310 315 320

Thr Thr Val Ala Asn Asn Leu Thr Ser Thr Val Gln Ile Phe Ala Asp
325 330 335

Ser Ser Tyr Glu Leu Pro Tyr Val Met Asp Ala Gly Gln Glu Gly Ser
340 345 350

Leu Pro Pro Phe Pro Asn Asp Val Phe Met Val Pro Gln Tyr Gly Tyr
355 360 365

Cys Gly Leu Val Thr Gly Asn Thr Ser Gln Gln Gln Thr Asp Arg Asn
370 375 380

Ala Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg Thr Gly
385 390 395 400

Asn Asn Phe Glu Ile Thr Tyr Ser Phe Glu Lys Val Pro Phe His Ser
405 410 415

Met Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro Leu Ile
420 425 430

Asp Gln Tyr Leu Trp Gly Leu Gln Ser Thr Thr Thr Gly Thr Thr Leu
435 440 445

Asn Ala Gly Thr Ala Thr Thr Asn Phe Thr Lys Leu Arg Pro Thr Asn
450 455 460

Phe Ser Asn Phe Lys Lys Asn Trp Leu Pro Gly Pro Ser Ile Lys Gln
465 470 475 480

Gln Gly Phe Ser Lys Thr Ala Asn Gln Asn Tyr Lys Ile Pro Ala Thr
485 490 495

Gly Ser Asp Ser Leu Ile Lys Tyr Glu Thr His Ser Thr Leu Asp Gly
500 505 510

Arg Trp Ser Ala Leu Thr Pro Gly Pro Pro Met Ala Thr Ala Gly Pro
515 520 525

Ala Asp Ser Lys Phe Ser Asn Ser Gln Leu Ile Phe Ala Gly Pro Lys
530 535 540

Gln Asn Gly Asn Thr Ala Thr Val Pro Gly Thr Leu Ile Phe Thr Ser
545 550 555 560

Glu Glu Glu Leu Ala Ala Thr Asn Ala Thr Asp Thr Asp Met Trp Gly
565 570 575

Asn Leu Pro Gly Gly Asp Gln Ser Asn Ser Asn Leu Pro Thr Val Asp
580 585 590

Arg Leu Thr Ala Leu Gly Ala Val Pro Gly Met Val Trp Gln Asn Arg
595 600 605

Asp Ile Tyr Tyr Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp
610 615 620

Gly His Phe His Pro Ser Pro Leu Ile Gly Gly Phe Gly Leu Lys His
625 630 635 640

Pro Pro Pro Gln Ile Phe Ile Lys Asn Thr Pro Val Pro Ala Asn Pro
645 650 655

Ala Thr Thr Phe Ser Ser Thr Pro Val Asn Ser Phe Ile Thr Gln Tyr
660 665 670

Ser Thr Gly Gln Val Ser Val Gln Ile Asp Trp Glu Ile Gln Lys Glu
675 680 685

Arg Ser Lys Arg Trp Asn Pro Glu Val Gln Phe Thr Ser Asn Tyr Gly
690 695 700

Gln Gln Asn Ser Leu Leu Trp Ala Pro Asp Ala Ala Gly Lys Tyr Thr
705 710 715 720

Glu Pro Arg Ala Ile Gly Thr Arg Tyr Leu Thr His His Leu
725 730

<210> 64
<211> 736
<212> PRT
<213> capsid protein of AAV serotype, clone AAV1

<400> 64

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
340 345 350

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
355 360 365

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
370 375 380

```
Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
385                 390                 395                 400

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
                405                 410                 415

Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
            420                 425                 430

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
        435                 440                 445

Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
    450                 455                 460

Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
465                 470                 475                 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
                485                 490                 495

Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
            500                 505                 510

Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
        515                 520                 525

Asp Asp Glu Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
    530                 535                 540

Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
545                 550                 555                 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
                565                 570                 575

Phe Gly Thr Val Ala Val Asn Phe Gln Ser Ser Ser Thr Asp Pro Ala
            580                 585                 590

Thr Gly Asp Val His Ala Met Gly Ala Leu Pro Gly Met Val Trp Gln
        595                 600                 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
    610                 615                 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625                 630                 635                 640
```

Lys Asn Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
725 730 735

<210> 65
<211> 736
<212> PRT
<213> capsid protein of AAV serotype, clone AAV6VP1

<400> 65

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Phe Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140
```

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Thr Pro Ala Ala Val Gly Pro Thr Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Ala Ser Thr Gly Ala Ser Asn Asp Asn His
260 265 270

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
275 280 285

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
290 295 300

Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln
305 310 315 320

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
325 330 335

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
340 345 350

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
355 360 365

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
370 375 380

Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
385 390 395 400

```
Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
                405                 410                 415

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
            420                 425                 430

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg
        435                 440                 445

Thr Gln Asn Gln Ser Gly Ser Ala Gln Asn Lys Asp Leu Leu Phe Ser
    450                 455                 460

Arg Gly Ser Pro Ala Gly Met Ser Val Gln Pro Lys Asn Trp Leu Pro
465                 470                 475                 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Lys Thr Asp Asn
                485                 490                 495

Asn Asn Ser Asn Phe Thr Trp Thr Gly Ala Ser Lys Tyr Asn Leu Asn
            500                 505                 510

Gly Arg Glu Ser Ile Ile Asn Pro Gly Thr Ala Met Ala Ser His Lys
        515                 520                 525

Asp Asp Lys Asp Lys Phe Phe Pro Met Ser Gly Val Met Ile Phe Gly
    530                 535                 540

Lys Glu Ser Ala Gly Ala Ser Asn Thr Ala Leu Asp Asn Val Met Ile
545                 550                 555                 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Arg
                565                 570                 575

Phe Gly Thr Val Ala Val Asn Leu Gln Ser Ser Ser Thr Asp Pro Ala
            580                 585                 590

Thr Gly Asp Val His Val Met Gly Ala Leu Pro Gly Met Val Trp Gln
        595                 600                 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
    610                 615                 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625                 630                 635                 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
                645                 650                 655
```

Asn Pro Pro Ala Glu Phe Ser Ala Thr Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Val Gln Tyr Thr Ser Asn
690 695 700

Tyr Ala Lys Ser Ala Asn Val Asp Phe Thr Val Asp Asn Asn Gly Leu
705 710 715 720

Tyr Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Pro Leu
725 730 735

<210> 66
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone A3.3

<400> 66

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
            20                  25                  30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140
```

```
Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145                 150                 155                 160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
                165                 170                 175

Gly Asp Thr Glu Ser Val Pro Gly Pro Gln Pro Ile Gly Glu Pro Pro
            180                 185                 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
        195                 200                 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
    210                 215                 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225                 230                 235                 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
                245                 250                 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
            260                 265                 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
        275                 280                 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
    290                 295                 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305                 310                 315                 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
                325                 330                 335

Thr Ser Ala Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
            340                 345                 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
        355                 360                 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
    370                 375                 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385                 390                 395                 400
```

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Val Ala Ser His Lys Asp
515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr
580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

```
Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
            660                 665                 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
        675                 680                 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
    690                 695                 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705                 710                 715                 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
                725                 730                 735
```

<210> 67
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone A3.7

<400> 67

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
            20                  25                  30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145                 150                 155                 160
```

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn Arg Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asn Thr Thr Ala Ser Tyr
580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 68
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone A3.4

<400> 68

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Glu Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asp Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Ser Gln
450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Leu Asn Gly
500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
565 570 575

Gly Gln Val Ala Thr Asn His Gln Ser Gln Asp Thr Thr Ala Ser Tyr
580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 69
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone A3.5

<400> 69

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
            20                  25                  30

Lys Pro Asn Gln Gln His Arg Asp Asp Ser Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

His Gln Leu Lys Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Ala Val Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Ile Glu Gln Ser Pro Ala Glu Pro Asp Ser Ser Ser Gly Ile Gly
145                 150                 155                 160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
                165                 170                 175

Gly Asp Thr Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
            180                 185                 190
```

Ala Ala Pro Ser Gly Val Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Glu Ser Gly Ala Thr Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Lys Thr
435 440 445

Gln Gly Thr Ser Gly Thr Thr Gln Gln Ser Arg Leu Gln Phe Asn Gln
450 455 460

Ala Gly Pro Ser Ser Met Ala Gln Gln Ala Lys Asn Trp Leu Pro Gly
465 470 475 480

Pro Ser Tyr Arg Gln Gln Arg Met Ser Lys Thr Ala Asn Asp Asn Asn
485 490 495

Asn Ser Glu Phe Ala Trp Thr Ala Ala Thr Lys Tyr Tyr Pro Asn Gly
500 505 510

Arg Asn Ser Leu Val Asn Pro Gly Pro Pro Met Ala Ser His Lys Asp
515 520 525

Asp Glu Glu Lys Tyr Phe Pro Met His Gly Asn Leu Ile Phe Gly Lys
530 535 540

Gln Gly Thr Gly Thr Thr Asn Val Asp Ile Glu Ser Val Leu Ile Thr
545 550 555 560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
565 570 575

Gly Gln Val Ala Thr Asn Arg Gln Ser Gln Asn Thr Thr Ala Ser Tyr
580 585 590

Gly Ser Val Asp Ser Gln Gly Ile Leu Pro Gly Met Val Trp Gln Asp
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Thr Pro His Thr
610 615 620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Ala Thr Thr Phe Thr Pro Gly Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Asn Lys Ser Val Asn Val Glu Phe Thr Val Asp Ala Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 70
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone AAV2

<400> 70

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Thr Leu Ser
1 5 10 15

Glu Gly Ile Arg Gln Trp Trp Lys Leu Lys Pro Gly Pro Pro Pro Pro
20 25 30

Lys Pro Ala Glu Arg His Lys Asp Asp Ser Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Arg Gln Leu Asp Ser Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Lys Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Pro Val Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu His Ser Pro Val Glu Pro Asp Ser Ser Ser Gly Thr Gly
145 150 155 160

Lys Ala Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ala Asp Ser Val Pro Asp Pro Gln Pro Leu Gly Gln Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Thr Asn Thr Met Ala Thr Gly Ser Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Met Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Lys Glu Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr
435 440 445

Asn Thr Pro Ser Gly Thr Thr Thr Gln Ser Arg Leu Gln Phe Ser Gln
    450   455   460

Ala Gly Ala Ser Asp Ile Arg Asp Gln Ser Arg Asn Trp Leu Pro Gly
465   470   475   480

Pro Cys Tyr Arg Gln Gln Arg Val Ser Lys Thr Ser Ala Asp Asn Asn
                485   490   495

Asn Ser Glu Tyr Ser Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly
            500   505   510

Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys Asp
        515   520   525

Asp Glu Glu Lys Phe Phe Pro Gln Ser Gly Val Leu Ile Phe Gly Lys
    530   535   540

Gln Gly Ser Glu Lys Thr Asn Val Asp Ile Glu Lys Val Met Ile Thr
545   550   555   560

Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr
                565   570   575

Gly Ser Val Ser Thr Asn Leu Gln Arg Gly Asn Arg Gln Ala Ala Thr
            580   585   590

Ala Asp Val Asn Thr Gln Gly Val Leu Pro Gly Met Val Trp Gln Asp
        595   600   605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
    610   615   620

Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625   630   635   640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
                645   650   655

Pro Ser Thr Thr Phe Ser Ala Ala Lys Phe Ala Ser Phe Ile Thr Gln
            660   665   670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
        675   680   685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
    690   695   700

Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val Tyr
705 710 715 720

Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 71
<211> 736
<212> PRT
<213> capsid protein of AAV serotype, clone AAV3

<400> 71

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Val Pro Gln Pro
20 25 30

Lys Ala Asn Gln Gln His Gln Asp Asn Arg Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Gly Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Ile Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Ala Ala Lys Thr Ala Pro Gly Lys Lys Gly
130 135 140

Ala Val Asp Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Val Gly
145 150 155 160

Lys Ser Gly Lys Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Thr Ser Leu Gly Ser Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Gln Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Ser Gln Ser Gly Ala Ser Asn Asp Asn His Tyr
260 265 270

Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His
275 280 285

Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp
290 295 300

Gly Phe Arg Pro Lys Lys Leu Ser Phe Lys Leu Phe Asn Ile Gln Val
305 310 315 320

Arg Gly Val Thr Gln Asn Asp Gly Thr Thr Thr Ile Ala Asn Asn Leu
325 330 335

Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr
340 345 350

Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp
355 360 365

Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser
370 375 380

Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser
385 390 395 400

Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr Phe Glu
405 410 415

Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg
420 425 430

Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Asn Arg Thr
435 440 445

Gln Gly Thr Thr Ser Gly Thr Thr Asn Gln Ser Arg Leu Leu Phe Ser
450 455 460

Gln Ala Gly Pro Gln Ser Met Ser Leu Gln Ala Arg Asn Trp Leu Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Thr Ala Asn Asp Asn
485 490 495

Asn Asn Ser Asn Phe Pro Trp Thr Ala Ala Ser Lys Tyr His Leu Asn
500 505 510

Gly Arg Asp Ser Leu Val Asn Pro Gly Pro Ala Met Ala Ser His Lys
515 520 525

Asp Asp Glu Glu Lys Phe Phe Pro Met His Gly Asn Leu Ile Phe Gly
530 535 540

Lys Glu Gly Thr Thr Ala Ser Asn Ala Glu Leu Asp Asn Val Met Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Arg Thr Thr Asn Pro Val Ala Thr Glu Gln
565 570 575

Tyr Gly Thr Val Ala Asn Asn Leu Gln Ser Ser Asn Thr Ala Pro Thr
580 585 590

Thr Gly Thr Val Asn His Gln Gly Ala Leu Pro Gly Met Val Trp Gln
595 600 605

Asp Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly His Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Met Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asn Pro Pro Thr Thr Phe Ser Pro Ala Lys Phe Ala Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Asn Lys Ser Val Asn Val Asp Phe Thr Val Asp Thr Asn Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 72
<211> 737
<212> PRT
<213> capsid protein of AAV serotype, clone 3.3bVP1

<400> 72

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asn Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Asn Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Ala Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Ser Val Gly Ser Gly Thr Val Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn
210 215 220

Ala Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Glu Gln Ile Ser Ser Glu Thr Ala Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala
435 440 445

Arg Thr Gln Ser Asp Pro Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln
450 455 460

```
Phe Tyr Gln Gly Gly Pro Ser Thr Met Ala Glu Gln Ala Lys Asn Trp
465                 470                 475                 480

Leu Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp
                485                 490                 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
            500                 505                 510

Leu Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
        515                 520                 525

His Lys Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile
    530                 535                 540

Phe Gly Lys Thr Gly Ala Thr Asn Lys Thr Thr Leu Glu Asn Val Leu
545                 550                 555                 560

Met Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu
                565                 570                 575

Glu Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Asn Thr Ala Ala
            580                 585                 590

Gln Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp
        595                 600                 605

Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro
    610                 615                 620

His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly
625                 630                 635                 640

Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro
                645                 650                 655

Ala Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile
            660                 665                 670

Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu
        675                 680                 685

Gln Lys Glu Asn Ser Lys Arg Trp Asp Pro Glu Ile Gln Tyr Thr Ser
    690                 695                 700

Asn Phe Glu Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly
705                 710                 715                 720
```

Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn
725 730 735

Leu

<210> 73
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223-4

<400> 73

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

Tyr Ser Glu Pro

<210> 74
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223.5

<400> 74

```
Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1               5                   10                  15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
            20                  25                  30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
        35                  40                  45
```

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Pro Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Arg Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Gly
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

Tyr Ser Glu Pro

<210> 75
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223.10

<220>
<221> MISC_FEATURE
<222> (434)..(434)
<223> can be any amino acid

<400> 75

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

```
Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
        115                 120                 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
    130                 135                 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145                 150                 155                 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
                165                 170                 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
            180                 185                 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
        195                 200                 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
    210                 215                 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225                 230                 235                 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
                245                 250                 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
            260                 265                 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
        275                 280                 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
    290                 295                 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305                 310                 315                 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
                325                 330                 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
            340                 345                 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
        355                 360                 365
```

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Xaa Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

Tyr Ser Glu Pro

<210> 76
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223.2

<400> 76

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Cys Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Val Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

```
His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
    210                 215                 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225                 230                 235                 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
                245                 250                 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
            260                 265                 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
        275                 280                 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
    290                 295                 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305                 310                 315                 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
                325                 330                 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
            340                 345                 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
        355                 360                 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
    370                 375                 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385                 390                 395                 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
                405                 410                 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
            420                 425                 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
        435                 440                 445

Lys Asp Asp Glu Glu Arg Phe Ser Pro Ser Ser Gly Val Leu Ile Phe
    450                 455                 460
```

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

Tyr Ser Glu Pro

<210> 77
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223.7

<400> 77

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Pro Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Ile Ala Ser Phe Ile Thr
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

Tyr Ser Glu Pro

<210> 78
<211> 644
<212> PRT
<213> capsid protein of AAV serotype, clone 223.6

<400> 78

Lys Ala Tyr Asp Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg
1 5 10 15

Tyr Asn His Ala Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr
20 25 30

Ser Phe Gly Gly Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg
35 40 45

Val Leu Glu Pro Leu Gly Leu Val Glu Thr Pro Ala Lys Thr Ala Pro
50 55 60

Gly Lys Lys Arg Pro Val Asp Ser Pro Asp Ser Thr Ser Gly Ile Gly
65 70 75 80

Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
85 90 95

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro
100 105 110

Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly
115 120 125

Ala Pro Met Ala Asp Asn Ser Glu Gly Ala Asp Gly Val Gly Asn Ala
130 135 140

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
145 150 155 160

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
165 170 175

Tyr Lys Gln Ile Ser Ser Gln Ser Ala Gly Ser Thr Asn Asp Asn Val
180 185 190

Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe
195 200 205

His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn
210 215 220

Trp Gly Phe Arg Pro Lys Lys Leu Asn Phe Lys Leu Phe Asn Ile Gln
225 230 235 240

Val Lys Glu Val Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn
245 250 255

Leu Thr Ser Thr Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro
260 265 270

Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala
275 280 285

Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly
290 295 300

Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro
305 310 315 320

Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Thr Phe Ser Tyr Thr Phe
325 330 335

Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp
340 345 350

Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg
355 360 365

Thr Gln Ser Asn Ala Gly Gly Thr Ala Gly Asn Arg Glu Leu Gln Phe
370 375 380

Tyr Gln Gly Gly Pro Thr Thr Met Ala Glu Gln Ala Lys Asn Trp Leu
385 390 395 400

Pro Gly Pro Cys Phe Arg Gln Gln Arg Val Ser Lys Thr Leu Asp Gln
405 410 415

Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu
420 425 430

Asn Gly Arg Asn Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His
435 440 445

Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe
450 455 460

Gly Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met
465 470 475 480

Thr Asn Glu Glu Glu Ile Arg Pro Thr Asn Pro Val Ala Thr Glu Glu
485 490 495

Tyr Gly Ile Val Ser Ser Asn Leu Gln Ala Ala Ser Thr Ala Ala Gln
500 505 510

Thr Gln Val Val Asn Asn Gln Gly Ala Leu Pro Gly Met Val Trp Gln
515 520 525

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
530 535 540

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
545 550 555 560

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
565 570 575

Asn Pro Pro Glu Val Phe Thr Pro Ala Lys Leu Ala Ser Phe Ile Thr
580 585 590

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
595 600 605

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
610 615 620

Phe Asp Lys Gln Thr Gly Val Asp Phe Ala Val Asp Ser Gln Gly Val
625 630 635 640

Tyr Ser Glu Pro

<210> 79
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 44.1

<400> 79

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 80
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 44.5

<400> 80

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145                 150                 155                 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
                165                 170                 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
            180                 185                 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
        195                 200                 205
```

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Pro Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 81
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 44.2

<400> 81

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 82
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 29.3VP1

<400> 82

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Thr Thr Gly Ile
145                 150                 155                 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
                165                 170                 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
            180                 185                 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
        195                 200                 205
```

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala Arg Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

```
Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465                 470                 475                 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
                485                 490                 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
            500                 505                 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
        515                 520                 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
    530                 535                 540

Phe Gly Lys Gln Gly Ala Gly Lys Gly Asn Val Asp Tyr Ser Ser Val
545                 550                 555                 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
                565                 570                 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
            580                 585                 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
        595                 600                 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
    610                 615                 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625                 630                 635                 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
                645                 650                 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
            660                 665                 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
        675                 680                 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
    690                 695                 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705                 710                 715                 720
```

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 83
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 29.5VP1

<400> 83

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Gly Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Ser Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asp Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Asp
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 84
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 42.15

<400> 84

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Pro Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Arg Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 85
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 42.8

<400> 85

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 86
<211> 733
<212> PRT
<213> amino acid of AAV serotype, clone 42.13

<400> 86

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50   55   60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65   70   75   80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85   90   95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100   105   110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115   120   125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130   135   140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145   150   155   160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
                165   170   175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
260 265 270

Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
275 280 285

Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe
290 295 300

Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
305 310 315 320

Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
325 330 335

Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
340 345 350

Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
355 360 365

Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
370 375 380

Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
385 390 395 400

Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
405 410 415

Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
420 425 430

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
435 440 445

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
450 455 460

Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser
485 490 495

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
500 505 510

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu
515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
530 535 540

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
580 585 590

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
675 680 685

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Ser Leu
725 730

<210> 87
<211> 733
<212> PRT
<213> capsid protein of AAV serotype, clone 42.3A

<400> 87

```
Met Ala Ala Asp Gly His Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145                 150                 155                 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
                165                 170                 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
            180                 185                 190
```

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
260 265 270

Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
275 280 285

Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Ser Trp Gly Phe
290 295 300

Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
305 310 315 320

Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
325 330 335

Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
340 345 350

Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
355 360 365

Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
370 375 380

Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
385 390 395 400

Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
405 410 415

Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
420 425 430

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
435 440 445

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
450 455 460

Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser
485 490 495

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
500 505 ·510

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu
515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
530 535 540

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
580 585 590

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
675 680 685

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

<210> 88
<211> 731
<212> PRT
<213> capsid protein of AAV serotype, clone 42.4

<400> 88

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Ser Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Thr Asp Ser Glu Tyr Arg Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly
435 440 445

Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn
450 455 460

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg
465 470 475 480

Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe
485 490 495

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu
500 505 510

Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg
515 520 525

Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly
530 535 540

Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu
545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala
565 570 575

Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn
580 585 590

Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr
595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe
610 615 620

His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro
625 630 635 640

Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr
645 650 655

Phe Ser Gln Ala Lys Pro Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly
660 665 670

Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys
675 680 685

Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr
690 695 700

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg
705 710 715 720

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

<210> 89
<211> 731
<212> PRT
<213> capsid protein of AAV serotype, clone 42.5A

<400> 89

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Arg Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145                 150                 155                 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
                165                 170                 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
            180                 185                 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
        195                 200                 205
```

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Arg Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser Thr Gly
435 440 445

Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly Pro Asn
450 455 460

Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg
465 470 475 480

Gln Gln Arg Val Ser Thr Thr Leu Ser Gln Asn Asn Asn Ser Asn Phe
485 490 495

Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp Ser Leu
500 505 510

Val Asn Pro Gly Val Ala Met Ala Thr His Lys Asp Asp Glu Glu Arg
515 520 525

Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly Ala Gly
530 535 540

Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu Glu Glu
545 550 555 560

Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ala
565 570 575

Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala Val Asn
580 585 590

Ser Gln Gly Ala Leu Pro Gly Met Ala Trp Gln Asn Arg Asp Val Tyr
595 600 605

Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe
610 615 620

His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro
625 630 635 640

Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro Thr Thr
645 650 655

Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly
660 665 670

Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys
675 680 685

Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys Ser Thr
690 695 700

Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu Pro Arg
705 710 715 720

Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

<210> 90
<211> 733
<212> PRT
<213> capsid protein of AAV serotype, clone 42.1B

<400> 90

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Arg Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser Ser Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn Thr Tyr Phe Gly
260 265 270

Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His
275 280 285

Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe
290 295 300

Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile Gln Val Lys Glu
305 310 315 320

Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala Asn Asn Leu Thr Ser
325 330 335

Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu
340 345 350

Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe
355 360 365

Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ala
370 375 380

Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met
385 390 395 400

Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Gln Phe Glu Asp Val
405 410 415

Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met
420 425 430

Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ser Arg Thr Gln Ser
435 440 445

Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu Phe Ser Gln Ala Gly
450 455 460

Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp Leu Pro Gly Pro Cys
465 470 475 480

Tyr Arg Gln Gln Arg Val Ser Thr Thr Val Ser Gln Asn Asn Asn Ser
485 490 495

Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asp
500 505 510

Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr His Lys Gly Asp Glu
515 520 525

Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met Phe Gly Lys Gln Gly
530 535 540

Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val Met Leu Thr Ser Glu
545 550 555 560

Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val
565 570 575

Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala Pro Ile Val Gly Ala
580 585 590

Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp
595 600 605

Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly
610 615 620

Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro
625 630 635 640

Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asp Pro Pro
645 650 655

Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe Ile Thr Gln Tyr Ser
660 665 670

Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn
675 680 685

Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Tyr Lys
690 695 700

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
705 710 715 720

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730

<210> 91

<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 42.5B

<400> 91

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50   55   60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65   70   75   80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
                85   90   95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100   105   110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115   120   125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130   135   140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145   150   155   160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
                165   170   175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
            180   185   190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
        195   200   205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
    210   215   220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225   230   235   240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
                245   250   255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Ala Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Asn Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Gln Asn Ala Ala
580 585 590

Pro Ile Val Gly Ala Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 92
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 43.1

<400> 92

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50   55   60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65   70   75   80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85   90   95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100   105   110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115   120   125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130   135   140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145   150   155   160

Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
                165   170   175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
            180   185   190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
        195   200   205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
    210   215   220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225   230   235   240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
                245   250   255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Pro Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 93
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 43.12

<400> 93

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
450 455 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 94
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone 43.5

<400> 94

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly His Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

```
Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
            260                 265                 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
        275                 280                 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
    290                 295                 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305                 310                 315                 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
                325                 330                 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
            340                 345                 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
        355                 360                 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
    370                 375                 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385                 390                 395                 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
                405                 410                 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
            420                 425                 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
        435                 440                 445

Ser Arg Thr Gln Ser Thr Gly Gly Thr Gln Gly Thr Gln Gln Leu Leu
    450                 455                 460

Phe Ser Gln Ala Gly Pro Ala Asn Met Ser Ala Gln Ala Lys Asn Trp
465                 470                 475                 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Leu Ser
                485                 490                 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His
            500                 505                 510
```

Leu Asn Gly Arg Asp Ser Leu Val Asn Pro Gly Val Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Ser Gly Val Leu Met
530 535 540

Phe Gly Lys Gln Gly Ala Gly Lys Asp Asn Val Asp Tyr Ser Ser Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Gln Tyr Gly Val Val Ala Asp Asn Leu Gln Gln Thr Asn Gly Ala
580 585 590

Pro Ile Val Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Val Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Ser Gln Ala Lys Leu Ala Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Thr Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 95
<211> 738
<212> PRT
<213> capsid protein of AAV serotype, clone AAV8

<400> 95

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Ala Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Gln Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Lys Gly Gln Gln Pro Ala Arg Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro
180 185 190

Pro Ala Ala Pro Ser Gly Val Gly Pro Asn Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ala Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Ser Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Thr Tyr
405 410 415

Thr Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ser Arg Thr Gln Thr Thr Gly Gly Thr Ala Asn Thr Gln Thr Leu Gly
450 455 460

Phe Ser Gln Gly Gly Pro Asn Thr Met Ala Asn Gln Ala Lys Asn Trp
465 470 475 480

Leu Pro Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Gly
485 490 495

Gln Asn Asn Asn Ser Asn Phe Ala Trp Thr Ala Gly Thr Lys Tyr His
500 505 510

Leu Asn Gly Arg Asn Ser Leu Ala Asn Pro Gly Ile Ala Met Ala Thr
515 520 525

His Lys Asp Asp Glu Glu Arg Phe Phe Pro Ser Asn Gly Ile Leu Ile
530 535 540

Phe Gly Lys Gln Asn Ala Ala Arg Asp Asn Ala Asp Tyr Ser Asp Val
545 550 555 560

Met Leu Thr Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr
565 570 575

Glu Glu Tyr Gly Ile Val Ala Asp Asn Leu Gln Gln Gln Asn Thr Ala
580 585 590

Pro Gln Ile Gly Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val
595 600 605

Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile
610 615 620

Pro His Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe
625 630 635 640

Gly Leu Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val
645 650 655

Pro Ala Asp Pro Pro Thr Thr Phe Asn Gln Ser Lys Leu Asn Ser Phe
660 665 670

Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu
675 680 685

Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr
690 695 700

Ser Asn Tyr Tyr Lys Ser Thr Ser Val Asp Phe Ala Val Asn Thr Glu
705 710 715 720

Gly Val Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg
725 730 735

Asn Leu

<210> 96
<211> 736

<212> PRT
<213> capsid protein of AAV serotype, clone 43.21

<400> 96

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145                 150                 155                 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
                165                 170                 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
            180                 185                 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
        195                 200                 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
    210                 215                 220
```

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Val Arg Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Ser
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 97
<211> 736

<212> PRT
<213> capsid protein of AAV serotype, clone 43.25

<400> 97

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145                 150                 155                 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
                165                 170                 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
            180                 185                 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
        195                 200                 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
    210                 215                 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225                 230                 235                 240
```

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 98
<211> 736
<212> PRT
<213> capsid protein of AAV serotype, clone 43.23

<400> 98

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145                 150                 155                 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
                165                 170                 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
            180                 185                 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
        195                 200                 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
    210                 215                 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225                 230                 235                 240
```

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Leu Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Pro Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 99
<211> 736
<212> PRT
<213> capsid protein of AAV serotype, clone 43.20

<400> 99

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Leu Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145 150 155 160

Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
165 170 175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
180 185 190

Ala Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
195 200 205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
210 215 220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225 230 235 240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
245 250 255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Thr Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

Asp Asp Asp Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 100
<211> 736
<212> PRT
<213> capsid protein of AAV serotype, clone AAV9

400> 100

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50   55   60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65   70   75   80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85   90   95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100   105   110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115   120   125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130   135   140

Pro Val Glu Gln Ser Pro Gln Glu Pro Asp Ser Ser Ser Gly Ile Gly
145   150   155   160

Lys Ser Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln Thr
                165   170   175

Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro
            180   185   190

Glu Ala Pro Ser Gly Leu Gly Pro Asn Thr Met Ala Ser Gly Gly Gly
        195   200   205

Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ser
    210   215   220

Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile
225   230   235   240

Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu
                245   250   255

Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp Asn
260 265 270

Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg
275 280 285

Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn
290 295 300

Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn Ile
305 310 315 320

Gln Val Lys Glu Val Thr Thr Asn Glu Gly Thr Lys Thr Ile Ala Asn
325 330 335

Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp Ser Glu Tyr Gln Leu
340 345 350

Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro
355 360 365

Ala Asp Val Phe Met Val Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn
370 375 380

Gly Ser Gln Ala Leu Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe
385 390 395 400

Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Gln Phe Ser Tyr Thr
405 410 415

Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu
420 425 430

Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Val
435 440 445

Arg Thr Gln Thr Thr Gly Thr Gly Gly Thr Gln Thr Leu Ala Phe Ser
450 455 460

Gln Ala Gly Pro Ser Ser Met Ala Asn Gln Ala Arg Asn Trp Val Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Val Ser Thr Thr Thr Asn Gln Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Ala Lys Phe Lys Leu Asn
500 505 510

Gly Arg Asp Ser Leu Met Asn Pro Gly Val Ala Met Ala Ser His Lys
515 520 525

Asp Asp Glu Asp Arg Phe Phe Pro Ser Ser Gly Val Leu Ile Phe Gly
530 535 540

Lys Gln Gly Ala Gly Asn Asp Gly Val Asp Tyr Ser Gln Val Leu Ile
545 550 555 560

Thr Asp Glu Glu Glu Ile Lys Ala Thr Asn Pro Val Ala Thr Glu Glu
565 570 575

Tyr Gly Ala Val Ala Ile Asn Asn Gln Ala Ala Asn Thr Gln Ala Gln
580 585 590

Thr Gly Leu Val His Asn Gln Gly Val Ile Pro Gly Met Val Trp Gln
595 600 605

Asn Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His
610 615 620

Thr Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu
625 630 635 640

Lys His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala
645 650 655

Asp Pro Pro Leu Thr Phe Asn Gln Ala Lys Leu Asn Ser Phe Ile Thr
660 665 670

Gln Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln
675 680 685

Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn
690 695 700

Tyr Tyr Lys Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Val
705 710 715 720

Tyr Ser Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 101
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 24.1

<400> 101

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Arg Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Val Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Ser Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Val His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Cys Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 102
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 42.2REAL

<400> 102

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

```
Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
        275                 280                 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
    290                 295                 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305                 310                 315                 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
                325                 330                 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
            340                 345                 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
        355                 360                 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
    370                 375                 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385                 390                 395                 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
                405                 410                 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
            420                 425                 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
        435                 440                 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
    450                 455                 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465                 470                 475                 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
                485                 490                 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
            500                 505                 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
        515                 520                 525
```

Pro Ile Asn Gly Val Leu Val Phe Gly Glu Thr Gly Ala Ala Asn Lys
    530   535   540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545   550   555   560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
                565   570   575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
            580   585   590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
        595   600   605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
    610   615   620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625   630   635   640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
                645   650   655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
            660   665   670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
        675   680   685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
    690   695   700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705   710   715   720

Thr Arg Tyr Leu Thr Arg Asn Leu
                725

<210> 103
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 7.2VP1

<400> 103

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Gly Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Arg Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Asn Gly Gln
145 150 155 160

Pro Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asp Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 104
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 27.3VP1

<400> 104

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Ser Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

```
Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
    290                 295                 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305                 310                 315                 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
                325                 330                 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
            340                 345                 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
        355                 360                 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
    370                 375                 380

Arg Ser Ser Phe Cys Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385                 390                 395                 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
                405                 410                 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
            420                 425                 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
        435                 440                 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Val
    450                 455                 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465                 470                 475                 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
                485                 490                 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
            500                 505                 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Leu
        515                 520                 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
    530                 535                 540
```

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Arg Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Glu Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 105
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 16.3VP1

<400> 105

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Met Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Gly Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Gly Val Phe Thr Pro
645 650 655

Ala Leu Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 106
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 42.10

<400> 106

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Arg Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 107
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 42.3B

<400> 107

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60
```

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln Gln
465 470 475 480

Arg Leu Ser Lys Asn Ile Asp Ser Asn Asn Thr Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Gln Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 108
<211> 728
<212> PRT
<213> capsid protein of AAV serotype, clone 42.11

<400> 108

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Glu Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro Pro Ala Gly Pro Ser
180 185 190

Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Gln Ser Gly Ala Thr Asn Asp Asn His Phe Phe Gly Tyr Ser
260 265 270

Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe Ser
275 280 285

Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg Pro
290 295 300

Arg Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val Thr
305 310 315 320

Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Ile
325 330 335

Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly Ser
340 345 350

Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met Ile
355 360 365

Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val Gly
370 375 380

Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu Arg
385 390 395 400

Thr Gly Asn Asn Phe Glu Phe Ser Tyr Thr Phe Glu Glu Val Pro Phe
405 410 415

His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn Pro
420 425 430

Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr Thr
435 440 445

Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr Met
450 455 460

Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Arg Gln
465 470 475 480

Arg Leu Ser Lys Asp Ile Asp Ser Asn Asn Asn Ser Asn Phe Ala Trp
485 490 495

Thr Gly Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr Asn
500 505 510

Pro Gly Val Ala Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe Phe
515 520 525

Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn Lys
530 535 540

Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys Thr
545 550 555 560

Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn Leu
565 570 575

Gln Ser Ser Thr Ala Gly Pro Gln Thr Gln Thr Val Asn Ser Gln Gly
580 585 590

Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln Gly
595 600 605

Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro Ser
610 615 620

Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile Leu
625 630 635 640

Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr Pro
645 650 655

Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Ser
660 665 670

Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp Asn
675 680 685

Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val Glu
690 695 700

Phe Ala Val Asn Asn Glu Gly Val Tyr Thr Glu Pro Arg Pro Ile Gly
705 710 715 720

Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 109
<211> 729
<212> PRT
<213> capsid protein of AAV serotype, clone F1VP1

<400> 109

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
260 265 270

Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
275 280 285

Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
290 295 300

Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val
305 310 315 320

Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
325 330 335

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
340 345 350

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
355 360 365

Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val
370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
385 390 395 400

Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
405 410 415

Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
435 440 445

Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
450 455 460

Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
465 470 475 480

Gln Gly Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
485 490 495

Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
500 505 510

Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
530 535 540

Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
545 550 555 560

Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
565 570 575

Leu Gln Pro Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
580 585 590

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Pro Arg Asn Leu
725

<210> 110
<211> 729
<212> PRT
<213> capsid protein of AAV serotype, clone F5VP1@3

<400> 110

```
Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1               5                   10                  15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20                  25                  30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35                  40                  45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50                  55                  60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65                  70                  75                  80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
                85                  90                  95
```

```
Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100                 105                 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
        115                 120                 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
    130                 135                 140

Pro Ile Asp Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145                 150                 155                 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
                165                 170                 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
            180                 185                 190

Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Thr Ala
        195                 200                 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
    210                 215                 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225                 230                 235                 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
                245                 250                 255

Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
            260                 265                 270

Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
        275                 280                 285

Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
    290                 295                 300

Pro Lys Lys Leu Arg Phe Lys Leu Phe Asn Ile Gln Val Lys Glu Val
305                 310                 315                 320

Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
                325                 330                 335

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
            340                 345                 350
```

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
355 360 365

Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn Asn Gly Ser Gln Ser Val
370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
385 390 395 400

Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
405 410 415

Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
435 440 445

Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
450 455 460

Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
465 470 475 480

Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
485 490 495

Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
500 505 510

Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
530 535 540

Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
545 550 555 560

Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
565 570 575

Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
580 585 590

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Glu His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 111
<211> 729
<212> PRT
<213> capsid protein of AAV serotype, clone F3VP1

<400> 111

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Ala Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Gln Gln Leu Lys Ala Gly Asp Asn Pro Tyr Leu Arg Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Ile Gly Ser Pro Asp Ser Ser Thr Gly Ile Gly Lys Lys Gly Gln
145 150 155 160

Gln Pro Ala Lys Lys Lys Leu Asn Phe Gly Gln Thr Gly Asp Ser Glu
165 170 175

Ser Val Pro Asp Pro Gln Pro Leu Gly Glu Pro Pro Ala Ala Pro Ser
180 185 190

Ser Val Gly Ser Gly Thr Met Ala Ala Gly Gly Gly Ala Pro Met Ala
195 200 205

Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Asn Ala Ser Gly Asn Trp
210 215 220

His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val Ile Thr Thr Ser Thr
225 230 235 240

Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His Leu Tyr Lys Gln Ile
245 250 255

Ser Ser Ser Ser Ser Gly Ala Thr Asn Asp Asn His Tyr Phe Gly Tyr
260 265 270

Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn Arg Phe His Cys His Phe
275 280 285

Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn Asn Asn Trp Gly Phe Arg
290 295 300

Pro Lys Lys Leu Arg Phe Lys Leu Leu Asn Ile Gln Val Lys Glu Val
305 310 315 320

Thr Thr Asn Asp Gly Val Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr
325 330 335

Val Gln Val Phe Ser Asp Ser Glu Tyr Gln Leu Pro Tyr Val Leu Gly
340 345 350

Ser Ala His Gln Gly Cys Leu Pro Pro Phe Pro Ala Asp Val Phe Met
355 360 365

Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asp Asn Gly Ser Gln Ser Val
370 375 380

Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr Phe Pro Ser Gln Met Leu
385 390 395 400

Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr Ser Phe Glu Asp Val Pro
405 410 415

Phe His Ser Ser Tyr Ala His Ser Gln Ser Leu Asp Arg Leu Met Asn
420 425 430

Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu Ala Arg Thr Gln Ser Thr
435 440 445

Thr Gly Ser Thr Arg Glu Leu Gln Phe His Gln Ala Gly Pro Asn Thr
450 455 460

Met Ala Glu Gln Ser Lys Asn Trp Leu Pro Gly Pro Cys Tyr Arg Gln
465 470 475 480

Gln Arg Leu Ser Lys Asn Leu Asp Phe Asn Asn Asn Ser Asn Phe Ala
485 490 495

Trp Thr Ala Ala Thr Lys Tyr His Leu Asn Gly Arg Asn Ser Leu Thr
500 505 510

Asn Pro Gly Ile Pro Met Ala Thr Asn Lys Asp Asp Glu Asp Gln Phe
515 520 525

Phe Pro Ile Asn Gly Val Leu Val Phe Gly Lys Thr Gly Ala Ala Asn
530 535 540

Lys Thr Thr Leu Glu Asn Val Leu Met Thr Ser Glu Glu Glu Ile Lys
545 550 555 560

Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr Gly Val Val Ser Ser Asn
565 570 575

Leu Gln Ser Ser Thr Ala Gly Pro Gln Ser Gln Thr Ile Asn Ser Gln
580 585 590

Gly Ala Leu Pro Gly Met Val Trp Gln Asn Arg Asp Val Tyr Leu Gln
595 600 605

Gly Pro Ile Trp Ala Lys Ile Pro His Thr Asp Gly Asn Phe His Pro
610 615 620

Ser Pro Leu Met Gly Gly Phe Gly Leu Lys His Pro Pro Pro Gln Ile
625 630 635 640

Leu Ile Lys Asn Thr Pro Val Pro Ala Asn Pro Pro Glu Val Phe Thr
645 650 655

Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val
660 665 670

Ser Val Glu Ile Glu Trp Glu Leu Gln Lys Glu Asn Ser Lys Arg Trp
675 680 685

Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr Ala Lys Ser Asn Asn Val
690 695 700

Glu Phe Ala Val Asn Pro Asp Gly Val Tyr Thr Glu Pro Arg Pro Ile
705 710 715 720

Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725

<210> 112
<211> 735
<212> PRT
<213> capsid protein of AAV serotype, clone 42.6B

<400> 112

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1   5   10   15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
            20   25   30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
        35   40   45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
    50   55   60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65   70   75   80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
                85   90   95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
            100   105   110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Arg Lys Leu Arg Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Thr Asp Asp Gly Val Thr Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Ser Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ser Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Thr Phe Glu Glu Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Met Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Glu Leu Gln Phe His
450 455 460

Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn
500 505 510

Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys
515 520 525

Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly
530 535 540

Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr
545 550 555 560

Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr
565 570 575

Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr
580 585 590

Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
610 615 620

Asp Gly Asn Phe His Pro Ser Pro Leu Met Asp Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Asn Thr Pro Val Pro Ala Asn
645 650 655

Pro Pro Glu Val Phe Thr Pro Ala Lys Phe Ala Ser Phe Ile Thr Gln
660 665 670

Tyr Ser Thr Gly Gln Val Ser Val Glu Ile Glu Trp Glu Leu Gln Lys
675 680 685

Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln Tyr Thr Ser Asn Tyr
690 695 700

Ala Lys Ser Asn Asn Val Glu Phe Ala Val Asn Asn Glu Gly Val Tyr
705 710 715 720

Thr Glu Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
725 730 735

<210> 113
<211> 685
<212> PRT
<213> capsid protein of AAV serotype, clone 42.12

<400> 113

Met Ala Ala Asp Gly Tyr Leu Pro Asp Trp Leu Glu Asp Asn Leu Ser
1 5 10 15

Glu Gly Ile Arg Glu Trp Trp Asp Leu Lys Pro Gly Ala Pro Lys Pro
20 25 30

Lys Ala Asn Gln Gln Lys Gln Asp Asp Gly Arg Gly Leu Val Leu Pro
35 40 45

Gly Tyr Lys Tyr Leu Gly Pro Phe Asn Gly Leu Asp Lys Gly Glu Pro
50 55 60

Val Asn Glu Ala Asp Ala Ala Ala Leu Glu His Asp Lys Ala Tyr Asp
65 70 75 80

Lys Gln Leu Glu Gln Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala
85 90 95

Asp Ala Glu Phe Gln Glu Arg Leu Gln Glu Asp Thr Ser Phe Gly Gly
100 105 110

Asn Leu Gly Arg Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro
115 120 125

Leu Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Gly Lys Lys Arg
130 135 140

Pro Val Glu Pro Ser Pro Gln Arg Ser Pro Asp Ser Ser Thr Gly Ile
145 150 155 160

Gly Lys Thr Gly Gln Gln Pro Ala Lys Lys Arg Leu Asn Phe Gly Gln
165 170 175

Thr Gly Asp Ser Glu Ser Val Pro Asp Pro Gln Pro Ile Gly Glu Pro
180 185 190

Pro Ala Gly Pro Ser Gly Leu Gly Ser Gly Thr Met Ala Ala Gly Gly
195 200 205

Gly Ala Pro Met Ala Asp Asn Asn Glu Gly Ala Asp Gly Val Gly Ser
210 215 220

Ser Ser Gly Asn Trp His Cys Asp Ser Thr Trp Leu Gly Asp Arg Val
225 230 235 240

Ile Thr Thr Ser Thr Arg Thr Trp Ala Leu Pro Thr Tyr Asn Asn His
245 250 255

Leu Tyr Lys Gln Ile Ser Asn Gly Thr Ser Gly Gly Ser Thr Asn Asp
260 265 270

Asn Thr Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr Phe Asp Phe Asn
275 280 285

Arg Phe His Cys His Phe Ser Pro Arg Asp Trp Gln Arg Leu Ile Asn
290 295 300

Asn Asn Trp Gly Phe Arg Pro Lys Arg Leu Asn Phe Lys Leu Phe Asn
305 310 315 320

Ile Gln Val Lys Glu Val Thr Gln Asn Glu Gly Thr Lys Thr Ile Ala
325 330 335

Asn Asn Leu Thr Ser Thr Ile Gln Val Phe Thr Asp Ser Glu Tyr Gln
340 345 350

Leu Pro Tyr Val Leu Gly Ser Ala His Gln Gly Cys Leu Pro Pro Phe
355 360 365

Pro Ala Asp Val Phe Met Ile Pro Gln Tyr Gly Tyr Leu Thr Leu Asn
370 375 380

Asn Gly Ser Gln Ala Val Gly Arg Ser Ser Phe Tyr Cys Leu Glu Tyr
385 390 395 400

Phe Pro Ser Gln Met Leu Arg Thr Gly Asn Asn Phe Glu Phe Ser Tyr
405 410 415

Gln Phe Glu Asp Val Pro Phe His Ser Ser Tyr Ala His Ser Gln Ser
420 425 430

Leu Asp Arg Leu Thr Asn Pro Leu Ile Asp Gln Tyr Leu Tyr Tyr Leu
435 440 445

Ala Arg Thr Gln Ser Thr Thr Gly Ser Thr Arg Gly Leu Gln Phe His
450 455 460

Gln Ala Gly Pro Asn Thr Met Ala Glu Gln Ser Lys Asn Trp Leu Pro
465 470 475 480

Gly Pro Cys Tyr Arg Gln Gln Arg Leu Ser Lys Asn Ile Asp Ser Asn
485 490 495

Asn Asn Ser Asn Phe Ala Trp Thr Gly Ala Thr Lys Tyr His Leu Asn
500 505 510

Gly Arg Asn Ser Leu Thr Asn Pro Gly Val Ala Met Ala Thr Asn Lys
515 520 525

Asp Asp Glu Asp Gln Phe Phe Pro Ile Asn Gly Val Leu Val Phe Gly
530 535 540

Lys Thr Gly Ala Ala Asn Lys Thr Thr Leu Glu Asn Val Leu Met Thr
545 550 555 560

Ser Glu Glu Glu Ile Lys Thr Thr Asn Pro Val Ala Thr Glu Glu Tyr
565 570 575

Gly Val Val Ser Ser Asn Leu Gln Ser Ser Thr Ala Gly Pro Gln Thr
580 585 590

Gln Thr Val Asn Ser Gln Gly Ala Leu Pro Gly Met Val Trp Gln Asn
595 600 605

Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp Ala Lys Ile Pro His Thr
610 615 620

Asp Gly Asn Phe His Pro Ser Pro Leu Met Gly Gly Phe Gly Leu Lys
625 630 635 640

His Pro Pro Pro Gln Ile Leu Ile Lys Tyr Thr Ser Asn Tyr Tyr Lys
645 650 655

Ser Thr Asn Val Asp Phe Ala Val Asn Thr Glu Gly Thr Tyr Ser Glu
660 665 670

Pro Arg Pro Ile Gly Thr Arg Tyr Leu Thr Arg Asn Leu
675 680 685

<210> 114
<211> 724
<212> PRT
<213> capsid protein of AAV serotype, clone AAV5CAP

<400> 114

```
Met Ser Phe Val Asp His Pro Pro Asp Trp Leu Glu Glu Val Gly Glu
1               5                   10                  15

Gly Leu Arg Glu Phe Leu Gly Leu Glu Ala Gly Pro Pro Lys Pro Lys
            20                  25                  30

Pro Asn Gln Gln His Gln Asp Gln Ala Arg Gly Leu Val Leu Pro Gly
        35                  40                  45

Tyr Asn Tyr Leu Gly Pro Gly Asn Gly Leu Asp Arg Gly Glu Pro Val
    50                  55                  60

Asn Arg Ala Asp Glu Val Ala Arg Glu His Asp Ile Ser Tyr Asn Glu
65                  70                  75                  80

Gln Leu Glu Ala Gly Asp Asn Pro Tyr Leu Lys Tyr Asn His Ala Asp
                85                  90                  95

Ala Glu Phe Gln Glu Lys Leu Ala Asp Asp Thr Ser Phe Gly Gly Asn
            100                 105                 110

Leu Gly Lys Ala Val Phe Gln Ala Lys Lys Arg Val Leu Glu Pro Phe
        115                 120                 125

Gly Leu Val Glu Glu Gly Ala Lys Thr Ala Pro Thr Gly Lys Arg Ile
    130                 135                 140

Asp Asp His Phe Pro Lys Arg Lys Lys Ala Arg Thr Glu Glu Asp Ser
145                 150                 155                 160

Lys Pro Ser Thr Ser Ser Asp Ala Glu Ala Gly Pro Ser Gly Ser Gln
                165                 170                 175
```

Gln Leu Gln Ile Pro Ala Gln Pro Ala Ser Ser Leu Gly Ala Asp Thr
180 185 190

Met Ser Ala Gly Gly Gly Gly Pro Leu Gly Asp Asn Asn Gln Gly Ala
195 200 205

Asp Gly Val Gly Asn Ala Ser Gly Asp Trp His Cys Asp Ser Thr Trp
210 215 220

Met Gly Asp Arg Val Val Thr Lys Ser Thr Arg Thr Trp Val Leu Pro
225 230 235 240

Ser Tyr Asn Asn His Gln Tyr Arg Glu Ile Lys Ser Gly Ser Val Asp
245 250 255

Gly Ser Asn Ala Asn Ala Tyr Phe Gly Tyr Ser Thr Pro Trp Gly Tyr
260 265 270

Phe Asp Phe Asn Arg Phe His Ser His Trp Ser Pro Arg Asp Trp Gln
275 280 285

Arg Leu Ile Asn Asn Tyr Trp Gly Phe Arg Pro Arg Ser Leu Arg Val
290 295 300

Lys Ile Phe Asn Ile Gln Val Lys Glu Val Thr Val Gln Asp Ser Thr
305 310 315 320

Thr Thr Ile Ala Asn Asn Leu Thr Ser Thr Val Gln Val Phe Thr Asp
325 330 335

Asp Asp Tyr Gln Leu Pro Tyr Val Val Gly Asn Gly Thr Glu Gly Cys
340 345 350

Leu Pro Ala Phe Pro Pro Gln Val Phe Thr Leu Pro Gln Tyr Gly Tyr
355 360 365

Ala Thr Leu Asn Arg Asp Asn Thr Glu Asn Pro Thr Glu Arg Ser Ser
370 375 380

Phe Phe Cys Leu Glu Tyr Phe Pro Ser Lys Met Leu Arg Thr Gly Asn
385 390 395 400

Asn Phe Glu Phe Thr Tyr Asn Phe Glu Glu Val Pro Phe His Ser Ser
405 410 415

Phe Ala Pro Ser Gln Asn Leu Phe Lys Leu Ala Asn Pro Leu Val Asp
420 425 430

Gln Tyr Leu Tyr Arg Phe Val Ser Thr Asn Asn Thr Gly Gly Val Gln
435 440 445

Phe Asn Lys Asn Leu Ala Gly Arg Tyr Ala Asn Thr Tyr Lys Asn Trp
450 455 460

Phe Pro Gly Pro Met Gly Arg Thr Gln Gly Trp Asn Leu Gly Ser Gly
465 470 475 480

Val Asn Arg Ala Ser Val Ser Ala Phe Ala Thr Thr Asn Arg Met Glu
485 490 495

Leu Glu Gly Ala Ser Tyr Gln Val Pro Pro Gln Pro Asn Gly Met Thr
500 505 510

Asn Asn Leu Gln Gly Ser Asn Thr Tyr Ala Leu Glu Asn Thr Met Ile
515 520 525

Phe Asn Ser Gln Pro Ala Asn Pro Gly Thr Thr Ala Thr Tyr Leu Glu
530 535 540

Gly Asn Met Leu Ile Thr Ser Glu Ser Glu Thr Gln Pro Val Asn Arg
545 550 555 560

Val Ala Tyr Asn Val Gly Gly Gln Met Ala Thr Asn Asn Gln Ser Ser
565 570 575

Thr Thr Ala Pro Ala Thr Gly Thr Tyr Asn Leu Gln Glu Ile Val Pro
580 585 590

Gly Ser Val Trp Met Glu Arg Asp Val Tyr Leu Gln Gly Pro Ile Trp
595 600 605

Ala Lys Ile Pro Glu Thr Gly Ala His Phe His Pro Ser Pro Ala Met
610 615 620

Gly Gly Phe Gly Leu Lys His Pro Pro Pro Met Met Leu Ile Lys Asn
625 630 635 640

Thr Pro Val Pro Gly Asn Ile Thr Ser Phe Ser Asp Val Pro Val Ser
645 650 655

Ser Phe Ile Thr Gln Tyr Ser Thr Gly Gln Val Thr Val Glu Met Glu
660 665 670

Trp Glu Leu Lys Lys Glu Asn Ser Lys Arg Trp Asn Pro Glu Ile Gln
675 680 685

Tyr Thr Asn Asn Tyr Asn Asp Pro Gln Phe Val Asp Phe Ala Pro Asp
690 695 700

Ser Thr Gly Glu Tyr Arg Thr Thr Arg Pro Ile Gly Thr Arg Tyr Leu
705 710 715 720

Thr Arg Pro Leu

<210> 115
<211> 9
<212> DNA
<213> DraIII restriction enzyme site

<400> 115

caccacgtc 9

<210> 116
<211> 28
<212> DNA
<213> AV2cas

<400> 116

cgcagagacc aaagttcaac tgaaacga 28

<210> 117
<211> 255
<212> DNA
<213> adeno-associated virus serotype 10

<400> 117

ggtaattcct ccggaaattg gcattgcgat tccacatggc tgggcgacag agtcatcacc 60
accagcaccc gaacctgggt cctgcccacc tacaacaacc acatctacaa gcaaatctcc 120
agcgagacag gagccaccaa cgacaaccac tacttcggct acagcacccc ctgggggtat 180
tttgacttta acagattcca ctgccacttt tcaccacgtg actggcagcg actcatcaac 240
aacaactggg gattc 255

<210> 118
<211> 258
<212> DNA
<213> adeno-associated virus serotype 11

<400> 118

```
ggtaattcct ccggaaattg gcattgcgat tccacatggc tgggcgacag agtcatcacc     60
accagcaccc gaacctgggc cctgccaacc tacaacaacc acctctacaa acaaatctcc    120
agcgcttcaa cgggggccag caacgacaac cactactttg gctacagcac cccctggggg    180
tattttgact ttaacagatt ccactgccac ttctcaccac gtgactggca gcgactcatc    240
aacaacaact ggggattc                                                  258
```

<210> 119
<211> 255
<212> DNA
<213> adeno-associated virus serotype 12

<400> 119

```
ggtaattcct ccggaaattg gcattgcgat tccacatggc tgggcgaccg agtcattacc     60
accagcaccc ggacttgggc cctgcccacc tacaacaacc acctctacaa gcaaatctcc    120
agccaatcgg gtgccaccaa cgacaaccac tacttcggct acagcacccc ttgggggtat    180
tttgatttca acagattcca ctgccatttc tcaccacgtg actggcagcg actcatcaac    240
aacaactggg gattc                                                     255
```

<210> 120
<211> 2205
<212> DNA
<213> adeno-associated virus serotype, clone A3.1vp1

<400> 120

```
atggctgccg atggttatct tccagattgg ctcgaggaca ctctctctga aggaatcaga      60
cagtggtgga agctcaaacc tggcccacca ccgccgaaac ctaaccaaca acaccgggac     120
gacagtaggg gtcttgtgct tcctgggtac aagtacctcg gacccttcaa cggactcgac     180
aaaggagagc cggtcaacga ggcagacgcc gcggccctcg agcacgacaa agcctacgac     240
caccagctca agcaagggga caacccgtac ctcaaataca accacgcgga cgctgaattt     300
caggagcgtc ttcaagaaga tacgtctttc gggggcaacc tcgggcgagc agtcttccag     360
gccaaaaaga gggtactcga gcctcttggt ctggttgagg aagctgttaa gacggctcct     420
ggaaaaaaga gacctataga gcagtctcct gcagaaccgg actcttcctc gggcatcggc     480
aaatcaggcc agcagcccgc taagaaaaga ctcaattttg gtcagactgg cgacacagag     540
tcagtcccag accctcaacc aatcggagaa ccccccgcag ccccctctgg tgtgggatct     600
aatacaatgg cttcaggcgg tggggcacca atggcagaca ataacgaagg cgccgacgga     660
gtgggtaatt cctcgggaaa ttggcattgc gattccacat ggatgggcga cagagttatc     720
accaccagca caagaacctg ggccctcccc acctacaata atcacctcta caagcaaatc     780
tccagcgaat cgggagccac caacgacaac cactacttcg gctacagcac cccctggggg     840
tattttgact ttaacagatt ccactgtcac ttctcaccac gtgactggca gcgactcatc     900
aacaacaact ggggatttag acccaagaaa ctcaatttca agctcttcaa catccaagtc     960
aaggaggtca cgcagaatga tggaaccacg accatcgcca ataaccttac cagcacggtg    1020
```

caggtcttca cagactctga gtaccagctg ccctacgtcc tcggttcggc tcaccagggc 1080
tgccttccgc cgttcccagc agacgtcttc atgattcctc agtacggcta cttgactctg 1140
aacaatggca gccaagcggt aggacgttct tcattctact gtctagagta ttttccctct 1200
cagatgctga ggacgggaaa caacttcacc ttcagctaca cttttgaaga cgtgcctttc 1260
cacagcagct acgcgcacag ccagagtctg gatcggctga tgaatcctct cattgaccag 1320
tacctgtatt acctgagcaa aactcagggt acaagtggaa caacgcagca atcgagactg 1380
cagttcagcc aagctgggcc tagctccatg gctcagcagg ccaaaaactg gctaccggga 1440
cccagctacc gacagcagcg aatgtctaag acggctaatg acaacaacaa cagtgaattt 1500
gcttggactg cagccaccaa atattacctg aatggaagaa attctctggt caatcccggg 1560
cccccaatgg ccagtcacaa ggacgatgag gaaaagtatt tccccatgca cggaaatctc 1620
atctttggaa aacaaggcac aggaactacc aatgtggaca ttgaatcagt gcttattaca 1680
gacgaagaag aaatcagaac aactaatcct gtggctacag aacaatacgg acaggttgcc 1740
accaaccatc agagtcagaa caccacagct tcctatggaa gtgtggacag ccagggaatc 1800
ttacctggaa tggtgtggca ggaccgcgat gtctatcttc aaggtcccat ttgggccaaa 1860
actcctcaca cggacggaca ctttcatcct tctccgctca tgggaggctt tggactgaaa 1920
caccctcctc cccagatcct gatcaaaaac acacctgtgc cagcgaatcc cgcgaccact 1980
ttcactcctg gaaagtttgc ttcgttcatt acccagtatt ccaccggaca ggtcagcgtg 2040
gaaatagagt gggagctgca gaaagaaaac agcaaacgct ggaacccaga aattcagtac 2100
acctccaact acaacaagtc ggtgaatgtg gagtttaccg tggacgcaaa cggtgtttat 2160
tctgaacccc gccctattgg cactcgttac cttacccgga acttg 2205

Claims

1. A method of identifying unknown adeno-associated virus (AAV) sequences in a sample suspected of containing AAV from a latent infection, said method comprising the steps of:

(a) subjecting the sample containing DNA to amplification via polymerase chain reaction (PCR) using a first set of primers which specifically amplify a first AAV region comprising at least 250 bp of AAV capsid nucleic acid sequences, said first region having a variable sequence flanked by at least 18 base pairs of highly conserved sequence at its 5' end and at least 18 base pairs of highly conserved sequence at its 3' end, said base pairs being highly conserved relative to an alignment of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;
(b) optionally subjecting the DNA to further amplification using a second set of primers which specifically amplify a second region which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;
(c) optionally subjecting the DNA to further amplification using a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained,

each of said second and third regions being predetermined based upon the alignment of the nucleic acid sequences of at least AAV1, AAV2, AAV3. AAV4, AAV5 and AAV6, and each of said regions comprising nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6; and
each of the sets of primers consisting of a 5' primer and a 3' primer;
the presence of amplified sequences indicating the presence of an AAV in the sample, and
a comparison of differences between the amplified sequences and the sequences of AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6 indicating the presence of an unknown AAV.

2. A method according to claim 1, wherein the comparison comprises the step of comparing restriction enzyme patterns for the amplified sequences to restriction enzyme patterns of AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6.

3. A method according to claim 1 or claim 2, wherein step (a) amplifies the full-length capsid gene.

4. A method according to any of claims 1 to 3, wherein the amplified sequences comprise the AAV capsid gene and the AAV rep gene.

5. A method according to any of claims 1 to 4, wherein the DNA has been extracted from cells, cell culture, tissue, tissue culture or biological fluids.

6. A method according to any of claims 1 to 5, wherein the first region is highly conserved over at least about 25 base pairs at the 5' end of the region, the 3' end of the region or both.

7. A method according to claim 6, wherein the first region is highly conserved over at least about 30 base pairs at the 5' end of the region, the 3' end of the region or both.

8. A method according to any of claims 1 to 7, wherein the highly conserved sequences of the first region have at least 80% identity among the aligned AAVs at the 5' end of the region, the 3' end of the region or both.

9. A method according to claim 8, wherein the highly conserved sequences of the first region have at least 90% identity among the aligned AAVs at the 5' end of the region, the 3' end of the region or both.

10. A method according to any of claims 1 to 9, wherein the variable sequences in the middle of the first region have less than 70% identity among the aligned AAVs.

11. A method according to any of claims 1 to 10, wherein the first region spans about bp 2800 to about 3200 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAVs.

12. A method according to claim 11, wherein the first region is 257 bp spanning bp 2886 to about 3143 of AAV 1, SEQ ID NO:6, and corresponding base pairs in other AAVs.

13. A method according to any of claims 1 to 5, wherein the primers axe AV1ns, having the sequence ofnncleotides 1398 to 1423 of SEQ ID NO:6. and AV2cas, having the sequence of SEQ ID NO:7.

14. A method according to claim 1 or claim 2, wherein the first set of primers allows isolation of full-length adeno-associated virus capsid sequences from a sample,
the first set of primers comprising a 5' primer directed to a region located in the middle of an AAV rep gene, based on a predetermined conserved region, and a 3' primer directed to a region downstream of an AAV cap gene, based on a predetermined conserved region of AAV.

15. A method according to any of claims 1 to 14, wherein the sample comprises AAV integrated into the chromosome.

16. A method according to any of claims 1 to 15, wherein the sample comprises human tissue.

17. A method according to any of claims 1 to 16, wherein the sample contains proviral AAV sequences.

18. A method according to any of claims 1 to 17, wherein the first region is a signature region.

19. A method according to any of claims 1 to 18, wherein the base pairs of the highly conserved sequences are highly conserved relative to an alignment ofAAVs 1,2,3,4,5 and 6 and AAVs isolated from geese and ducks.

20. A method according to any of claims 1 to 19, wherein the variable sequence is a hypervariable sequence.

21. A method according to any of claims 1 to 20, wherein the first region comprises up to 10 kilobasepairs in length.

22. A method according to claim 21, wherein the first region comprises a 3-1 kilobase pair fragment comprising the full-length cap sequence.

23. A kit for detecting the presence of an unknown adeno-associated virus (AAV) in a sample from cellular DNA suspected of containing a latent AAV infection, said kit comprising:

(a) a first set of primers which specifically amplify a first region comprising 250 bp of AAV capsid nucleic acid sequences, said first region having at least 18 base pairs of highly conserved sequence at its 5' end, a variable sequence, and at least 18 base pairs of highly conserved sequence at its 3' end, said base pairs being highly conserved relative to an alignment of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;
(b) optionally a second set of primers specific for a second region of the AAV nucleic acid sequences which comprises the first region of AAV sequences and sequences which are 5' to the first region, such that AAV 5' extension sequences which anneal to the 5' end of the AAV sequences amplified by the primers for the first region are obtained;
(c) optionally a third set of primers which specifically amplify a third region which comprises the first region of AAV sequences and sequences which are 3' to the first region, such that AAV 3' extension sequences which anneal to the 3' end of the AAV sequences amplified by the primers for the first region are obtained;

each of said second and third regions being predetermined based upon the alignment of the nucleic acid sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6, and each of said regions comprising nucleic acid sequences which are highly conserved over at least 18 base pairs at the 5' end, optionally variable sequences in the middle, and sequences which are highly conserved over at least 18 base pairs at the 3' end of the sequences of the region, relative to the sequences of at least AAV1, AAV2, AAV3, AAV4, AAV5 and AAV6;
each of the sets of primers consisting of a 5' primer and a 3' primer, each of said primers comprising at least 15 nucleotides complementary to its respective highly conserved sequence and having exact identity with its respective highly conserved sequence over at least 5 base pairs in its 3' end.

24. A kit according to claim 23, wherein the 5' primer and/or the 3' primer comprises at least 18 nucleotides.

25. A kit according to claim 24, wherein the 5' primer and/or the 3' primer comprises 25 nucleotides.

26. A kit according to any of claims 23 to 25, wherein the 5' primer and/or the 3' primer comprises at least 9 base pairs of exact identity at its 3' end.

27. A kit according to claim 26, wherein the 5' primer and/or the 3' primer comprises at least 18 base pairs of exact identity at its 3' end.

28. A kit according to any of claims 23 to 27, wherein the first set of primers allows isolation of full-length adeno-associated virus capsid sequences from a sample,
the first set of primers comprising a 5' primer directed to a region located in the middle of an AAV rep gene, based on a predetermined conserved region of AAV, and a 3' primer directed to a region downstream of an AAV cap gene, based on a predetermined conserved region of AAV.

29. A kit according to claim 23, wherein the 5' primer has a sequence comprising GCTGCGTCAACTGGACCAATGA-GAAC, which corresponds to nt 1398 to 1423 of SEQ ID NO:6.

30. A kit according to claim 23, wherein the 3' primer has a sequence comprising CGCAGAGACCAAAGTTCAACT-GAAACGA, which corresponds to the nucleotides complementary to 4462-4435 of SEQ ID NO:7.

31. A kit according to any of claims 23 to 30, wherein the sample comprises AAV integrated into the chromosome.

Patentansprüche

1. Verfahren zur Identifizierung unbekannter Sequenzen von adeno-assoziiertem Virus (AAV) in einer Probe, von der man annimmt, daß sie von einer latenten Infektion herrührendes AAV enthält, wobei man in den folgenden Verfahrenschritten

   (a) die DNA-haltige Probe einer Amplifikation über eine Polymerasekettenreaktion (PCR) unter Verwendung eines ersten Primersatzes, mit dem spezifisch ein mindestens 250 Bp AAV-Capsid-Nukleinsäuresequenzen umfassender erster AAV-Bereich amplifiziert wird, wobei dieser erste Bereich eine an ihrem 5'-Ende von mindestens 18 Basenpaaren hochkonservierter Sequenz und an ihrem 3'-Ende von mindestens 18 Basenpaaren hochkonservierter Sequenz flankierte variable Sequenz aufweist, wobei die Basenpaare relativ zu einer vergleichenden Anordnung von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 hochkonserviert sind, aussetzt,
   (b) gegebenenfalls die DNA einer weiteren Amplifikation unter Verwendung eines zweiten Primersatzes, mit dem spezifisch ein zweiter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 5' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, aussetzt, so daß 5'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 5'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,
   (c) gegebenenfalls die DNA einer weiteren Amplifikation unter Verwendung eines dritten Primersatzes, mit dem spezifisch ein dritter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 3' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, aussetzt, so daß 3'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 3'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

   wobei der zweite und der dritte Bereich jeweils auf der Grundlage der vergleichenden Anordnung der Nukleinsäuresequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 vorbestimmt sind und die Bereiche relativ zu den Sequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 jeweils am 5'-Ende der Sequenzen des Bereichs über mindestens 18 Basenpaare hochkonservierte Nukleinsäuresequenzen, in der Mitte gegebenenfalls variable Sequenzen und am 3'-Ende über mindestens 18 Basenpaare hochkonservierte Sequenzen umfassen und
   die Primersätze jeweils aus einem 5'-Primer und einem 3'-Primer bestehen,
   das Vorhandensein amplifizierter Sequenzen das Vorhandensein eines AAV in der Probe anzeigt, und ein Vergleich der Unterschiede zwischen den amplifizierten Sequenzen und den Sequenzen von AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 das Vorhandensein eines unbekannten AAV anzeigt.

2. Verfahren nach Anspruch 1, wobei der Vergleich den Schritt des Vergleichens von Restriktionsenzymmustern für die amplifizierten Sequenzen mit Restriktionsenzymmustern von AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 umfaßt.

3. Verfahren nach Anspruch 1 oder 2, wobei in Schritt (a) das Capsid-Gen in voller Länge amplifiziert wird.

4. Verfahren nach einem der Ansprüche 1 bis 3, wobei die amplifizierten Sequenzen das AAV-Capsid-Gen und das AAV-rep-Gen umfassen.

5. Verfahren nach einem der Ansprüche 1 bis 4, wobei die DNA aus Zellen, Zellkultur, Gewebe, Gewebekultur oder biologischen Flüssigkeiten extrahiert wurde.

6. Verfahren nach einem der Ansprüche 1 bis 5, wobei der erste Bereich über mindestens etwa 25 Basenpaare am 5'-Ende oder/und am 3'-Ende des Bereichs hochkonserviert ist.

7. Verfahren nach Anspruch 6, wobei der erste Bereich über mindestens etwa 30 Basenpaare am 5'-Ende oder/und am 3'-Ende des Bereichs hochkonserviert ist.

8. Verfahren nach einem der Ansprüche 1 bis 7, wobei die hochkonservierten Sequenzen des ersten Bereichs unter den vergleichend angeordneten AAVs eine Identität von mindestens 80% am 5'-Ende oder/und am 3'-Ende des Bereichs aufweisen.

9. Verfahren nach Anspruch 8, wobei die hochkonservierten Sequenzen des ersten Bereichs unter den vergleichend

angeordneten AAVs eine Identität von mindestens 90% am 5'-Ende oder/und am 3'-Ende des Bereichs aufweisen.

10. Verfahren nach einem der Ansprüche 1 bis 9, wobei die variablen Sequenzen in der Mitte des ersten Bereichs unter den vergleichend angeordneten AAVs eine Identität von weniger als 70% aufweisen.

11. Verfahren nach einem der Ansprüche 1 bis 10, wobei der erste Bereich von etwa Bp 2800 bis etwa 3200 von AAV1, SEQ ID NO:6, und den entsprechenden Basenpaaren in anderen AAV reicht.

12. Verfahren nach Anspruch 11, wobei es sich bei dem ersten Bereich um 257 Bp handelt, die von Bp 2886 bis etwa 3143 von AAV1, SEQ ID NO:6, und den entsprechenden Basenpaaren in anderen AAV reichen.

13. Verfahren nach einem der Ansprüche 1 bis 5, wobei es sich bei den Primern um AV1ns mit der Sequenz der Nukleotide 1398 bis 1423 der SEQ ID NO:6 sowie um AV2cas mit der Sequenz der SEQ ID NO:7 handelt.

14. Verfahren nach Anspruch 1 oder Anspruch 2, wobei der erste Primersatz die Isolierung von Capsidsequenzen in voller Länge von adeno-assoziiertem Virus aus einer Probe gestattet,
wobei der erste Primersatz einen auf einen in der Mitte eines AAV-rep-Gens liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs gerichteten 5'-Primer sowie einen auf einen stromabwärts von einem AAV-cap-Gen liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 3'-Primer umfaßt.

15. Verfahren nach einem der Ansprüche 1 bis 14, wobei die Probe in das Chromosom integriertes AAV umfaßt.

16. Verfahren nach einem der Ansprüche 1 bis 15, wobei die Probe menschliches Gewebe umfaßt.

17. Verfahren nach einem der Ansprüche 1 bis 16, wobei die Probe provirale AAV-Sequenzen enthält.

18. Verfahren nach einem der Ansprüche 1 bis 17, wobei es sich bei dem ersten Bereich um einen Signaturbereich handelt.

19. Verfahren nach einem der Ansprüche 1 bis 18, wobei die Basenpaare der hochkonservierten Sequenzen relativ zu einer vergleichenden Anordnung von AAV 1, 2, 3, 4, 5 und 6 und aus Gans und Ente isolierten AAV hochkonserviert sind.

20. Verfahren nach einem der Ansprüche 1 bis 19, wobei es sich bei der variablen Sequenz um eine hypervariable Sequenz handelt.

21. Verfahren nach einem der Ansprüche 1 bis 20, wobei der erste Bereich eine Länge von bis zu 10 Kilobasenpaaren umfaßt.

22. Verfahren nach Anspruch 21, wobei der erste Bereich ein die cap-Sequenz in voller Länge umfassendes Fragment von 3,1 Kilobasenpaaren umfaßt.

23. Kit zum Nachweis des Vorhandenseins eines unbekannten adeno-assoziierten Virus (AAV) in einer Probe aus zellulärer DNA, von der man annimmt, daß sie eine latente AAV-Infektion enthält, wobei der Kit umfaßt:

(a) einen ersten Primersatz, mit dem spezifisch ein 250 Bp AAV-Capsid-Nukleinsäuresequenzen umfassender erster AAV-Bereich amplifiziert wird, wobei dieser erste Bereich an seinem. 5'-Ende mindestens 18 Basenpaare hochkonservierter Sequenz, eine variable Sequenz und an seinem 3'-Ende mindestens 18 Basenpaare hochkonservierter Sequenz aufweist, wobei die Basenpaare relativ zu einer vergleichenden Anordnung von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 hochkonserviert sind,
(b) gegebenenfalls einen für einen zweiten Bereich der AAV-Nukleinsäuresequenzen, der den ersten Bereich von AAV-Sequenzen sowie 5' zum ersten Bereich liegende Sequenzen umfaßt, spezifischen zweiten Primersatz, so daß 5'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 5'-Ende der mit den Primern für den ersten Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,
(c) gegebenenfalls einen dritten Primersatz, mit dem spezifisch ein dritter Bereich, der den ersten Bereich von AAV-Sequenzen sowie 3' zum ersten Bereich liegende Sequenzen umfaßt, amplifiziert wird, so daß 3'-AAV-Verlängerungssequenzen, die in einer Annealing-Reaktion an das 3'-Ende der mit den Primern für den ersten

Bereich amplifizierten AAV-Sequenzen binden, erhalten werden,

wobei der zweite und der dritte Bereich jeweils auf der Grundlage der vergleichenden Anordnung der Nukleinsäuresequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 vorbestimmt sind und die Bereiche relativ zu den Sequenzen von mindestens AAV1, AAV2, AAV3, AAV4, AAV5 und AAV6 jeweils am 5'-Ende der Sequenzen des Bereichs über mindestens 18 Basenpaare hochkonservierte Nukleinsäuresequenzen, in der Mitte gegebenenfalls variable Sequenzen und am 3'-Ende über mindestens 18 Basenpaare hochkonservierte Sequenzen umfassen,
die Primersätze jeweils aus einem 5'-Primer und einem 3'-Primer bestehen, wobei jeder Primer mindestens 15 zur hochkonservierten Sequenz des jeweils anderen Primers komplementäre Nukleotide umfaßt und an seinem 3'-Ende über mindestens 5 Basenpaare eine genaue Identität mit der hochkonservierten Sequenz des jeweils anderen Primers aufweist.

24. Kit nach Anspruch 23, wobei der 5'-Primer und/oder der 3'-Primer mindestens 18 Nukleotide umfaßt.

25. Kit nach Anspruch 24, wobei der 5'-Primer und/oder der 3'-Primer mindestens 25 Nukleotide umfaßt.

26. Kit nach einem der Ansprüche 23 bis 25, wobei der 5'-Primer und/oder der 3'-Primer an seinem 3'-Ende mindestens 9 Basenpaare genauer Identität umfaßt.

27. Kit nach Anspruch 26, wobei der 5'-Primer und/oder der 3'-Primer an seinem 3'-Ende mindestens 18 Basenpaare genauer Identität umfaßt.

28. Kit nach einem der Ansprüche 23 bis 27, wobei der erste Primersatz die Isolierung von Capsidsequenzen in voller Länge von adeno-assoziiertem Virus aus einer Probe gestattet,
wobei der erste Primersatz einen auf einen in der Mitte eines AAV-rep-Gens liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 5'-Primer sowie einen auf einen stromabwärts von einem AAV-cap-Gen liegenden Bereich auf der Grundlage eines vorbestimmten konservierten Bereichs von AAV gerichteten 5'-Primer umfaßt.

29. Kit nach Anspruch 23, wobei der 5'-Primer eine GCTGCGTCAACTGGACCAATGAGAAC umfassende Sequenz aufweist, die Nt 1398 bis 1423 der SEQ ID NO:6 entspricht.

30. Kit nach Anspruch 23, wobei der 3'-Primer eine CGCAGAGACCAAAGTTCAACTGAAACGA umfassende Sequenz aufweist, die den zu 4462-4435 der SEQ ID NO:7 komplementären Nukleotiden entspricht.

31. Kit nach einem der Ansprüche 23 bis 30, wobei die Probe in das Chromosom integriertes AAV umfaßt.

Revendications

1. Procédé pour identifier des séquences de virus associés à l'adénovirus (VAA) inconnus dans un échantillon dont on suspecte qu'il contient des VAA provenant d'une infection latente, ledit procédé comprenant les étapes :

(a) de soumission de l'échantillon contenant l'ADN à une amplification via une réaction de polymérase en chaîne (PCR) en utilisant une première série d'amorces qui amplifient spécifiquement une première région de VAA comprenant au moins 250 pb des séquences d'acides nucléiques de capside de VAA, ladite première région présentant une séquence variable adjacente à au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 5' et à au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 3', lesdites paires de bases étant hautement conservées par rapport à un alignement d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;
(b) éventuellement de soumission de l'ADN à une autre amplification en utilisant une deuxième série d'amorces qui amplifient spécifiquement une deuxième région qui comprend la première région de séquences des VAA et des séquences qui sont côté 5' par rapport à la première région, de telle manière qu'on obtient des séquences d'extension 5' de VAA qui hybrident sur l'extrémité 5' des séquences de VAA amplifiées par les amorces pour la première région ;
(c) éventuellement de soumission de l'ADN à une autre amplification utilisant une troisième série d'amorces qui amplifient spécifiquement une troisième région qui comprend la première région de séquences de VAA et

les séquences qui sont situées côté 3' par rapport à la première région, de telle manière qu'on obtient des séquences d'extension 3' de VAA qui hybrident sur l'extrémité 3' des séquences de VAA amplifiées par les amorces pour la première région,

chacune desdites deuxième et troisième régions étant prédéterminée sur base de l'alignement des séquences d'acides nucléiques d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6, et chacune desdites régions comprenant des séquences d'acides nucléiques qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 5', des séquences éventuellement variables au centre et des séquences qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 3' des séquences de la région, par rapport aux séquences d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6; et
chacune des séries d'amorces étant constituée par une amorce 5' et une amorce 3';
la présence de séquences amplifiées indiquant la présence d'un VAA dans l'échantillon et
une comparaison des différences entre les séquences amplifiées et les séquences des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6 indiquant la présence d'un VAA inconnu.

2. Procédé selon la revendication 1, dans lequel la comparaison comprend l'étape de comparaison de modèles d'enzymes de restriction pour les séquences amplifiées à des modèles d'enzymes de restriction des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6.

3. Procédé selon la revendication 1 ou 2, dans lequel l'étape (a) amplifie toute 1a longueur du gène cap.

4. Procédé selon l'une quelconque des revendications 1 à 3, dans lequel les séquences amplifiées comprennent le gène cap du VAA et le gène rep du VAA.

5. Procédé selon l'une quelconque des revendications 1 à 4, dans lequel l'ADN a été extrait de cellules, d'une culture cellulaire, de tissu, d'une culture de tissu ou de fluides biologiques.

6. Procédé selon l'une quelconque des revendications 1 à 5, dans lequel la première région est hautement conservée sur au moins 25 paires de base en l'extrémité 5' de la région, en l'extrémité 3' de la région ou les deux.

7. Procédé selon la revendication 6, dans lequel la première région est hautement conservée sur au moins 30 paires de base en l'extrémité 5' de la région, en l'extrémité 3' de la région ou les deux.

8. Procédé selon l'une quelconque des revendications 1 à 7, dans lequel les séquences hautement conservées de la première région présentent une identité d'au moins 80% avec les VAA alignés en l'extrémité 5' de la région, l'extrémité 3' de la région ou les deux.

9. Procédé selon la revendication 8, dans lequel les séquences hautement conservées de la première région présentent une identité d'au moins 90% avec les VAA alignés en l'extrémité 5' de la région, l'extrémité 3' de la région ou les deux.

10. Procédé selon l'une quelconque des revendications 1 à 9, dans lequel les séquences variables au centre de la première région présentent une identité inférieure à 70% avec les VAA alignés.

11. Procédé selon l'une quelconque des revendications 1 à 10, dans lequel la première région s'étend de la paire de bases 2800 à environ 3200 du VAA 1, SEQ ID NO:6, et les paires de bases correspondantes dans les autres VAA.

12. Procédé selon la revendication 11, dans lequel la première région représente 257 paires de bases, s'étendant de la paire de bases 2886 à environ 3143 du VAA1, SEQ ID NO:6, et les paires de bases correspondantes dans les autres VAA.

13. Procédé selon l'une quelconque des revendications 1 à 5, dans lequel les amorces sont des AV1ns, présentant la séquence des nucléotides 1398 à 1423 de la SEQ ID NO:6, et des AV2cas, présentant la séquence de la SEQ ID NO:7.

14. Procédé selon la revendication 1 ou 2, dans lequel la première série d'amorces permet l'isolement de toute la longueur de séquences de capside du virus associé à l'adénovirus d'un échantillon, la première série d'amorces comprenant une amorce 5' dirigée sur une région localisée au centre d'un gène rep du VAA, sur base d'une région prédéterminée conservée et une amorce 3', dirigée sur une région en aval d'un gène cap du VAA, basée sur une

région prédéterminée conservée du VAA.

15. Procédé selon l'une quelconque des revendications 1 à 14, dans lequel l'échantillon comprend un VAA intégré dans le chromosome.

16. Procédé selon l'une quelconque des revendications 1 à 15, dans lequel l'échantillon comprend du tissu humain.

17. Procédé selon l'une quelconque des revendications 1 à 16, dans lequel l'échantillon contient des séquences de VAA provirales.

18. Procédé selon l'une quelconque des revendications 1 à 17, dans lequel la première région est une région de signature.

19. Procédé selon l'une quelconque des revendications 1 à 18, dans lequel les paires de bases des séquences hautement conservées sont hautement conservées par rapport à un alignement des VAA 1,2,3,4,5 et 6 et des VAA isolés à partir d'oies et de canards.

20. Procédé selon l'une quelconque des revendications 1 à 19, dans lequel la séquence variable est une séquence hypervariable.

21. Procédé selon l'une quelconque des revendications 1 à 20, dans lequel la première région comprend jusqu'à 10 kilopaires de bases en longueur.

22. Procédé selon la revendication 21, dans lequel la première région comprend un fragment de 3,1 kilopaires de bases comprenant toute la longueur de la séquence du capside.

23. Kit pour détecter la présence d'un virus associé à l'adénovirus (VAA) inconnu dans un échantillon d'ADN cellulaire dont on suspecte qu'il contient une infection latente par un VAA, ledit kit comprenant:

(a) une première série d'amorces qui amplifient spécifiquement une première région comprenant 250 paires de bases de séquences d'acides nucléiques d'un capside de VAA, ladite première région présentant au moins 18 paires de bases d'une séquence hautement conservée en son extrémité 5', une séquence variable et au moins 18 paires de base d'une séquence hautement conservée en son extrémité 3', lesdites paires de bases étant hautement conservées par rapport à un alignement d'au moins VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;
(b) éventuellement une deuxième série d'amorces spécifiques d'une deuxième région des séquences d'acides nucléiques de VAA qui comprend la première région des séquences de VAA et des séquences qui se situent côté 5' par rapport à la première région, de manière à obtenir des séquences d'extension 5' des VAA qui hybrident sur l'extrémité 5' des séquences de VAA amplifiées par les amorces pour la première région ;
(c) éventuellement une troisième série d'amorces qui amplifient spécifiquement une troisième région, qui comprend la première région de séquences de VAA et des séquences qui se situent côté 3' par rapport à la première région, de manière à obtenir des séquences d'extension 3' de VAA qui hybrident sur l'extrémité 3' des séquences de VAA amplifiées par les amorces de la première région;

chacune desdites deuxième et troisième région étant prédéterminée sur base de l'alignement des séquences d'acides nucléiques d'au moins les VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6, et chacune desdites régions comprenant des séquences d'acides nucléiques qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 5', éventuellement des séquences variables au centre et des séquences qui sont hautement conservées sur au moins 18 paires de bases en l'extrémité 3' des séquences de la région, par rapport aux séquences au moins des VAA1, VAA2, VAA3, VAA4, VAA5 et VAA6;
chacune des séries d'amorces étant constituée par une amorce 5' et une amorce 3', chacune desdites amorces comprenant au moins 15 nucléotides complémentaires à sa séquence respective hautement conservée et présentant une identité exacte avec sa séquence respective hautement conservée sur au moins 5 paires de bases en son extrémité 3'.

24. Kit selon la revendication 23, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins 18 nucléotides.

25. Kit selon la revendication 24, dans lequel l'amorce 5' et/ou l'amorce 3' comprend 25 nucléotides.

26. Kit selon l'une quelconque des revendications 23 à 25, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins

9 paires de bases d'identité exacte en son extrémité 3'.

27. Kit selon la revendication 26, dans lequel l'amorce 5' et/ou l'amorce 3' comprend au moins 18 paires de bases d'identité exacte en son extrémité 3'.

28. Kit selon l'une quelconque des revendications 23 à 27, dans lequel la première série d'amorces permet l'isolement de toute la longueur des séquences de capside d'un virus associé à l'adénovirus d'un échantillon,
la première série d'amorces comprenant une amorce 5' dirigée sur une région localisée au centre d'un gène rep d'un VAA, basée sur une région prédéterminée conservée d'un VAA et une amorce 3' dirigée sur une région en aval d'un gène cap d'un VAA, basée sur une région prédéterminée conservée d'un VAA.

29. Kit selon 1a revendication 23, dans lequel l'amorce 5' présente une séquence comprenant GCTGCGTCAACTG-GACCAATGAGAAC, ce qui correspond aux nucléotides 1398 à 1423 de la SEQ ID NO:6.

30. Kit selon la revendication 23, dans lequel l'amorce 3' présente une séquence comprenant CGCAGAGACCAAAGTT-CAACTGAAACGA, qui correspond aux nucléotides complémentaires à 4462-4435 de la SEQ ID NO:7.

31. Kit selon l'une quelconque des revendications 23 à 30, dans lequel l'échantillon comprend un VAA intégré dans le chromosome.